MIL-P-642/12B
11 February 1975

SUPERSEDING
MIL-P-642/12A
3 July 1973

MILITARY SPECIFICATION SHEET

PLUGS, TELEPHONE, AND ACCESSORY SCREWS

(SCREWS, TERMINAL AND SHELL)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the plugs described herein shall consist of this document and the latest issue of Specification MIL-P-642.


.020±.005
.030±.005
.144 DIA ±.005
.078 ±.015
.031 ±.005
.047±.002 DIA
.086-64 UNF-2A

TERMINAL SCREW

PART NUMBER	M642/12-1


.020±.005
.046±.002
.125 DIA ±.002
.078 ±.015
.031 ±.005
.047±.002 DIA
.112-48 UNF-2A

SHELL SCREW

PART NUMBER	M642/12-2


124 REF
Ⓑ
.020±.005
.046±.002
.125 DIA ±.002
.078 ±.015
.031 ±.005
.030 UNDERCUT TO .081 DIA
.014 X 45° CHAMFER
.047±.002 DIA
.112-48 UNF-2A
MAJOR DIA MAX .1113 MIN .1068
PITCH DIA MAX .0978 MIN .0954

SHELL SCREW

OPTIONAL SCREW FOR M642/12-2

Ⓑ DENOTES CHANGES


.125 DIA
±.002
.031
±.005
.020±.005
.026±.002
.078
±.015
.047±.002 DIA
.099-48 UNC-2A

SHELL SCREW

PART NUMBER	M642/12-3


B
.104
REF
.125 DIA
±.002
.031
±.005
.020±.005
.026±.002
.078
±.015
.020 UNDERCUT
TO .072 DIA
.047±.002 DIA
.099-48 UNC-2A
MAJOR DIA
MAX .0983
MIN .0938
PITCH DIA
MAX .0848
MIN .0825

SHELL SCREW
OPTIONAL SCREW FOR
M642/12-3

INCHES	MM	INCHES	MM	INCHES	MM
.002	.05	.047	1 19	.0978	2 48
.005	13	072	1 83	.0983	2 50
.014	36	078	1 98	.099	2 51
.015	38	081	2 06	.104	2 64
020	51	0825	2 10	.1068	2 71
026	66	0848	2 15	.1113	2 83
.030	76	086	2 18	112	2 84
031	79	0938	2 38	124	3 15
.046	1 17	0954	2 42	125	3 18
				144	3 66

NOTES:

1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch 25.4 mm.

REQUIREMENTS

Dimensions and configuration: See figure.

Screw material. Shall be in accordance with MIL-P-642.

Screw threads. Shall be in accordance with MIL-P-642.

Custodians
Army - EL
Navy - EC
Air Force - 11

Review activities
Army - EL, MI, ME, SL, MU
Navy - AS
Air Force - 80
DSA - ES

User activities
Army - MI, WC, AV
Navy - OS, MC, SH, YD
Air Force - 17

Preparing activity
Army - EL

Agent
DSA - ES

(Project 5935-1982)

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET	Form Approved Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-[illegible]/100 [illegible], [illegible], [illegible] ([illegible]
[illegible])

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

DIRECT GOVERNMENT CONTRACT   SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

YES   NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*   DATE

DD FORM 1 JAN 66 1426

LSC-FM 1068-68

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN: AMSEL-RD-TS
Fort Monmouth, New Jersey 07703

To detach this form, cu along this line

FOLD