MILITARY SPECIFICATION

AMPICILLIN FOR ORAL SUSPENSION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Ampicillin for Oral Suspension, USP.

1.2 Classification. The suspension covered by this specification shall be of the following strengths (See 6.2):

Strength 1 - Equivalent to 3.75 Grams of Ampicillin
Strength 2 - Equivalent to 5.0 Grams of Ampicillin
Strength 3 - Equivalent to 7.5 Grams of Ampicillin
Strength 4 - Equivalent to 10.0 Grams of Ampicillin

2. APPLICABLE DOCUMENTS

2.1 Issue of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 S. 20th St., Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connextion with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Ampicillin for Oral Suspension, USP, and shall be in accordance with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.2 Contents.

3.2.1 Strength 1. When reconstituted as directed on the label, each bottle shall yield 150 ml of homogeneous suspension; each 5 ml of which shall contain a quantity of ampicillin anhydrous or ampicillin trihydrate equivalent to 125 mg of ampicillin activity, within the applicable assay limits for the suspension.

3.2.2 Strength 2. When reconstituted as directed on the label, each bottle shall yield 100 ml of homogeneous suspension; each 5 ml of which shall contain a quantity of ampicillin anhydrous or ampicillin trihydrate

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

equivalent to 250 mg of ampicillin activity, within the applicable assay limits for the suspension.

3.2.3 Strength 3. When reconstituted as directed on the label, each bottle shall yield 150 ml of homogeneous suspension; each 5 ml of which shall contain a quantity of ampicillin anhydrous or ampicillin trihydrate equivalent to 250 mg of ampicillin activity, within the applicable assay limits for the suspension.

3.2.4 Strength 4. When reconstituted as directed on the label, each bottle shall yield 200 ml of homogeneous suspension; each 5 ml of which shall contain a quantity of ampicillin anhydrous or ampicillin trihydrate equivalent to 250 mg of ampicillin activity, within the applicable assay limits for the suspension.

3.3 Flavor and palatability. The reconstituted suspension shall be pleasantly flavored, and shall be palatable and pleasant to the taste with no unpleasant after-taste. Not later than the time specified for opening the bids or receipt of proposals, the offeror shall submit to the contracting officer six (6) units of product which are representative of the product which the offeror proposes to furnish. A portion of the samples will be subjected to panel testing for a determination of palatability (see 4.5.1 Palatability test). A portion will be used by the cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the specification requirement.

3.4 Certification. The material shall conform to the pertinent provisions of the regulations for the certification of antibiotic and antibiotic containing drugs, as promulgated by the FDA.

3.4.1 Each lot shall be certified by the FDA.

3.5 Ampicillin. The ampicillin used in the manufacture of the material shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.5.1 Other ingredients. Ingredients necessary to insure a suitable, stable product meeting all requirements of the specification shall be employed. All ingredients, used in the manufacture of the material, shall be USP or NF quality or if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.6 Expiration dating period. The expiration dating period shall be not less than 36 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

3.6.1 Delivery. Not more than 3 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.7 Workmanship. The material and its container shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of material from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.4 Examination. The finished product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	Material not a crystalline powder.
102	Material not able to be reconstituted.
103	Reconstituted material not free form foreign matter.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.5.1 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the item's Palatability Standard, 1/ when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the samples shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

1/ The item's Palatability Standard is available, upon separate request to the contracting officer, Defense Personnel Support Center, Directorate of Medical Materiel.

4.6 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

4.7 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3), and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 3.75 gram, 5.0 gram, 7.5 gram or 10.0 gram, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container for all strengths shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. Immediate container for strength 2 shall provide sufficient shake space for 100 ml of reconstituted suspension. Immediate containers for strength 1 and strength 3 shall provide sufficient shake space for 150 ml of reconstituted suspension. Immediate container for strength 4 shall provide sufficient shake space for 200 ml of reconstituted suspension.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issue containing one strength only shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Four intermediate packages (48 units) containing strength 1 or strength 3, or six intermediate packages (72 units) containing strength 4, or eight intermediate packages (96 units) containing strength 2, shall be packaged as specified in 5.4.4 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

5.3.2 Level B. Four intermediate packages (48 units) containing strength 1 or strength 3 or six intermediate packages (72 units) containing strength 4 or eight intermediate packages (96 units) containing strength 2 shall be packaged as specified in 5.4.3.2 of PPP-C-186 except that the bursting strength shall be not less than 275 pounds.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number and extended potency lines shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. In addition, type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall also be shown. Markings shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59° - 86°F)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-080-0851	AMPICILLIN FOR ORAL SUSPENSION, USP, Equivalent to 5.0 grams of Ampicillin	Strength 2
6505-00-283-3198	AMPICILLIN FOR ORAL SUSPENSION, USP, Equivalent to 10.0 grams of Ampicillin	Strength 4
6505-00-926-8924	AMPICILLIN FOR ORAL SUSPENSION, USP, Equivalent to 3.75 grams of Ampicillin	Strength 1
6505-00-935-6535	AMPICILLIN FOR ORAL SUSPENSION, USP, Equivalent to 7.5 grams of Ampicillin	Strength 3

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1638

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-A-37480 AMPICILLIN FOR ORAL SUSPENSION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2020-10-21T10:48Z
Check the source to verify that this is the current version before use.