MIL-A-37494A
28 September 1977
SUPERSEDING
MIL-A-37494 (DSA-DM)
19 March 1976

MILITARY SPECIFICATION

ASPIRIN TABLETS, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Aspirin Tablets, USP.

1.2 Classification. The tablets covered by this specification shall be of the following coating (if coated), sizes and strengths (see 6.2).

Strength 1	- 81 mg
Strength 2	- 324 or 325 mg
Size 1	- 36s
Size 2	- 100s
Size 3	- individually sealed, 100s
Size 4	- 1000s
Coating	- enteric

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-676	- Boxes, Setup.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Aspirin Tablets, USP, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

S2. Classification.
For strength 1, shall be type I, class 1.
For strength 2, shall be type I.
For enteric coating, strength 2, shall be type I, class 2, style B.

S5.2 The following is added to this paragraph:

For strength 1, shall be tablets containing 81 mg of Aspirin per tablet, within the applicable assay limits for the tablets. Strength 1 tablets shall be suitably flavored, palatable and easily chewable.

For strength 2, shall be tablets containing 324 mg or 325 mg of Aspirin per tablet, within the applicable assay limits for the tablets.

S6.9.1 Classification of defects. For enteric-coated, strength 2 tablets, Major A #107 in Table V shall not apply and Major A #109 in Table IV shall apply.

3.2 Flavor and palatability for strength 1 tablets. The tablets shall be flavored, and shall be palatable and pleasant to the taste with no unpleasant after-taste. Not later than the time specified for opening of bids or receipt of proposals, the offeror shall submit to the contracting officer twenty (20) individually packaged samples, each containing 36 strength 1 tablets, representative of the product which the offeror proposes to furnish. Ten (10) samples will be subjected to panel testing for a determination of palatability (see 4.5.2 - Palatability test). The remaining samples will be used by the cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the palatability requirement.

3.3 Ingredients.

3.3.1 Aspirin. The aspirin used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.4 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.5. Expiration dating period. The expiration dating period shall be not less than 36 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests.

4.5.1 Tests. Tests shall be performed to determine compliance with all requirements of this document and all reference documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

4.5.2 Palatability test for strength 1 tablets. A taste panel consisting of 10 members shall be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted unless otherwise specified in this document, coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard 1/, when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extermely

1/ The Palatability Standard is available upon separate request to the contracting officer, from the Defense Personnel Support Center, Directorate of Medical Materiel.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 36 tablets of size 1, strength 1, or size 1, strength 2; or 100 tablets of size 2, strength 2; or 1000 tablets of size 4, strength 2; as specified, constitutes one unit of issue. One box containing 100 individually sealed tablets, of size 3, strength 2; as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1, strength 1; size 1, strength 2; size 2, strength 2; and size 4, strength 2. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container shall be altered in any way by each other. The closure for size 1, strength 1; size 1, strength 2; and size 2, strength 2 shall be closure "P" (child proof).

5.2.2.1.2 Size 3, strength 2. The immediate container shall be a commercially available strip or blister package considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container shall be altered in any way be each other. In addition, ten (10) tablets shall be available per strip and ten (10) strips (100 tablets) constituting a unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1, strength 1; size 1, strength 2; size 4, strength 2; and size 4, strength 2. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Size 3, strength 2. Ten strips containing ten individually packaged tablets per strip (100 tablets) shall be packaged in a box conforming to PPP-B-566 or PPP-B-676. Closure shall be as specified in the appendix of the applicable box specification.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1, strength 1; size 1, strength 2; and size 2, strength 2. Twelve units of one size and strength only shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.2.3.2 Size 3, strength 2. Ten unit packages shall be packaged in a box conforming to PPP-B-566, PPP-B-636, class domestic, or PPP-B-676. Closure shall be as specified in the appendix of the box specification.

5.2.2.3.3 Size 4, strength 2. Twelve units shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Shall be level A, B or C as specified (see 6.1).

5.3.1 Level A.

5.3.1.1 Size 1, strength 1; size 1, strength 2; and size 2, strength 2. Twelve intermediate packages (144 units) of one size and strength only shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.1.2 Size 3, strength 2. Ten intermediate packages (100 units) shall be packaged in an exterior container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and waterproofing shall be as specified in the appendix of the box specification.

5.3.1.3 Size 4, strength 2. Two intermediate packages (24 units) shall be packaged in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B.

5.3.2.1 Size 1, strength 1; size 1 strength 2; and size 2, strength 2. Twelve intermediate packages (144 units) of one size and strength only shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

5.3.2.2 Size 3 strength 2. Ten intermediate packages (100 units) shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-636 class domestic. Closure shall be as specified in the appendix of the box specification.

5.3.2.3 Size 4, strength 2. Two intermediate packages (24 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, except for size 3, strength 2, the National Stock Number shall appear on the immediate container.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)"

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-063-5631	ASPIRIN TABLETS, USP, 0.324 Gram, 1000s	Enteric coated, Strength 2, Size 4
6505-00-100-9985	ASPIRIN TABLETS, USP, 0.324 Gram, 100s	Strength 2, Size 2
6505-00-118-1948	ASPIRIN TABLETS, USP, 0.324 Gram, Individually Sealed, 100s	Strength 2, Size 3
6505-00-153-8750	ASPIRIN TABLETS, USP, 0.324 Gram, 1000s	Strength 2, Size 4
6505-01-016-2224	ASPIRIN TABLETS, USP, 0.324 Gram, 36s	Strength 2, Size 1
6505-01-033-9866	ASPIRIN TABLETS, USP, 81 mg, 36s	Strength 1, Size 1

6.3 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DLA - DM

Project No. 6505-1965

Review activity:
DoD - MB

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-A-37494A ASPIRIN TABLETS, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. *REMARKS*

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:50Z
Check the source to verify that this is the current version before use.