MILITARY SPECIFICATION

NEOMYCIN SULFATE, HYDROCORTISONE, AND POLYMYXIN B SULFATE SOLUTION, OTIC

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Neomycin Sulfate, Hydrocortisone, and Polymyxin B Sulfate Solution, Otic (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be sterile solution containing in each ml the following:

Neomycin Sulfate	equivalent to 3.5 mg. Neomycin Base
Hydrocortisone	10 mg (1 percent)
Polymyxin B (as Polymyxin B Sulfate)	10,000 Units

3.2 Assay. The solution shall assay to contain not less than 90.0 percent and not more than 130.0 percent of the required amount of Neomycin Base (as the sulfate), not less than 90.0 percent and not more than 110.0 percent of the required amount of Hydrocortisone, and not less than 90.0 percent and not more than 130.0 percent of the required amount of Polymyxin B (as the sulfate) when determined as specified in the applicable F.D.A. regulations concerning Certification of Antibiotic and Antibiotic-Containing Drugs.

3.3 Certification. Shall be in accordance with the General Regulations for the Certification of Antibiotics and Antibiotic-Containing Drugs, as promulgated by the Food and Drug Administration, U.S. Department of Health, Education and Welfare.

3.3.1 Each lot of each antibiotic used in the manufacture of the solution shall comply with the applicable F.D.A. requirements, and shall be certified by the F.D.A.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:48Z
Check the source to verify that this is the currentversion before use.

3.4 Ingredients.

3.4.1 Neomycin Sulfate, Hydrocortisone and Polymyxin B Sulfate. The Neomycin Sulfate, Hydrocortisone and Polymyxin B Sulfate used in the manufacture of the solution shall comply with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.4.2 Other ingredients. All other ingredients used in the manufacture of the finished solution shall be of U.S.P. or N.F. quality, or if not included in either of these compendia, they shall be of the highest pharmaceutical grade throughout, and shall be suitable for use in the otic solution.

3.5 Sterility. The otic solution shall be sterile when tested in accordance with a suitable method approved by the Food and Drug Administration.

3.6 Expiration dating period. The expiration dating period shall be 30 months.

3.6.1 Delivery. Not less than 27 months of the expiration dating period shall remain at time of delivery to the Government.

3.7 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of finished otic solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.3.1 For raw material and end item testing. Noncompliance with any of the following is cause for rejection.

TABLE II. Raw material and end item testing 1/

Characteristic	Requirement paragraph	Inspection level 2/	Minimum sample
Assay	3.2	S-2	5
Ingredients	3.4	3/	-
Sterility	3.5		-

1/ For all tests including sterility test, the acceptance number shall be zero.
2/ Where possible, the same sample shall be used for two (2) or more tests.
3/ Sufficient quantities shall be selected from each lot of raw material to perform tests indicated in applicable test methods. Failure of any sample to comply with the test requirements shall be cause for rejection of the lot represented.

4.4 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.6 Examination. The finished otic solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3, 4.3.1, 4.4 and 4.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

4.6.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE III. Classification of defects

Categories	Defects 1/
Major	
101	Solution not free from foreign matter.
102	Solution has crystal formation.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.7 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. Requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One package containing one bottle along with a sterile dropper as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. In addition, a sterile dropper shall be supplied with each bottle.

5.2.2.2 Unit package. Each bottle containing 10 ml along with a sterile dropper shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve unit packages shall be packaged in an intermediate package as specified in 5.2.7.1 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (See 6.1).

5.3.1 Level A. Twelve intermediate packages (144 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (144 units) shall be packed in an exterior container as specified in paragraph 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Each exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life markings as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification
6505-01-014-1378	NEOMYCIN SULFATE, HYDROCORTISONE, AND POLYMYXIN B SULFATE SOLUTION, Otic, 10 ml.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MD
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1639

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:48Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-N-37481(DSA-DM) NEOMYCIN SULFATE, HYDROCORTISONE, AND POLYMYXIN B SULFATE SOLUTION, OTIC

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974—603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:48Z
Check the source to verify that this is the current version before use.