MILITARY SPECIFICATION

PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Phenylephrine Hydrochloride Nasal Solution, USP.

1.2 Classification. The solution covered by this specification shall be of the following sizes and strengths (See 6.2):

Strength 1 - 0.25%
Strength 2 - 1%
Size 1 - 15 ml
Size 2 - 1 pt (473 ml)

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL- STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION (FDA).

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Phenylephrine Hydrochloride Nasal Solution, USP, and shall be in accordance with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.1.1 Formula. Shall be a buffered, isotonic solution in accordance with the following formula as indicated for the appropriate strength.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

3.1.1.1 For Strength 1:

Phenylephrine Hydrochloride		0.25%
Sodium Bisulfite		0.20%
Methylparaben		0.02%
Propylparaben		0.01%
Sodium Chloride		0.58%
Sodium Citrate		0.44%
Purified Water	q.s.ad.	100.00%

Adjust the pH of the bulk solution to 6.40 - 6.50 with Sodium Hydroxide (See 3.2.2).

3.1.1.2 For Strength 2:

Phenylephrine Hydrochloride		1.00%
Sodium Bisulfite		0.20%
Methylparaben		0.02%
Propylparaben		0.01%
Sodium Chloride		0.38%
Sodium Citrate		0.44%
Purified Water	q.s.ad.	100.00%

3.2 Finished product.

3.2.1 Assay.

3.2.1.1 Phenylephrine Hydrochloride. The finished solution for strength 1, size 1, shall contain 0.25 percent phenylephrine hydrochloride within the applicable assay limits for the solution. The finished solution for strength 2, size 2, shall contain 1.00 percent phenylephrine hydrochloride within the applicable assay limits for the solution.

3.2.1.2 Other ingredients. The sodium bisulfite, methylparaben, propylparben, sodium chloride and sodium citrate content in the finished solution shall be determined from the batch formulation sheet kept on file by the manufacturer. The quantity of these ingredients shall be in conformance with the formulation specified in 3.1.1 for the appropriate strength.

3.2.2 pH. For strength 1, size 1, only, the pH range of the finished (filled) solution shall be 5.3 to 6.5 when determined using the USP method.

3.3 Ingredients.

3.3.1 Phenylephrine Hydrochloride. The phenylephrine hydrochloride used in the manufacture of the solution shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

3.4 Other ingredients. All other ingredients used in the manufacture of the solution shall be of USP or NF quality, or if not listed in either of these compendia, shall be suitable for use in the preparation.

3.5 Expiration dating period. The expiration dating period shall be not less than 36 months.

3.6 Delivery. Not more than 3 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.7 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contract will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, a batch, or control is that single, uniform, and homogeneous quantity of nasal solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.3.1 For bulk solution and end item testing. Noncompliance with any of the following is cause for rejection.

TABLE II. Criteria for bulk solution and end item testing.

Characteristic	Requirement paragraph	Inspection level 1/	Minimum sample
pH of bulk solution for strength 1	3.1.1.1	2/	
pH of filled solution for Size 1, Strength 1	3.2.2	S-2	5

1/ Where possible, the sample shall be used for two or more tests.
2/ Sufficient quantity of bulk solution shall be selected from each lot to perform tests indicated in applicable test methods. Failure of any sample to comply with test requirements shall be cause for rejection of the lot represented.

4.4 Examination. The finished nasal solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE III. Classification of defects.

Categories	Defects 1/
Major	
101	Solution not free from foreign matter.
102	Solution has crystal formation.
103	Solution not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests. Tests shall be performed to determine compliance with all requirements of this document and all reference documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 473 ml of size 2, strength 2, or one package containing one 15 ml bottle of size 1, strength 1, as apecified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1 Size 1, Strength 1. The immediate container for size 1, strength 1, shall be a commercially available screw cap dropper bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 2, Strength 2. The immediate container for size 2, strength 2, shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished for size 2, strength 2. If a unit package is furnished each unit shall be packaged as specified in 5.2.5 of PPP-C-186. Each size 1, strength 1, bottle shall packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1, Strength 1. Twelve units of issue shall be packaged as specified in 5.4.3.1.1 of PPP-C-186.

5.2.2.3.2 Size 2, Strength 2. Twelve units of issue shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (See 6.1).

5.3.1 Level A. Twenty-four intermediate packages (288 units) of size 1, strength 1, or two intermediate packages (24 units) of size 2, strength 2, shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twenty-four intermediate packages (288 units) of size 1, strength 1, shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186 or two intermediate packages (24 units of size 2, strength 2, shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the west rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for size 2, strength 2, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with 5.5.3 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE."

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE."

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-249-5285	PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP, 1%, 1 pt (473 ml)	Size 2, Strength 2
6505-00-687-4524	PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP, 0.25%, 15 ml	Size 1, Strength 1

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1661

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-P-37496 PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:51Z
Check the source to verify that this is the current version before use.