MIL-S-37486A
25 May 1977
SUPERSEDING
MIL-S-37486(DSA-DM)
17 February 1976

MILITARY SPECIFICATION

SODIUM CHLORIDE IRRIGATION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Sodium Chloride Irrigation, USP (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

MMM-A-250	-	Adhesive, Water-Resistant, (for Sealing Fiberboard Boxes).
NN-P-71	-	Pallets, Material Handling Plywood, Stringer Construction, Two Way and Four Way (Partial).
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-C-186	-	Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.
PPP-T-76	-	Tape, Pressure-Sensitive Adhesive Paper (for Carton Sealing).

MILITARY

MIL-P-15011	-	Pallets, Material Hardwood, Post Construction, 4-Way.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-147	-	Palletized Unit Loads for 40" x 48" Pallets.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals, shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

* 3. REQUIREMENTS

3.1 Material. Shall be a Sodium Chloride Irrigation, USP, and shall comply with the tests, standards, and requirements of the USP for Sodium Chloride Injection.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:49Z
Check the source to verify that this is the current version before use.

3.2 Ingredients.

3.2.1 Sodium chloride. The sodium chloride used in the manufacture of the product shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients entering into the finished solution shall be of USP or NF quality or, if not included in either of these compendia, the ingredients shall be suitable for use in this preparation.

3.4 Expiration dating period. The expiration dating period shall be not less than 36 months.

3.4.1 Delivery. Not more than 4 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.5 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of product produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.4 Examination. The finished product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

* 4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	The finished product is not free from foreign matter.
102	Material not free of extraneous color.
103	Material not free of undissolved or particulate matter.
Minor	
201	Exterior of immediate container is not free of dirt or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:49Z
Check the source to verify that this is the currentversion before use.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. Requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One box containing six bottles, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a suitable wide-mouth pour-type glass container with a screw cap and one considered acceptable by the Food and Drug Administration (FDA) for the product contained therein, and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The container neck shall be not less than 38 mm in diameter and the closure shall not be adaptable to use with military intravenous sets.

5.2.2.2 Unit package (exterior container). Six bottles shall be packaged in a fiberboard box constructed in accordance with PPP-B-636, W5c. The interior of each box shall be fitted with full-size top and bottom pads, and three full-height scored shells. The shells shall be scored and folded to form two individual cells or one double shell. All corrugations shall be horizontal. Shells shall provide two thicknesses between glass containers and the inside faces of the ends and sides of the box. Bottles shall fit snugly in cells. Closure of bottom flaps shall be in accordance with box specification. Top flaps shall be closed with adhesive conforming to MMM-A-250 in such a manner as to permit easy opening

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:49Z
Check the source to verify that this is the current version before use.

of the box. As an alternate, top flaps shall be closed by the application of a 2-inch wide tape conforming to PPP-T-76. The tape shall be centered over the seams formed by the closure of the outer flaps and shall extend over the end panels not less than 2 inches. Strapping shall not be required.

5.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package shall be marked with exterior container markings as specified in MIL-STD-129, except that the date cured (for rubber components) is not required. Type I shelf life marking as specified in MIL-STD-129 shall be shown. The lot or control number designated as such: 'Lot_____' or 'Control_____' contract or purchase order number, the name of contractor shall also be shown. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"
and
"GLASS - HANDLE WITH CARE"

NOTE: The lot or control number shown on the exterior container shall be the exact sterility lot or control number shown on the immediate container. The level of protection shall be shown on the exterior container as "A" or "C" as applicable in lieu of A/A or C/C.

5.5 Palletization. Unless otherwise specified, items packed as specified for level A shall be palletized in accordance with MIL-STD-147, load type I. Overall height of pallet load including the pallet shall not exceed 54 inches. Pallets shall conform to NN-P-71, type IV, size 2, low density, 40 inches by 48 inches, in lieu of pallets conforming to MIL-P-15011.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-222-1357	SODIUM CHLORIDE IRRIGATION, USP, 0.9%, 1500 ml, 6s

6.3 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Reviewing activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1801

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

shock (specified pulse). Method 516, test conditions

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
SODIUM CHLORIDE IRRIGATION, USP MIL-S-37486A

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:49Z
Check the source to verify that this is the current version before use.