
MIL-C-25516/20C
19 May 1980
Superseding
MIL-C-25516/20B(ASG)
3 April 1968

MILITARY SPECIFICATION SHEET

# CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL, PLUG, SERIES I, CLASS G, TYPE 1

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring connectors described herein shall consist of this document and the issue in effect of MIL-C-25516.




POLARITY "F" SHOWN
FOR OTHER POLARITIES,
SEE FIGURE I OF MIL-C-25516

NOTES
1 Dimensions are in inches.
2 Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3 Metric equivalents are in parentheses
4 Mating dimensions shall be accordance with MIL-C-25516
5 Cable entry dimensions shall be suitable to accommodate the associated cable dimensions as specified in the Appendix of MIL-C-25516
6 The maximum envelope dimensions are 965 and 450

FIGURE 1 Connector, electrical plug



FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T05:51Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration See figure 1.

Environmental and Mechanical
Visual and mechanical inspection Applicable
Contact engaging and separating forces Applicable
Resistance to test probe damage Applicable
Contact retention: Applicable
Durability Applicable.
Cable retention force Applicable.
Side load Applicable
Hermetic sealing Not applicable
Thermal shock Applicable
Shock. Applicable
Vibration Applicable.
High temperature Applicable.
Fuel immersion Applicable.
Altitude humidity cycling Applicable
Ozone exposure Applicable.
Corrosion resistance Applicable.
Sulphide immersion Applicable
Maintenance aging Applicable.

Electrical
Insulation resistance Applicable.
Dielectric withstanding voltage. Applicable.
Contact resistance Applicable
Low signal level contact resistance Applicable
Shield clamp resistance Shall not exceed 10 millohms (shielded cables only).

Part number M25516/20- (dash number from table I) 1/.

TABLE I. Dash number and polarity 2/

| Notes | Dash number | Polarity | *Associated cable |
|---|---|---|---|
| *Complete part number consists of added digits describing typical cable See appendix The letters (A, B, E, etc.) are not part of part number | -03 | E | -XX |
| | -04 | F | -XX |
| | -05 | J | -XX |
| | -06 | K | -XX |
| | -07 | L | -XX |
| | -08 | M | -XX |

1/ Dash numbers -01 (configuration A), -02 (configuration B), -09 (configuration N) and -10 (configuration O) per figure 1 of the basic are cancelled
2/ Inactive for new design for Naval Air Systems Command

NOTE Letters are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes

Custodians
Navy - EC
Air Force - 85

Review activities
Navy - AS
Air Force - 99
DLA - ES

Preparing activity
Air Force - 85

(Project 5935-3076-5)



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T05:51Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-25516/20C

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

| SUBMITTED BY *(Printed or typed name and address — Optional)* | TELEPHONE NO |
|---|---|
| | DATE |

**DD FORM 1426** 1 OCT 76 PREVIOUS EDITION WILL BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T05:51Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF AIR FORCE
DOD 318

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

AFALD/PTES-STDN
WPAFB, OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T05:51Z
Check the source to verify that this is the current version before use.