[INCH-POUND]
A-A-1069B
September 19, 1995
TO SUPERSEDE
A-A-1069A
July 18, 1980

COMMERCIAL ITEM DESCRIPTION

CANS, ASH AND GARBAGE, AND COVERS

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This commercial item description specifies extra-heavy duty, galvanized steel ash and garbage cans and can covers.

1.2 Classification. The ash and garbage cans and covers shall be of the following sizes:

Size 1 - 10 gallon (37.88 liter)
Size 2 - 16 gallon (60.5 liter)
Size 3 - 24 gallon (90.8 liter)
Size 4 - 32 gallon (121.1 liter)

2. SALIENT CHARACTERISTICS

2.1 Construction. The ash and garbage cans and covers shall be designed for extra heavy duty use. The cans shall have reinforcing top and bottom bands as designed by the manufacturer. The cans shall have side handles or a bail as specified in the contract or order. The covers shall be designed with handles and fit securely on the can.

2.1.2 Material. The finished cans and covers shall be fabricated from pregalvanized steel or carbon steel which is zinc coated after fabrication.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

DISTRIBUTION STATEMENT A: Approved for public release, distribution is unlimited.

FSC 7240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:11Z
Check the source to verify that this is the current version before use.

2.1.3 Can. The body sides shall be corrugated. The bottom and top rims shall be reinforced with a steel band strip or be integral with a rolled edge or by any other commercial manufacturing method that will provid rigidity. The cans shall taper sufficiently to allow nesting.

2.1.4 Cover. The top and sides shall be reinforced for rigidity. The edges of the cover shall be rolled to prevent a safety hazard. The style of the cover shall be specified in the contract or order.

2.1.5 Attachments. All clips, handles, and bails on the cans shall be diametrically positioned and securely attached. The drop-type handles shall incorporate a 70 degrees limited upward movement. The movement is measured with the can in the upright position.

2.1.6 Zinc Coating. Shall be hot-dip galvanized in accordance with ASTM A123 or electrodeposited in accordance with ASTM A525. When pregalvanized sheets are used, the seams and edges of the finished can shall be coated with seaming compound.

2.1.7 Dimensions The dimensions of the cans and covers shall be as specified herein or as specified in the contract or order.

2.2 Workmanship. The cans and covers shall be clean, rigid, free from cracks, sharp edges and rust. The finish shall be free from lumps, blisters, grit, uncoated areas, dross, flux, black or acid spots, and flaking. The welds shall be complete, unfused, unbroken, not burned through, and free from splatter, flash, pits, flux, and scale. There shall not be any missing attaching hardware. All rivets shall all be properly set, peened and equally spaced. The cans shall not have any defects that affect fit, form, function, appearance or safety.

2.3 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parentheses are for information purposes only.

2.4 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

2.5 Commercial item. The use of the term "commercial item" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:11Z
Check the source to verify that this is the current version before use.

3 Regulatory Requirements

3.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4 QUALITY ASSURANCE PROVISIONS

4.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

7 NOTES

7.1 Part Identification Number (PIN). The cans and lids conforming with this commercial item description shall be identified by a part number configuration as follows, part numbers are not required to be placed on the product or container:

AA1069/XX-- --- 1 = 10 gallon
2 = 16 gallon
3 = 24 gallon
4 = 32 gallon

A = Can
B = Lid

7.2 Referenced Documents. The documents referenced in this commercial item description shall be the issues in effect on the date of the invitation for bids or request for proposal unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event that there is a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:11Z
Check the source to verify that this is the current version before use.

Industry Standards:

ASTM A123
ASTM A525

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a) Title, number and date of this commercial item description
b) Size
c) The packaging, packing, and marking required.

7.4 Referenced National Stock Number(s). The following is a list of NSN's using this document for reference:

NSN	Part Number
Cans	
7240-00-160-0438	AA1069/A1
7240-00-160-0439	AA1069/A2
7240-00-160-0440	AA1069/A4
7240-00-160-0441	AA1069/A3
Covers	
7240-00-161-1150	AA1069/B1
7240-00-161-1149	AA1069/B2
7240-00-161-1147	AA1069/B3
7240-00-161-1143	AA1069/B4

MILITARY INTERESTS:

DoD has determined that no military activity has an official interest in this document.

PREPARING ACTIVITY:
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:11Z
Check the source to verify that this is the current version before use.