[METRIC]

A-A-1220A
December 17, 1993
TO SUPERSEDE
A-A-1220
April 4, 1981

COMMERCIAL ITEM DESCRIPTION

COVER, TOILET SEAT, PAPER

The General Services Administration, Federal Supply Service, has authorized the use of this commercial item description, for all federal agencies.

1. Scope. This description covers white, single ply, disposable paper covers for use as protection on public toilet seats.

2. Salient characteristics:

   A. The disposable paper seat covers shall be an unsized tissue and shall contain no wet-strength additives. Toilet seat covers shall one of the following types:

      Type 1 - quarter folded
      Type 2 - half folded

   B. The sizes for types 1 and 2 shall be as in Table 1 below.

Table 1

Characteristic	Type 1 - qtr folded	Type 2 - half folded
Center Tear Out	152 x 273 mm (6 x 10.75 inches	152 x 260 mm (6 x 10.25 inches)
Folded Cover	178 x 255 mm (7 x 10 inches)	368 x 241 mm 14.5 x 9.5 inches)
Opened Cover	375 x 438 mm (14.75 x 17.25 inches)	368 x 432 mm (14.5 x 17 inches)

Note: All dimensional tolerances are +/- 13 mm (+/- 1/2 inch)

Beneficial comments, recommendations, additions, deletions, clarifications, etc and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, N Y 10278

Distribution Statement A
Approved for public release
Distribution is unlimited

FSC 8540

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

C. Type 1 seat covers shall fit and feed satisfactorily from a Clark Paper Dispenser Model No. 4001 or a James River Dispenser Model No. 726. Type 2 seat covers shall fit and feed satisfactorily from a Clark Paper Converting Dispenser Model No. 102 or a James River Dispenser Model No. 724. Types 1 and 2 shall meet the requirements of Table 2.

Table 2

Characteristic	Requirement	TAPPI
Basis Weight	15 g/m^2, min. (9.1 lb.(24x36-500)),min)	T410
Internal Tearing Resistance*	MD 8 g, min. CD 10 g, min.	T414
Bursting Strength	4.0 psi, min.	T403
Brightness	70 percent, min.	T452

*Use a 32 ply sample when testing but divide scale reading by two.

D. Certification Clause - The supplier shall certify that the toilet seat covers shall not clog or interfere with the water flow of waste lines or septic tank systems, and that it shall be nontoxic and harmless to humans.

E. Bleaching. To obtain an acceptable brightness, in accordance with the performance standards of this document, a chemical bleaching process may be used. When specified, the bleaching process shall not include the use of chlorine, chlorine dioxide, or hypochlorite. Certification of compliance shall be made available upon request by the Government.

F. Workmanship. Types 1 and 2 seat covers shall be clean and shall be free from dirt, holes, tears, foreign matter, and defects which affect serviceability. Covers shall be uniform in color and formation.

3. Quality Assurance Provisions. Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this commercial item description where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirement.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Sampling for examination and tests shall be performed in accordance with MIL-STD-105, using the plans as specified in Table 3, unless otherwise stated. For the purpose of sampling, a lot shall consist of toilet seat cover paper. The sample unit shall be 1 cover for visual/workmanship. The sample unit shall be 1 cover for dimensional examination.

Table 3

Examine	Inspection Levels	AQLs (%defect)
Visual/Workmanship Defects	S-2	4.0
Dimensional Defects	S-4	1.5
Paper Characteristics	TAPPI	N/A

4. Regulatory requirements. The contractor shall certify that the product offered shall contain 20% postconsumer recovered materials is included, as defined in 40 CFR, Part 250. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5. Preservation, packaging, packing, labeling and marking. Preservation, packaging, packing, labeling and marking shall be as specified in the contract or order.

6. Application for copies of technical documents referenced herein: The issue date in effect on date of invitation for bids or request for proposal shall be apply.
   (1) TAPPI test methods are available from the Technical Association of the Pulp and Paper Industry, P.O. Box 105113, Atlanta, GA 30348.

   (2) MIL-STD-105 is available from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Ave., Philadelphia, PA 19111-5094.

   (3) Title 40, Code of Federal Regulation, Protection of Environment, Part 250, Guideline for Federal Procurement of Paper and Paper Products containing Recovered Materials. Copies of the U.S. Code of Federal Regulations may be purchased with a VISA, Master Card, or prepaid check through:

Government Printing Office
Washington, D.C.
Phone: (202) 783-3238

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

When ordering, ask for:

Title 40, Parts 190-250
Stock Number: 869-013-00-146-0

7. Ordering Data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

A) Type
B) Whether bleaching without the use of chlorine, chlorine dioxide, or hypochlorite is required.
D) Packaging, packing and marking.

PREPARING ACTIVITY:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.