[MIL-P-]
A-A-1591C
December 13,1995
SUPERSEDING
A-A-[illegible]1918
May 6, 1993

COMMERCIAL ITEM DESCRIPTION

PAPER, MEAT INTERLEAVING (DRY WAXED)


The General Services Administration has authorized the use of this commercial item description, for all federal agencies

1. **SCOPE:** This description covers dry waxed paper used as a separating medium for meat patties

2. **SALIENT CHARACTERISTICS:**

2.1 Construction Dry waxed meat interleaving paper shall consist of chemical wood pulp or bleached kraft paper and shall conform to the 21 CFR 121, Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and the 9 CFR 301, Meat Inspection Regulations, as applicable The dry waxed meat interleaving paper shall consist of two sheets of waxed paper laminated to form one sheet and shall be furnished in the dimensions illustrated in Figure 1 below

Figure 1



(Note The hole in the paper serves as insert for sheets that are to be placed on a post)

Beneficial comments, recommendations, additions, deletions, clarifications etc and any data which may improve this document should be sent to	General Services Administration Federal Supply Service, Engineering Branch (FYEE) 26 Federal Plaza, New York, NY 10278

FSC 8135

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

2 2 Physical characteristics The laminated sheet shall meet the physical requirements specified in Table I below

Table I

Characteristic	Requirement	Test Method
Basis Weight	29 - 36 g/m^2 (18 - 22 lbs , 24"x 36" - 500 sheets)	TAPPI T 410
Bursting Strength	9 points minimum	TAPPI T 403
Tear Resistance	19 g minimum	TAPPI T 414
Total Wax Content	7 32 g/m^2 (4 5 lbs) minimum per ream	TAPPI T 405
Wax Melting Point	53 ^{o}C (128 ^{o}F) minimum	ASTM D 127
Blocking	No blocking or adhesion to itself	ASTM D 918

2 3 Workmanship The dry waxed meat interleaving paper shall be clean and free from pinholes, tears, cuts, sharp creases, & wrinkles It shall be uniformly waxed and cleanly cut without nicks or ragged edges and shall be free from any other defects which may adversely affect its utility for the purpose intended

3. REGULATORY REQUIREMENTS

Certification The contractor shall certify that the product offered contains a minimum of 5% post-consumer recovered material, in accordance with CFR 40, part 250 The Government reserves the right to require proof of such conformance prior to first delivery, and thereafter as may be otherwise provided for under the provisions of the contract

4. QUALITY ASSURANCE PROVISIONS:

4 1 Contractor Certification The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as maybe otherwise provided for under the provisions of the contract

4 2 Inspection & Sampling Suppliers are encouraged to use quality control (QC) techniques that exhibit control over their processes (e g Statistical Process Control (SPC) techniques) as defined in American National Standards Institute (ANSI)Z1 1, Z1 2 and Z1 3/American Society for Quality Control(ASQC) B 1, B 2 and B 3 that systematically reduce excess variations Objective evidence shall be available that demonstrates overall measurement adequacy techniques and controls These techniques shall ensure quality levels equal to, or greater than, those cited in applicable technical document or herein

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

End item inspection/testing may be used by the offeror or the Government representative, as a means to determine the effectiveness of the in process quality controls In process controls shall not be substituted for end item performance testing

For those characteristics for which there are no such controls,or for end item performance test, lot by lot sampling for inspection/test shall be required Sampling shall be in accordance with (ANSI)/(ASQC) Z1 4 An inspection lot shall consist of all like items submitted for inspection at one time The sample unit shall be 10 sheets The inspection level shall be S-1 with an AQL of 4% defective or as specified per TAPPI method The supplier must provide objective evidence (tests and inspection records) that the presented material meets the requirements of the sampling plan as indicated above

5. **PACKAGING, PACKING, MARKING & PALLETIZATION** Shall be as specified in the contract or purchase order

6. **NOTES**

6 1 Referenced Documents The following documents form a part of this Commercial Item Description to the extent specified herein Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply

6 1 1 Federal Laws

9 CFR 301 - Meat Inspection Regulations

21 CFR 121 - Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder

40 CFR, Part 250 - Code of Federal Regulations, Protection of Environment

(Application for copies should be addressed to the Department of Health and Human Services, 330 Independence Avenue, S W , Washington DC, 20003)

(The Code of Federal Regulations (CFR) and Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U S Government Printing Office, Washington, DC 20402 When indicated, reprints of certain regulations may be obtained from the Federal agency responsible for issuance thereof)

6 1 2 TAPPI test methods are available from

Technical Association of the Pulp and Paper Industry
Technology Park/Atlanta, P O Box 105113 Atlanta, GA 30348
(404) 446-1400

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

6 1 3 ASTM test methods are available from

American Society for Testing and Materials
1916 Race Street
Philadelphia, PA 19103

6 1 4 ANSI/ASQC is available from

American Society for Quality Control
P O Box 3005,611 E Wisconsin Avenue, Milwaukee,
WI 53201-4606

6 2 Ordering Data Purchasers should select the preferred options permitted herein, and include the following information in procurement documents

(1) Construction & dimensions
(If other than specified in Fig 1)
(2) Specific packaging, packing, labeling, marking, and
palletization requirements

6 3 List Of NSN'S

(1) 8135-00-994-2976

MILITARY INTERESTS

Custodians

Army - GL
Navy - SA
Air Force - 69

Review Activities

Army - MD
Navy - SA
Air Force - 84, 99

User Activities

Army - SM
Navy - SA, CG, SH

PREPARING ACTIVITY

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.