A-A-2205
September 11, 1985

COMMERCIAL ITEM DESCRIPTION

PLYWOOD, HARDWOOD, DECORATIVE

The General Services Administration has authorized
the use of this commercial item description

This commercial item description covers flat hardwood plywood panels.

Salient characteristics.

The plywood shall be in accordance with the requirements of ANSI/HPMA Standard HP (supersedes PS 51-71).

The type, grade, species, species group, construction, dimensions, sanding required, and quantity shall be as specified.

Workmanship. The plywood shall have no defects which affect its use, appearance, or serviceability.

The issue of ANSI/HPMA HP in effect on the date of solicitation shall be used to determine compliance with stated requirements.

Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

Preservation, packaging, packing, labeling, and marking (Civil Agencies). The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Preservation, packaging, packing, labeling, and marking (DoD). Military packaging shall be specified when shipments are to be overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for DoD consignees within the continental United States and to non-DoD worldwide. When a suppliers normal packaging will satisfy the requirements for military packaging it may be used.

Military packaging and packing.

Packaging. The number of sheets of plywood shown in table I shall be stacked flat with the better grade facing inward. Each bundle shall be secured by two flat steel straps, size 1/2 x 0.020 inch, placed girthwise approximately 24 inches from each end of the bundle. The straps shall be staggered so the bundles will fit compactly together when secured in unit loads. A metal or plastic edge protector, of sufficient size to prevent indenting the panel, shall be placed under the steel straps at each edge.

Packing. Plywood of one length, width, thickness, and description shall be packed in quantities as shown in Table I below. Plywood shall be stacked squarely with the better side of top and bottom sheets toward the inside of the load, when applicable. Three 3-inch by 4-inch stringers shall be placed under the load, one at each end, located 14 inches in from the end of the load with one at center to provide for forklift truck entry. Three girthwise steel straps placed over the stringers and one lengthwise strap between load and stringers shall be used with edge protectors under each strap where required to prevent damage to the plywood. Alternatively, two end straps located 4 inches in from each end may be used in place of the lengthwise strap. Waster sheets of at least 1/4-inch thick plywood shall be used at the top, bottom, ends, and sides of the load when grade B or better is on the top or bottom. All loads of 144 inches or longer shall have four girthwise steel straps and four 3-inch by 4-inch stringers placed under the load, one at each end located as stated above and two equidistant between the ends. The lengthwise strap shall pass between the load and the stringers. All steel straps shall have a minimum breaking strength of 2,000 pounds. Marking shall be in accordance with Military Standard No. 129.

Table I, Packaging and Packing Quantities

Thickness in inches	Sheets per Package	No. of Packages to skid	No. of Sheets to skid
1/4	12	10	120
5/16	10	10	100
3/8, 11/32	8	10	80
1/2, 15/32	6	10	60
5/8, 19/32	5	10	50
3/4, 23/32	4	10	40
1	3	10	30

Note. Purchasers should specify quantity required, type, grade, construction, species, species group, sanding required, and dimensions.

Copies of ANSI/HPMA HP are available from the American National Standards [illegible] New York, NY 10018

When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

MILITARY INTERESTS:

Review

Army - ME

CIVIL AGENCY COORDINATING ACTIVITIES:

VA - OSS
HUD - HCC

PREPARING ACTIVITY:

GSA - FSS