[INCH - POUND]

A-A-247A
February 26,1991
SUPERSEDING
A-A-247
October 22, 1979

COMMERCIAL ITEM DESCRIPTION

FASTENERS (PRONG TYPE)

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers round head, prong type fasteners, and washers, for holding papers together.

1. Salient Characteristics

A. Fastener and its accompanying washer (if required ,SEE SECTION 6) shall be constructed of a solid brass.

B. The head shall appear perpendicular to the prongs, when viewed by the "naked eye" (corrective lens may be used), SEE FIGURE 1 and 2. The diameter of the head shall conform with the applicable size specified in Table I.

C. The short prong shall be between 1/16 and 1/8 inch shorter than the long prong length indicated for each size specified in Table I (SEE FIGURE 1 and 2).

D. Washers, when specified, shall be round and servioeable with the size fastener specified (SEE TABLE I and FIGURE 3)

E. The fasteners shall show no evidence of cracking or breaking, when subjected to the bending test (SECTION 2E).

Workmanship. Fasteners and washers shall have a smooth finish and shall be free from any defects that may injure the user or may affect servioeability or appearance. All parts shall be clean and free from oil.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

TABLE I.

Fastener Commercial Size Number	Fasteners (in inches)				Washers Commercial Size Number
	Long Prong Length ± 1/16	Width ± 1/64	Thickness ± 0.001	Head Diameter ± 1/32	
4	1	1/8	0.012	13/32	1
7	2	3/16	0.016	15/32	2
8	3	3/16	0.016	15/32	2

2. Quality Assurance

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the government. The Government reserves the right to perform any of the inspections set forth in this Commercial Item Description, where such inspections are deemed necessary to assure that supplies and services conform to the prescribed requirements.

Each lot of fasteners shall be inspected for conformance to the requirements herein. Sampling for inspection shall be in accordance with MIL-STD-105 using the plans specified below.

A. Sampling Plan for Test (see 2E), Inspection Level S-2 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one fastener.

B. Visual characteristics - Inspection Level S-2 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one fastener.

C. Dimensional characteristics - Inspection Level S-2 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one fastener.

D. Packaging, Packing, and Marking - Inspection Level S-2 with an AQL of 4.0 percent defective. The sample unit shall be one fully prepared shipping container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

E. The Bending Test

Sample fasteners shall be subjected to a cold-bend test. For fasteners 1 inch or less in length, spread the prongs of the fastener to a position which they would assume when in actual use in fastening papers together and then press the prongs back between the the fingers, as in normal use, until they touch in their original position. This shall constitute one bend. Prongs over 1 inch in length shall be spread and bent to a right-angle bend at a point approximately half the length of the shorter prong, and then pressed back, as in normal use, until they touch in their original position. This shall also constitute one bend. Each sample fastener shall be subjected to 25 complete bends. Prongs shall be bent at the first point of bend in each succeeding procedure. Examine for compliance with 1E.

3. Recovered Materials

The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. Preparation For Delivery

Packaging, packing and marking shall be as specified in the contract or purchase order.

5. Application For Copies Of Technical Documents Referenced Herein:
The issue date in effect on date of invitation for bids or request for proposal shall be applied (Unless Otherwise Specified).

A. Military Specifications are available from the, Standardization Documents Order Desk, Building 4D, 700 Robins Ave., Philadelphia, PA. 19111-5094

B. Public Law 94-580, Resource Conservation and Recovery Act, is part of U.S. Code, Title 42. Available from congressional sales office, U.S. Government Printing Office, Washington, D.C. 20402.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

6. Notes

A. Ordering Data:

Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

1) Size. (SEE TABLE I and FIGURE 1 ,2)
2) Washers, if required. (SEE TABLE I and FIGURE 3)
3) Packaging, packing and marking.

B. Item Identifiers/Reference Part Number System (For Cataloging Use Only)

Part Reference Numbers:

```
AA247-1      : This example describes a : FASTENER (PRONG TYPE)
      |      : commercial size #4; with a washer, commercial size #1
      |
      |
      |
      |
      |
      ----------FASTENER -size #1 - commercial #4
                          #2 - commercial #7
                          #3 - commercial #8
```


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.




Figure 1.
Fastener with semi-circular points
Class 1




Figure 2.
Fastener with one semicircular point
and one V-shaped point; and fastener
with two V-shaped points
Class 2.




Figure 3
Washer

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.