[Metric]
A-A-565B
April 9, 1997
Superseding
A-A-565A
January 22, 1990

COMMERCIAL ITEM DESCRIPTION
DATING STAMP
(TIME LEGEND)

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

1. Scope: This Commercial Item Description covers rubber hand stamps with a fixed legend and removable type for the dating of correspondence, documents, pamphlets, parcel post, and other printed material. The stamp is also used for recording the time received or dispatched.

2. Salient Characteristics:

2.1 Each stamp shall have a commercially acceptable handle. The size of the handle shall be in accordance with normal commercial practice.

2.2 Each stamp shall have a metal base with a circular die in two parts; the outer part rotating around the fixed inner part. The inner part of the die shall have a fixed legend and a mortise for removable type.

2.3 Each stamp shall be accompanied by a set of removable type, a tweezer for handling the type, and a box with compartments for storing the type.

2.4 The removable type shall consist of **"day"** type, using separate type for numerals "1" through "31"; **"month"** type, should be using the first three letters of each month as abbreviations; **"year"** type, using separate type for 9 consecutive four numeral year-dates, beginning with the year of the contract order; and separate type for the legends "AM" and "PM".

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:09Z
Check the source to verify that this is the current version before use.

2.5 The type body shall be at least .7937 cm (5/16-inch) thick with characters raised in relief at least 7.924 cm (1/32-inch). The printed height of the characters shall be .3571 cm (9/64-inch), or as stated in the procurement documents.

2.6. The fixed legend characters shall be raised in relief at least 7.924 cm (1/32-inch) from a rubber body that is at least .7937 cm (5/16-inch) thick.

2.7 The inner part of the die shall have a fixed legend consisting of an arrow centered over the legend "RECEIVED" or "DISPATCHED" and the name or other designation of the using activity: both to be specified in the contract or order.

2.8 The outer part of the die shall have a time legend within a border of two concentric circles. The time legend shall be graduated and numbered for the hours "1" through "12". Each hour shall be graduated at 1/4-hour intervals.

2.9 Each stamp shall produce clear, distinct, sharp single impressions of equal intensity, with no closing of characters.

2.10 The removable type shall not become visual and mechanical locking indexing means for pointing the arrow to a desired time without sight of the die.

2.11 The base shall have both visual and mechanical locking indexing means for pointing the arrow to a desired time without sight of the die".

2.12 The front of the inner die shall be readily identifiable.

2.13 All metal components shall have a commercially acceptable plating or coating. The finish shall be suitable to protect against corrosion. Contractor shall provide certification of plating conformance, upon request by the government.

2.14 When specified in the procurement documents, a replica of the legend shall be fixed to the front of the stamp base.

2.15 All metal components shall have a commercially acceptable plating or coating suitable to protect against corrosion.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

2.16 Workmanship. Any fasteners or pins shall be set in accordance with normal commercial practice, including but not limited to exhibiting a firmly tightened, flush seating. The frame (whether metal or plastic) shall be free of defects including, but not limited to burrs, niches, dents, rough or sharp edges, scratches, blisters, crinkling, imbedded foreign matter, discoloration or imperfections which will impair serviceability and adversely affect the appearance or which might constitute a personal hazard to the user. The handle shall be free of defects including, but not limited to rough or sharp edges or corners, splinters, slivers, scratches, discoloration or other defects or imperfections which may affect appearance or may impair serviceability.

3. Regulatory Requirements: The offerer/contractor is encouraged to use recovered materials to the maximum extent practicable in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. Quality Assurance Requirements:

4.1 Product Conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5. Packaging: Preservation, packing, palletization and marking shall be specified in the contract or order.

6. Notes:

6.1 Source of Documents. Issues of the following documents, in effect on the date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington, DC 20402.

6.2 National Stock Number Listing (NSN): The following is a list of nsns assigned which correspond to this CID. The list may not be indicative of all possible nsns associated with the CID.

7520-00-281-6175

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.