INCH-POUND

MIL-B-48600A (AR)
AMENDMENT 3
15 June 1991

SUPERSEDING
AMENDMENT 2
17 October 1986

MILITARY SPECIFICATION

BASE PLUG ASSEMBLY

This amendment forms a part of Military Specification MIL-B-48600A (AR), dated 30 October 1979, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 Issues of documents. Under SPECIFICATIONS MILITARY, delete:

"MIL-C-60539 - Coatings, Anodic, Conventional, for Aluminum and Aluminum Alloys."

and substitute:

"MIL-A-8625 - Anodic Coatings, for Aluminum and Aluminum Alloys."

Under STANDARDS MILITARY, add:

"MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-1167 - Ammunition Data Card."

PAGE 5

Table I First article inspection. Under Notes, delete: "MIL-A-60539" and substitute "MIL-A-8625".

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:33Z
Check the source to verify that this is the current version before use.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

PAGE 7

* 4.4.2.1

Major 102 Sample size column: delete "5" and substitute "See 4.5.1.1".

Major 106: Delete "with large outside diameter".

Add Major 111:

"111 Runout of large outside diameter 0.40% 3.1 Gage".

PAGE 8

4.4.2b Tool control dimensions. Line 5, delete: "mesurements" and substitute "measurements".

PAGE 10

4.5.1.1 Delete this paragraph in its entirety and substitute:

"4.5.1.1 Salt spray test-base plug. The salt spray test shall be accomplished in accordance with MIL-A-8625.

Two samples for every 5000 units shall be selected during regular production (each lot) for the salt spray test. These samples shall be exposed for 120 hours, beginning with the first lot produced and continuing until three consecutive lots have complied with the applicable requirements.

After three consecutive lots have been accepted, the samples of all subsequent lots shall be exposed for 72 hours. Should any lot fail the applicable requirements, the salt spray samples of the following lot shall be exposed for 120 hours until three consecutive lots have been accepted."

5.1.2 Level B - Minimum military package. Line 1, delete: "omply" and substitute "comply".

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:33Z
Check the source to verify that this is the current version before use.

6.2b Delivery of data cards to the technical agency. Delete: "Commander, US Army Armament Research and Development Command, ATTN: DRDAR-QAR-E, Dover, NJ 07801" and substitute:

"Commander
U.S. Army Armament, Research, Development and Engineering Center,
ATTN: AMSMC-QAT-A
Dover, NJ 07801-5001".

6.3 Submission of inspection equipment designs for approval. Delete: "Commander, US Army Armament Research and Development Command, ATTN: DRDAR-QAR-I, Dover, NJ 07801" and substitute:

"Commander
U.S. Army Armament, Research, Development and Engineering Center,
ATTN: AMSMC-QAT-I
Dover, NJ 07801-5001".

NOTE: The margins of this Amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1315-AD09)

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:33Z
Check the source to verify that this is the currentversion before use.