INCH-POUND

MIL-DTL-81808A
24 March 2022
SUPERSEDING
MIL-C-81808
21 December 1970

DETAIL SPECIFICATION
COLLAPSIBLE CHEST

This specification is approved for use by the Naval Air Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for one type and size of a collapsible steel chest.

2. APPLICABLE DOCUMENTS

2.1 General. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

A-A-1051	-	Paperboard, Wrapping and Cushioning
ASTM-D1974/D1974M	-	Fiberboard Boxes, Methods of Closing, Sealing, and Reinforcing, Standard Practice for
ASTM-D5118/D5118M	-	Boxes, Fiberboard Shipping, Fabrication of

(Copies are available from www.astm.org.)

STANDARDS

Military

MIL-STD-147E	-	Palletized Unit Loads

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: DLA Troop Support, Clothing and Textiles Directorate, Attn: DLA Troop Support Standardization Team, 700 Robbins Street, Philadelphia, PA 19111. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 8460

Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

(Copies of this document are available online at https://quicksearch.dla.mil.)

2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

DRAWINGS

NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION

1768AS100	-	Chest, Collapsible, Assembly
1768AS112	-	Plate, Identification

(Applications for copies of drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

3. REQUIREMENTS

3.1 First article. Unless otherwise specified, the collapsible chest furnished under this specification shall be a product which has been inspected and has passed the first article inspection specified in 4.3 through 4.3.2.

3.2 Materials and components. The materials and components shall conform to the applicable specifications, standards, and drawings as listed or required herein.

3.3 Design and construction. The design and construction of the collapsible chest shall conform to Drawings 1768AS100 through 1768AS112.

3.4 Workmanship. The collapsible chests shall not contain any spot, stain, foreign matter, or hole. The metal components shall not be misaligned or distorted nor contain any corrosion, scale, pit, dent, crack, nick, burr, sliver, sharp edge, scratch, gouge, or abrasion. Mating surfaces of riveted components shall be drawn tight with the rivet head in contact with its mating surface. The rivets shall be neatly and securely set with no splits, burrs or sharp edges. The collapsible chests shall conform to the quality and grade of product established by this specification. The occurrence of defects shall not exceed the acceptance criteria established herein.

4. VERIFICATION

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities that meet the requirements for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection. The examination and testing of the collapsible chests shall be classified as follows:

a. First article inspection. First article inspection consists of examinations and tests performed on samples which are representatives of the production item after award of a contract to determine that the production item conforms to the requirements of this specification (see 3.1 and 4.3 through 4.3.2).
b. Quality conformance inspection. Quality conformance inspection consists of examinations and tests performed on individual products or lots to determine conformance of the products or lots with the requirements set forth in this specification (see 4.4 through 4.4.1.2).

4.3 First article inspection. The first article inspection of the collapsible chests shall consist of examinations and tests for all the requirements of this specification.

4.3.1 First article samples. Unless otherwise specified, as soon as practicable after the award of the contract or order, the manufacturer shall submit one collapsible chest. The samples shall be representative of the construction, workmanship, components, and materials to be used during production. When a contractor is in continuous production of these chests from contract to contract, submission of further first article inspection samples, on the new contract, may be waived at the discretion of the procuring activity (see 6.2(c)). Approval of the first article inspection samples or the waiving of the first article inspection does not preclude the requirements for performing the quality conformance inspection. The first article inspection samples shall be furnished to the Government as directed by the contracting officer (see 6.2(d)).

4.3.2 First article inspection. Upon completion of the first article inspection, all the applicable inspection reports and when applicable, recommendations and comments pertinent for use in monitoring production will be forwarded to the cognizant Government activity. The approved first article inspection sample chest will be returned to the manufacturer for use in monitoring production.

4.4 Quality conformance inspection. The quality conformance inspection shall consist of the following:

Visual examination of the chests
Dimensional check of the chests
Operation of the chests
Preparation for delivery

4.4.1 Sampling. This section is not applicable to this specification.

4.4.1.1 Inspection lot. This section is not applicable to this specification.

4.4.1.2 Chests. An inspection lot size shall be expressed in units of one chest made essentially under the same conditions and from the same materials and components. The sample unit shall be one chest.

4.4.1.3 Preparation for delivery. An inspection lot size shall be expressed in units of one fully prepared shipping container, containing chests, fully prepared for delivery from essentially the same

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

materials and components. The sample unit shall be one shipping container, containing chests, fully prepared for delivery with the exception that it need not be sealed.

4.4.1.4 Sampling for the tests and examinations of the chests and preparation for delivery. The sample size, acceptance criteria, tests, and examinations required for the chests or the preparation for delivery, as applicable, shall be as specified in Table I.

TABLE I
SAMPLE SIZE, ACCEPTANCE CRITERIA, EXAMINATIONS, AND TESTS OF THE CHESTS AND PREPARATION FOR DELIVERY

INSPECTION	PARAGRAPH		SAMPLE SIZE	ACCEPTANCE CRITERIA
	REQUIREMENT	METHOD		
Visual examination	3.3, 3.4, and 65A140, as applicable	4.5.1.1 and Table II	Inspection Level II	An acceptable quality level of 2.5 defects per 100 units for major defects and 6.5 defects per 100 units for total (major plus minor) defects
Dimensional check	65A140	4.5.1.1 and Table III	Inspection Level S-1	An acceptable quality level of 6.5 defects per 100 units
Operation	65A140	4.5.2 and Table V	Inspection Level S-3	An acceptable quality level of 1.5 defects per 100 units
Preparation for delivery	Section 5	4.5.1.2 and Table IV	Inspection Level S-2	An acceptable quality level of 2.5 defects per 100 units

4.5 Inspection methods. This section is not applicable to this specification.

4.5.1 Visual examination. This section is not applicable to this specification.

4.5.1.1 Chests. Each of the chests, selected as a sample unit from the lot, shall be thoroughly checked dimensionally and examined visually to determine conformance to this specification. The classification and list of defects, Tables II and III, as applicable, shall be used to classify and enumerate the defects found.

TABLE II
CLASSIFICATION OF DEFECTS FOR THE VISUAL EXAMINATION OF THE CHESTS

DEFECT	MAJOR	MINOR
FINISH		
a. Not completely or uniformly finished, contains any blister, or finish is wet, tacky, chipped, cracked, flaky, scaly, cheeky, or alligatoring	X	
b. Any run, streak, drop, drip, sag, or color is not as specified.	1/	
c. Prime coat or metal is visible through enamel finish		X
d. Any scratch, dig, gouge, or abrasion	1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

e. Any spot, stain, or contains any embedded foreign matter		X
RIVETS AND RIVETING		
a. One rivet missing or loose, not flush against handle or inside of chest	X	
b. Mating components not drawn tight	X	
WELDS AND WELDING		
a. Weld missing at corner of cover		X
b. Any weld that is porous, fractured, cracked, or any evidence of poor fusion or penetration	X	
c. Type of weld not as specified, or metal is burnt or distorted	X	
d. One or more spot welds missing	X	
COMPONENTS AND ASSEMBLY		
a. Any component not as specified or any defect of a component or defect of assembly, not herein classified	1/	
b. Any component, component part, or required operation omitted, or any operation improperly performed, not herein classified.	1/	
c. Any surface rough, misaligned, distorted, or contains any corrosion, scale, pit, nick, sliver, burr, sharp edge, dent or crack	X	
d. Any component loose, detached, or otherwise not securely retained.	1/	
e. Any malformed, fractured, broken, chipped, bent, or distorted.	X	
MARKINGS		
a. Missing, incorrect, illegible, incomplete, misspelled, or not in specified location.		X
b. Size not as specified		X
HANDLE		
a. Number of holes in handle not as specified	X	

1/ The defect shall be classified major, when it seriously affects the serviceability or appearance, otherwise it is to be classified as a minor defect, when affecting appearance or serviceability, but not seriously

TABLE III
LIST OF DEFECTS FOR THE DIMENIONS OF THE ASSEMBLED CHESTS

ASSEMBLED MEASUREMENTS	**DEFECTS**
Chests	Any dimension deviating from the measurements specified in 65A140, Sheets 1 and 2, and applicable tolerance, shall be enumerated as a dimensional defect.

4.5.1.2 Preparation for delivery. Each of the fully prepared shipping containers, containing chests, selected as a sample unit from the lot, shall be visually examined to determine that the packaging, packing, and marking conform to this specification. The list of defects, Table IV, shall be used to enumerate the defects found.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

TABLE IV
LIST OF DEFECTS FOR PREPARATION FOR DELIVERY

ITEM	DEFECT
Exterior and Interior Markings	Missing, incorrect, misspelled, incomplete, illegible; or improper size, location sequence or method of application.
Materials	Any nonconforming component; any component or component part missing, damaged, or otherwise defective.
Workmanship	Inadequate application of the components such as incomplete closure of any container flap, loose strapping, or inadequate stapling; bulging or distortion of any container.
Exterior and Interior Weight or Content	Gross or net weight exceeds the requirement; number per container more or less than specified.

4.5.2 Operation. The operation, of each of the chests, selected as a sample unit from the lot, shall be thoroughly examined to determine the mating and fitting of the component parts by erecting and collapsing the chest. Each chest shall be collapsed and erected as specified in 65A140, Sheet 1. The list of defects, Table V, shall be used to enumerate the defects found.

TABLE V
LIST OF DEFECTS FOR OPERATION

a. Front, top, or sides do not rotate freely on its hinge pin.
b. The hook lock and eye lock do not mate.
c. Realignment of any part, undue force, use of mechanical means or tools is necessary to erect or collapse any chest.
d. Lid binds on opening or closing.
e. Any hinge pin that can be removed with the use of a steel rod and hand pressure.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of materiel is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

6.1 Intended use. The chests are intended for storing and carrying of clothing, when in transit and when not in use collapsed to its smallest size for stowage.

6.2 Ordering data. Procurement documents must specify the following:

a. Title, number, and date of this specification
b. Quantity desired.
c. Whether first article inspection is waived (see 4.3.1).
d. Name and address of the first article inspection laboratory (see 4.3.1).
e. Selection of applicable levels of packaging and packing (see 5.1).

6.3 Data. For the information of contactors and contracting officers, any of the data, specified in the applicable documents, listed in Section 2 of this specification, or referenced lower-tier documents, need not be prepared for the Government and must not be furnished to the Government, unless specified in the contract or order. The data to be furnished must be listed on DD Form 1423 (Contractor Data Requirement List), which must be attached to and made a part of the contract or order NavWepp Form 4200/25 (Drawings, Lists, and Specifications Required) must be attached where applicable.

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

6.5 Subject term (key word) listing.

Assembly

Box

Crate, Metal

Foldable

Storage, Clothing

Custodians

Navy - AS

DLA - CT

Preparing activity

Navy - AS

(Project No. 8460-2021-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.