MIL-T-52015B
11 March 1976
SUPERSEDING
MIL-T-52015A
31 May 1962

MILITARY SPECIFICATION

TEMPLATE, DRAFTING: MAP SYMBOL, FOR PLASTIC SCRIBING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers a transparent plastic drafting template.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

QQ-S-781	- Strapping, Steel, and Seals.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-P-55010	- Plastic Sheet, Polyethylene Terephthalate.

STANDARDS

Federal

FED. STD. No. 356	- Commercial Packaging of Supplies and Equipment.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:05Z
Check the source to verify that this is the current version before use.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The template is a plastic stencil containing military map symbol cut-outs specifically designed for use with scribing points. The template shall be as shown in Figure 1 and as specified herein.

3.2 Plastic. The template shall be fabricated from plastic conforming to MIL-P-55010. The thickness of the template shall be 0.015 inch plus or minus 0.001 inch. The plastic shall transmit not less than 30 percent of incident white light.

3.3 Workmanship. Each template shall have a smooth-polished finish free from surface imperfections, scratches, tool marks, or burrs.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproval by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:05Z
Check the source to verify that this is the current version before use.

4.3 Quality conformance inspection.

4.3.1 Sampling. Sampling for examination and tests shall be in accordance with MIL-STD-105, Inspection Level S-2.

4.3.1.1 Examination. Samples selected in accordance with 4.3.1 shall be examined for the major and minor defects specified in 4.4.1. AQL shall be 4.0 percent defective for major defects and 10.0 percent defective for minor defects.

4.3.1.2 Tests. Samples selected in accordance with 4.3.1 shall be tested as specified in 4.4.2.1. AQL shall be 10.0 percent defective.

4.4 Inspection procedure.

4.4.1 Examination. The template shall be examined as specified herein for the following defects:

Major

101. Dimensions not as specified.
102. Plastic not as specified.
103. Symbols not as specified.

Minor

201. Workmanship not as specified.

4.4.2 Test.

4.4.2.1 Light transmittance test. The template shall be tested with a photoelectric densitometer to determine the percent of light transmittance of white light. Failure of any template to transmit at least 30 percent of the incident white light shall constitute failure of this test.

4.5 Inspection of packaging.

4.5.1 Quality conformance inspection of pack.

4.5.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:05Z
Check the source to verify that this is the currentversion before use.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

104.	Materials, method, or containers not as specified.	Each incorrect material, method, or container shall constitute one defect.
105.	Strapping not as specified.	
106.	Marking illegible, incomplete, incorrect, or missing.	

5. PACKAGING

5.1 Preservation. Preservation shall be Level A or Commercial, as specified (see 6.2).

5.1.1 Level A. Each template shall be preserved in accordance with MIL-P-116, Method IC-3.

5.1.1.1 Intermediate packing. The preserved templates shall be intermediate packed in close-fitting boxes conforming to PPP-B-636, W6c, style optional.

5.1.2 Commercial. Templates shall be preserved in accordance with FED. STD. No. 356.

5.2 Packing. Packing shall be Level A, B, or Commercial, as specified (see 6.2).

5.2.1 Level A. Templates, preserved as specified in 5.1, shall be packed in close-fitting boxes conforming to PPP-B-601, Overseas Type, style optional. Strapping shall conform to QQ-S-781, Class 1, Type I or IV, size as applicable and, unless otherwise specified, shall be Finish B (see 6.2). When specified, Finish A strapping shall be used.

5.2.2 Level B. Packing shall be as specified for Level A except that boxes shall be Domestic Type and strapping shall be Finish A.

5.2.3 Commercial. Templates shall be packed in accordance with FED. STD. No. 356.

5.3 Marking.

5.3.1 Levels A and B. Levels A and B marking shall be in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:05Z
Check the source to verify that this is the current version before use.

5.3.2 Commercial. Commercial marking shall be in accordance with FED. STD. No. 356.

6. NOTES

6.1 Intended use. The template is used in military cartographic drafting as a guide for scribing small, standard, map symbols.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Whether Level A or Commercial preservation and Level A, B or Commercial packing is required (see 5.1 and 5.2).
(c) When other than Finish B strapping is required (see 5.2.1).

Custodian:

Army - ME

Review activity:

DSA - GS

User activity:


Navy - MC

Preparing activity:

Army - ME

Project No. 6675-0397

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:05Z
Check the source to verify that this is the current version before use.



NOTES:

1. DIMENSIONS ARE IN INCHES
2. UNSPECIFIED TOLERANCE, 2 PLACES ±.01
   3 PLACES ±.004
   ANGLES ± 0° 30'

FIGURE 1. TEMPLATE, DRAFTING: MAP SYMBOL, FOR PLASTIC SCRIBING.

X-3119

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-T-52015B Template, Drafting: Map Symbol, for Plastic Scribing

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:05Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR ~~PRIVATE USE $300~~

Commander
US Army Mobility Equipment Research
and Development Command
ATTN: DRXFB-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:05Z
Check the source to verify that this is the current version before use.