INCH-POUND

MIL-DTL-52288B
26 November 2024
MIL-M-52288A
12 October 1973

DETAIL SPECIFICATION

MAST MOUNTING FLOODING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers mast mounting to permit attachment of three flooding lights to a telescoping mast.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3 and 4 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

DEPARTMENT OF DEFENSE SPECIFICATIONS

MIL-T-704 - Treatment and painting of Material.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-130 - Identification Marking of US Military Property.

Comments, suggestions, or questions on this document should be addressed to DLA Troop Support – Construction and Equipment (C&E) (ATTN: Code FCSB), 700 Robbins Avenue Philadelphia, PA 19111-5096 or e-mail to CE Standardization@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil .

AMSC N/A FSC 6230

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:13Z
Check the source to verify that this is the current version before use.

(Copies of these documents are available online at https://assist.dla,mil .)

2.2.2 Government drawings. The following Government drawings form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those in effect on the date of the solicitation.

DRAWINGS

ME

TA13208E4154 - Mast Mounting Floodlight.

(Copies of drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the USA Belvoir Research Development, and Engineering Center, ATTN: STRBE-JDT, Fort Belvoir, VA 22060-5606.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

AMERICAN SOCIETY FOR QUALITY (ASQ)

ASQ-Z1.4 - Sampling Procedures and Tables for Inspection by Attributes.

(Copies of this documents are available online at https://www.asq.org or the American Society for Quality, 600 North Plankinton Avenue, Milwaukee, WI 53203.)

SAE INTERNATIONAL (SAE)

SAE AMS-STD-595 Color used in Government Procurement.

(Copies of these documents are available from www.sae.org or SAE International Customer Service, 400 Commonwealth Drive, Warrendale, PA 15096.)

2.4 Order of Precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this specification takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Description. The mast mounting shall be in accordance with Top Assembly TA13208E4154 and as specified herein.

3.2 Identification markings. The identification markings shall be in accordance with MIL-STD-130.

3.3 Treatment and painting. The mast mounting shall be cleaned, treated, and painted in accordance with MIL-T-704. The color shall be green, No.34087 of SAE-AMS—STD-595.

3.4 Material. Material shall be as specified herein and on the applicable drawings. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.5 Workmanship. Joints and seams shall be tight, edges shall be smoothly finished, and welded surfaces shall be clean.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:13Z
Check the source to verify that this is the current version before use.

4. VERIFICATION

4.1. Conformance inspection.

4.1.1. Sampling. Sampling for examination and test shall be in accordance with ASQ-Z1.4, inspection level 5-2. AQL shall be 10 percent defective.

4.1.2 Examination. Samples selected in accordance with 4.1.1. shall be examined as specified in 4.2.1.

4.1.3 Tests. Samples selected in accordance with 4.21. which have passed the examination specified in 4.1.2 shall be tested as specified in 4.2.2.

4.2 Inspection procedure.

4.2.1 Examination. The mast mounting shall be examined for the following defects;

101. Dimension not as specified.
102. Parts or components misalined.
103. Materials not as specified.
104. Treatment and painting not as specified.
105. Identification markings missing or illegible.
106. Workmanship not as specified.

4.2.2 Test. Install the mast mounting in a jig which will accommodate the bottom end and hold the mast mounting in a vertical position. Install a ½ inch flat washer; install a ½-13 UNC-2B nut fully on the threads and tighten to a torque of 500 inch-pounds on each threaded screw to simulate installing and removing a floodlight. Remove the nut. Repeat the procedure five times. Damage to the screw or threads, or any deformation or breakage, or inability of the threads to be fully engaged when torque is applied shall constitute failure of this test.

5. PACKAGING

5.1. Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2.). When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsibility packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control point's packaging activities within the Military Service or Defense Agency, or within the military services system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The mast mounting is intended to be used to mount three floodlights on a telescoping mast.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. Packaging requirement (see 5.1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:13Z
Check the source to verify that this is the current version before use.

6.3 Subject term key words listing.

Telescoping

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodian:
Army - CR4
DLA - CQ

Reviewer:
DLA - GS

Preparing Activity:
DLA – CQ

(Project 6230-2024-002)

NOTE: The activities listed above were interested in this document as of the date of document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:13Z
Check the source to verify that this is the current version before use.