MIL-I-60016A (AR)
AMENDMENT 5
18 March 1982
SUPERSEDING
AMENDMENT 4
23 September 1981

MILITARY SPECIFICATION

INCREMENTS, PROPELLANT FOR CHARGE PROPELLING M36A1
(MADE FROM PROPELLANT M8)

This Amendment forms a part of Military Specification MIL-I-60016A (MU) dated 7 November 1968, and is approved for use by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, Specifications: Federal: Add "PPP-T-60 - Tape: Packing, Waterproof".

2.1, Specifications, Military: Delete "MIL-B-3106" in its entirety, and add the following:

"MIL-B-131 - Barrier Materials, Watervaporproof, Flexible, Heat-Sealable.

MIL-F-50449 - Filler, Sheet Form (for use in Ammunition Containers)".

PAGE 3

3.2, Table 1; Delete "±3 grains" and substitute "±2 grains". Delete" ±12 grains" and substitute "±5 grains".

PAGE 9

4.2.3.1.2.1; Delete in its entirety and substitute a new paragraph as follows:

"Velocity (major defect) - The sampling plan for this test shall be in accordance with Standard MIL-STD-414, Table B3, Code letter F and an AQL of 0.65% percent (see 3.3.1), Code No. 06001."

FSC 1376

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.

PAGE 10

* 4.3.2, Ballistic: Delete the fifth sentence and substitute the following:

"The changes shall be prepared in a manner specified in drawing number 8863617 with M329A1 projectiles, or with M335A2 projectiles inert loaded to the weight specified in 3.3.2, with M2A2 ignition cartridge and M9 propellant bag."

4.3.2: Add the following:

"All calibration and test rounds fired from armor plate shall be corrected for velocity plate differential in accordance with Table IV.

TABLE IV

Incrment	Differential (fps)
41	-13
10	-3
5	-4

These corrections shall be applied before calculation of mean, standard deviation and lot percent defective (see 6.12)."

PAGE 11

5.1.1, 5.1.2 and 5.1.3, Delete in their entirety and substitute the following:

"5.1.1 Level A - Propellant increments shall be packed in case liners conforming to Type 1, Grade A, Style A, of MIL-L-10547; manufactured from barrier material conforming to class 1, of MIL-B-131.

The case liner shall be approximately 14 3/4 inches long by 14 3/4 inches wide by 18 1/2 inches deep. The case liner shall be closed with pressure sensitive tape, Type IV, Class 1 of PPP-T-60. One liner shall be packed in a nailed wood box, complying with Grade A, Type 1, Class 1 of MIL-B-2427. The box shall be completely lined with fillers complying with MIL-F-50449. The box shall be strapped girthwise, between cover cleats with two 5/8 inch by 0.02 inch thick flat steel straps conforming to Type 1, Class A or B, of QQ-S-781. The net weight of the propellant shall not exceed 50 pounds.

5.1.2, level B - Propellant increments shall be packed in accordance with paragraph 4.3 of MIL-STD-652.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.

5.1.3, level C - Propellant increments shall be packed in a fiberboard carton conforming to requirements of Drawing 7548645 except that line shall conform to Type 1, Grade A material of MIL-L-10547. Alternatively, a wood box meeting the requirements of Code of Federal Regulations Parts 0-190 may be used in lieu of fiberboard carton".

5.2.1, Delete "The ICC nomenclature" and substitute "The DOT marking".

PAGE 12

6.12, Add new paragraph as follows:

"6.12, Calibration tests performed at the Proving Ground show that a velocity differential exists between firings obtained from armor and base-plates. Since all assessments will be conducted from armor plate, this velocity differential must be applied as a correction factor to reflect the velocities that would be obtained from base-plate."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this docuemnt based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army-AR

Preparing activity:
Army-AR

(project 1376-A200)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.