INCH-POUND

AN363 REV 6
7 September 2017
SUPERSEDING
AN363 REV 5
1 November 2011


DETAIL SPECIFICATION SHEET

NUT, SELF-LOCKING, 550ºF

Inactive for new design after 17 June 1964

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product herein shall consist of this specification sheet



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:15Z
Check the source to verify that this is the current version before use.

FINE THREAD

	DASH NUMBERS			TAP T	(a) A +.016	B +.002 -.010
	COR RES STEEL	STEEL	COPPER BASE ALLOY			
(c)	C1032	1032	B1032	(NO. 10) .190-32 NF-3B	.234	.375
	C428	428	B428	(1/4) .250-28UNF-3B	.312	.438
	C524	524	B524	(5/16) .312-24UNF-3B	.344	.500
	C624	624	B624	(3/8) .375-24UNF-3B	.453	.563
	C720	720	B720	(7/16) .437-20UNF-3B	.453	.625
(c)	C820	820	B820	(1/2) .500-20UNF-3B	.594	.750
	C918	918	B918	(9/16) .562-18UNF-3B	.688	.875
	C1018	1018	B1018	(5/8) .625-18UNF-3B	.750	.938
	C1216	1216	B1216	(3/4) .750-16UNF-3B	.875	1.063
	COARSE THREAD					
(c)	C632	632	B632	(NO. 6) .138-32 NC-2B	.172	.312
	C832	832	B832	(NO. 8) .164-32 NC-2B	.234	.344
	C1024	1024	B1024	(NO. 10) .190-24 NC-2B	.234	.375
	C420	420	B420	(1/4) .250-20UNC-3B	.312	.438
	C518	518	B518	(5/16) .312-18UNC-3B	.344	.500
	C616	616	B616	(3/8) .375-16UNC-3B	.453	.563
(b)	C714	714	B714	(7/16) .437-14UNC-3B	.453	.625
	C813	813	B813	(1/2) .500-13UNC-3B	.594	.750
	C913	913	B913	(9/16) .562-12UNC-3B	.688	.875
	C1011	1011	B1011	(5/8) .625-11UNC-3B	.750	.938
	C1210	1210	B1210	(3/4) .750-10UNC-3B	.875	1.063

(a) Minimum A not specified. Limited only by strength requirement of specification.
(b) Dash numbers C1024 through C1210, 1024 through 1210, and B1024 through B1210 for coarse thread nuts inactive for design after 14 April 1949.
(c) Cancelled after 7 September 2017 and superseded by MS21045, MS21046 and MS21044 parts.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:15Z
Check the source to verify that this is the current version before use.

	FINE THREAD					
	INACTIVE OR CANCELLED PARTS			SUBSTITUTE PARTS		
	CRES	STEEL	COPPER BASE ALLOY	CRES	STEEL	COPPER BASE ALLOY
(c)	AN363C1032	AN363-1032	AN363B1032	MS21046C3	MS21045-3	MS21044E3
	C428	-428	B428	C4	-4	E4
	C524	-524	B524	C5	-5	E5
	C624	-624	B624	C6	-6	E6
	C720	-720	B720	(a)	(a)	(a)
(c)	C820	-820	B820	C8	-8	E8
	C918	-918	B918	C9	-9	E9
	C1018	-1018	B1018	C10	-10	E10
	C1216	-1216	B1216	C12	-12	E12
	COARSE THREAD					
(c)	AN363C632	AN363-632	AN363B632	MS21046C06	MS21045-06	MS21044E06
	C832	-832	B832	C08	-08	E08
	C1024	-1024	B1024	(b)	(b)	(b)
	C420	-420	B420			
	C518	-518	B518			
	C616	-616	B616			
	C714	-714	B714			
	C913	-913	B913			
	C1011	-1011	B1011			
	C1210	-1210	B1210	(b)	(b)	(b)

(a) AN363 nuts with (7/16) .437-20 thread have no substitutive parts on MS21044, MS21045 and MS21046 because the corresponding MS nuts have a larger hex size to conform to international standard.

(b) AN363 nuts with thread sizes (NO.10) .190-24 thru (3/4) .750-10 have no substitutive parts on MS21044, MS21045 and MS21046 because these are non-preferred thread sizes per MIL-S-7742.

(c) Cancelled after 7 September 2017 and superseded by MS21045, MS21046 and MS21044.

NOTES:

1. Interchangeability relationship: MS21044, MS21045 AND MS21046 can universally replace the inactivated or cancelled AN363 nuts in accordance with table on sheet 2. AN363 nuts cannot universally replace MS21044, MS21045 or MS21046.

2. Dimensions in inches.

3. Example of part numbers:
   AN363-428 = (1/4) .250-28 Steel Nut.
   AN363B632 = (NO. 6) .138-32 Copper-Base Alloy Nut.
   AN363C428 = (1/4) .250-28 Corrosion-Resistant Steel Nut.

4. For installation instructions, see NASM33588.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:15Z
Check the source to verify that this is the current version before use.

5. Changes from previous issues. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - MI

Preparing Activity:

DLA -IS

(Project 5310-2017-004)

NOTE: The activities listed above were interested in this document as of the date of document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:15Z
Check the source to verify that this is the current version before use.