FED SUP CLASS
5935


USER SYMBOLS


REVIEWER SYMBOLS
NAVY - AS
[illegible] 90 11
ARMY AV

"Review/user information is current as of the date of this document. For future coordination of changes to this document draft circulation should be based on the information in the current DODISS.

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FRONT





BACK

P/N MS25182-2

FOR DESIGN [illegible]
REFERENCED DOCUMENTS [illegible]

(C) REVISED AND REDRAWN

APPROVED 26 MAY 1956 REVISED (L) 11 JULY 84

PA NAVY — AS Other Cust 85 USAF - A ARMY - A	TITLE [illegible]	TITLE [illegible]	MILITARY STANDARD MS25182
PROCUREMENT SPECIFICATION [illegible]	SUPERSEDES		SHEET OF

DD FORM 1 MAR 72 672-1 (Coordinated)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


PROJECT [illegible]

PLATE NO 23085

Source: https://assist.dla.mil -- Downloaded: 202610-23T15:05Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5935





ALL THREAD DIMENSIONS ARE TYPICAL, ALL TOLERANCES ARE
± 005 UNLESS OTHERWISE SPECIFIED

P NAVY - AS Other Cust USAF - 80 ARMY - AV	INTER- NATIONAL INTEREST *	TITLE PLUG ELECTRIC FOUR-WIRE AIRCRAFT STORAGE BATTERY	MILITARY STANDARD MS25182
PROCUREMENT SPECIFICATION MIL-P-18148	SUPERSEDES		SHEET 2 OF 3

DD FORM (SEP 71) 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

FOR CHANGES SEE SHEETS 1 2 AND 3

16 MAY 1956

REVIEWER SYMBOLS:
NAVY - AS
USAF - 80 11
ARMY - AV

USER SYMBOLS

"Review/use of this standard current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:05Z
Check the source to verify that this is the current version before use.

This military standard is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

"Review/user information is current as of the date of this document. For future coordination of changes to this document draft circulation should be based on the information in the current DODISS."

REVIEWER SYMBOLS* NAVY - AS USAF - 80 11 ARMY - AV

USER SYMBOLS

FED SUP CLASS 5935

REQUIREMENTS

1 THE PLUGS SHALL CONFORM TO THE REQUIREMENTS OF MIL-P-18148 FOR FOUR-WIRE PLUGS EXCEPT AS MODIFIED BY THE FOLLOWING

3.6.2 MECHANICAL OPERATION, FOUR-WIRE PLUGS CHANGE FOURTH SENTENCE TO READ THE TORQUE REQUIRED TO ENGAGE THE PLUG WITH A TYPE MS3509 RECEPTACLE SHALL NOT EXCEED 11.5 INCH-POUNDS AND TO DISENGAGE 5 INCH-POUNDS

2 THE PLUGS SHALL BE USEABLE WITH A MATING TYPE MS3509 RECEPTACLE

3 THE WIRE ENTRY HOLES SHALL BE LARGE ENOUGH TO ACCEPT 900 INCH DIAMETER WIRE GEOMETRY OF THE HOLES IS OPTIONAL AS LONG AS THIS REQUIREMENT IS MET

4 SLEEVES SHALL BE INSTALLED AROUND THE CONTACT SOCKETS TO PROVIDE ELECTRICAL INSULATION THE SLEEVES SHALL BE CONSTRUCTED OF A MATERIAL THAT WILL NOT SUPPORT COMBUSTION

NOTES

1 ALL DIMENSIONS ARE IN INCHES WHERE ONLY MAXIMUM OR MINIMUM DIMENSIONS ARE SHOWN THE PLUG NEED NOT HAVE THE SHAPE SHOWN

2 MS25182-2 SUPERSEDES MS25182-1

APPROVED 26 MAY 1956 REVISED (C) FOR CHANGES SEE SHEETS 1 2 & 3

P.A. NAVY - AS Other Cust LSAF - 80 ARMY - AV	INTER-NATIONAL INTEREST	TITLE PLUG ELECTRIC FOUR-WIRE AIRCRAFT STORAGE BATTERY	MILITARY STANDARD MS25182
PROCUREMENT SPECIFICATION MIL-P-18148	SUPERSEDES		SHEET 3 OF 3

DD FORM SEP 71 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE PLATE C 1709

Source: https://assist.dla.mil -- Downloaded: 202640-23T15:05Z
Check the source to verify that this is the current version before use.