FED. SUP CLASS
5325

USER ACTIVITIES:
ARMY - AT, ME, EL, AV, AL
NAVY - MC, MS

NOTES

1. MATERIAL - ALL COMPONENTS ARE BRASS EXCEPT WHERE OTHERWISE SPECIFIED.
2. FINISH - BLACK.
3. DIMENSIONS - IN INCHES
4. TOLERANCES - PLUS OR MINUS 1/64 INCH EXCEPT WHERE OTHERWISE NOTED (FOR INFORMATION PURPOSES ONLY). PRODUCTION TOLERANCES IN ACCORDANCE WITH DRAWINGS REFERENCED IN SPECIFICATION MIL-F-10884.
5. FOR DESIGN FEATURE SELECTION PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
6. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.
7. COMPONENT PARTS OF THE SAME FASTENER SHALL BE PROCURED FROM THE SAME MANUFACTURER.
8. THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER. EXAMPLE (C) MS27979-1

APPROVED 21 July 1961 REVISED (A) APPROVED 7 FEB 67 (B) JANUARY 1971 (C) 31 JULY 1978


This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P.A. ARMY - GL Other Cust NAVY - AS USAF - 99	TITLE FASTENERS, SNAP, STYLE 1B (MUD-PROOF CURTAIN TYPE)	MILITARY STANDARD MS 27979
Procurement Specification MIL-F-10884	SUPERSEDES:	SHEET 1 OF 3


DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



SOCKET
(OPERATES ON SINGLE POINT LIFT PRINCIPLE)



CLINCH PLATE

	DASH NO.
SOCKET	-1
CLINCH PLATE	-2

NOTE: SOCKET AND CLINCH PLATE CONSTITUTE THE FEMALE HALF OF STYLE 1B FASTENER.


APPROVED 21 July 1961 REVISED FOR CHANGES, SEE SHEET 1.

P.A. ARMY - GL Other Cust NAVY - AS USAF - 99	TITLE FASTENERS, SNAP, STYLE 1B (MUD-PROOF CURTAIN TYPE)	MILITARY STANDARD MS 27979
Procurement Specification MIL-P-10884	SUPERSEDES:	SHEET 2 OF 3


DD FORM 1 SEP 57 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



STUD, EYELET BASE



WASHER

	DIM. A	DASH NO.
STUD EYELET BASE, SIZE 1	9/16	-3
STUD EYELET BASE, SIZE 2	23/64	-4
STUD EYELET BASE, SIZE 3	11/64	-5
WASHER	.....	-6

NOTE: STUD, EYELET BASE, SIZE 1, 2 OR 3, AS APPLICABLE, AND WASHER CONSTITUTE THE MALE HALF OF STYLE 1B FASTENER.

APPROVED 21 July 1961 REVISED FOR CHANGES, SEE SHEET 1.

P.A. ARMY - GL Other Cust NAVY - AS USAF - 99	TITLE FASTENERS, SNAP, STYLE 1B (MUD-PROOF CURTAIN TYPE)	MILITARY STANDARD MS 27979
Procurement Specification MIL-F-10884	SUPERSEDES:	SHEET 3 OF 3

DD FORM 1 SEP 57 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.