CHANGE NOTICES ARE NOT CUMULATIVE AND SHALL BE RETAINED UNTIL SUCH TIME AS THE ENTIRE STANDARD IS REVISED

FED. TEST METHOD STD. NO. 601
April 12, 1955
CHANGE NOTICE 7
August 17, 1976

FEDERAL TEST METHOD STANDARD

RUBBER: SAMPLING AND TESTING

The following changes in Fed. Test Method Std. No. 601, dated April 12, 1955, have been approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Inclosed are new indexes of test methods superseded by American Society for Testing and Materials (ASTM) and those cancelled because they are no longer referenced in any Federal or Military specification. The index of superseded Fed. Test Methods in Change Notice 4 is superseded by this Change Notice. Instructions for inserting these inclosures are as follows:

Remove the following, dated April 12, 1955, in their entirety and substitute the appropriate revisions:

a. Section 2. Alphabetical Index of Test Methods.

b. Section 3. Numerical Index of Test Methods.

c. Section 4. Subject Index.

d. Section 5. Definitions of Terms.

e. Section 6. Sampling and Acceptance Procedures.

f. Section 7. Delete

g. Section 8. Delete.

MILITARY CUSTODIANS

Army - MR
Navy - SH
Air Force - 99

Preparing activity:

Army - MR

CIVIL AGENCIES COORDINATING ACTIVITIES

Commerce-NBS
GSA-FSS

RETAIN THIS CHANGE NOTICE AND INSERT BEFORE THE TABLE OF CONTENTS.

FED. TEST METHOD STD. NO. 601

FSC 9320

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SECTION 2

ALPHABETICAL INDEX OF TEST METHODS

Title	Method No.	Use ASTM Method No.	ASTM method section
Abrasion	14111	D 1630-61(1974)	
Acetone Extract	16321	D 297-76	18
Acid, Battery, Dimensional Change, Hard Rubber	11421	D 639-72	19-26
Acid, Battery, Weight Change, Hard Rubber	11411	D 639-72	19-26
Acrylonitrile Rubber	15211	D 297-76	54
Adhesion, Change in Hose, Liquid Immersion	6411	---	
Adhesion, Coating to Fabric	8211	D 751-73	39-42
Adhesion, Friction Tape	13111	D 69-67(1972)	19.1
Adhesion, Friction Tape, Aged	13121	D 69-67(1972)	19.2
Adhesion, Rubber to Metal	8031	D 429-73	Method B
Adhesion, Seams (Seam Strength)	8311	---	
Aging, Accelerated, General	7001	---	
Air Heat Test, Air Heating Medium	7221	D 573-67(1972)	
Air Heat Test, Cellular Rubber	12211	D 1055-69	15-16
Air Heat Test Liquid Heating Medium	7231	D 865-62(1974)	
Air Leakage	10111	D 622-73	5
Air Pressure Test	7211	D 454-53(1970)	
Air Pressure Test, Cellular Rubber	12231	D 1055-69	15-16
Alcoholic Potassium Hydroxide Extract	16341	D 297-76	21
Asbestos	16651	None 1/	
Asbestos, Chemically Combined Water	16661	None 1/	
Breaking Strength, Friction Tape	13011	D 69-67(1972)	9.1
Brittleness, Low-Temperature, Motor-Driven Apparatus	5311	D 2137-75	
Brittleness, Low Temperature, Solenoid-Actuated Apparatus	5321	D 2137-75	
Buffing	1111	D 3183-73	
Bulge Test, Battery Containers	11321	D 639-72	41-47
Bursting Strength, Curved Specimen	10021	D 380-76	14.2
Bursting Strength, Straight Specimen	10011	D 380-76	14.1
Calibration of Durometer	3025	D 2240-75	
Calibration of Tension Testing Machine	4116	D 412-75	
Carbon Black	15811	D 297-76	38
Carbon, Free	16511	D 297-76	37
Casters, Electrical Resistance	9211	None 1/	
Cellular Rubber, Air Heat Test	12211	D 1055-69	15-16
Cellular Rubber, Air Pressure Test	12231	D 1055-69	15-16
Cellular Rubber, Compression Deflection	12151	D 1056-73	17-20
Cellular Rubber, Compression Resistance	12141	---	
Cellular Rubber, Compression Set	12131	D 1055-69	17-19
Cellular Rubber, Deflection, Low Temperature	12221	D 1055-69	27-30

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Cellular Rubber, Diameter	12041	D 1056-73	14
Cellular Rubber, Flexing Endurance	12111	D 1055-69	24-26
Cellular Rubber, General	12001	D 1056-73	1-4, 14
Cellular Rubber, Geometrical Measurements, General	12005	D 1056-73	14
Cellular Rubber, Indentation	12121	D 1055-69	20-23
Cellular Rubber, Length	12011	D 1056-73	14
Cellular Rubber, Oil Immersion	12311	D 1056-73	24-29
Cellular Rubber Thickness	12031	D 1056-73	14
Cellular Rubber, Water Absorption	12411	D 1056-73	30-32
Cellular Rubber, Width	12021	D 1056-73	14
Change in Adhesion Hose, Liquid Immersion	6411	- --	
Change in Diameter, Hose, Liquid Exposure	6421	None 1/	
Change in Laminated Materials, Liquid Immersion	6311		
Change in Thickness, Liquid Immersion, After Recovery	6241	None 1/	
Change in Thickness, Immediately After Immersion in Liquid	6231	None 1/	
Change in Volume, Liquid Immersion	6211	---	
Change in Weight, Liquid Immersion	6251	---	
Change in Weight, Water Immersion	6631	None 1/	
Chemical Analysis of Packings, General	16601	None 1/	
Chemical Analysis of Rubber, General	16001	D 297-76	58
Chemical Analysis of Synthetic Rubber, General	15001	D 297-76	
Chemically Combined Water, Asbestos, Packings	16661	None 1/	
Chloroform Extract	16331	D 297-76	19
Chloroprene, Chlorine Determination	15111	D 297-76	53
Circumference, Diameter, Optical	2321	---	
Circumference, Diameter, Scale or Tape	2361	---	
Circumference, Inner, Mandrel	2341	---	
Circumference, Outer, Tape	2351	---	
Circumference, Outer, Wire or Thread	2311	---	
Circumference, Scale	2331	---	
Coated Fabrics, Hydrostatic Resistance	10511	D 751-73	35-38
Coated Fabrics, Adhesion of Coating	8211	D 751-73	39-42
Cold Flow, Hard Rubber	11121	D 530-74	
Composite Sample for Chemical Analysis	1211	D 297-76	8
Compression Deflection, Cellular Rubber	12151	D 1056-73	17-20
Compression and Recovery	3321	None 1/	
Compressibility and Recovery, Gasket Materials	3331	F 36-66	

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No	Use ASTM Method No.	ASTM method section
Compression Resistance, Cellular Rubber, Oscillograph	12141	---	
Compression Set	3311	D 395-75	Method B
Compression Set, Cellular Rubber	12131	D 1055-69	17-19
Compression Set, Low-Temper ture	5411	D 1229-62(1968)	
Conditioning of Materials for Low-Temperature Testing General	5111	D 832-64(1974)	
Contraction or Elongation, Hose	10311	D 380-75	15.1,15.1.1,15.2
Corrosion of Metal by Rubber	14211	---	
Deflection, Hard Rubber	11051	None 1/	
Deflection, Low Temperature, Cellular Rubber	12221	D 1055-69	27-30
Diameter, Cellular Rubber	12041	D 1056-73	14
Diameter, Circumference Methods	2231	---	
Diameter, Change in Hose, Liquid Exposure	6421	None 1/	
Diameter, Optical	2211	---	
Diameter, Scale or Tape	2221	---	
Dielectric Strength, Friction Tape	13311	D 69-67(1972)	23
Dielectric Strength, Insulating Tape	13321	D 119-70	17
Dimensional Changes, Hard Rubber, in Battery Acid	11421	D 639-72	19-26
Durometer, Calibration	3025	D 2240-75	
Durometer, Hardness	3021	D 2240-75	
Durometer, Hardness, Low-Temperature	5511	D 2240-75	
Elongation, Ultimate	4121	D 412-75	
Elongation or Contraction, Hose	10311	D 380-75	15.1,15.1.1,15.2
Elongation, Hard Rubber	11021	D 2707-73	4.1.4
Elongation, Insulating Tape	13031	D 119-70	16
Expansion, Circumference	10321	D 380-75	15.1,15 1.5
Extractable Materials, General	16301	---	
Extract, Acetone	16321	D 297-76	18
Extract, Acetone, Unsaponifiable	16351	D 297-76	22
Extract, Alcoholic Potassium Hydroxide	16341	D 297-76	21
Extract, Chloroform	16331	D 297-76	19
Extract, Mineral Oil	16371	D 297-76	24
Extract Total	16311	D 297-76	20
Extract, Waxy Hydrocarbon	16361	D 297-76	23
Fibrous Materials, Mineral Oil	16531	None 1/	
Fibrous Materials, Paranitrotoluene-Orthodichlorobenzene	16535	None 1/	
Fibrous Materials, Packing, Mineral Oil	16631	None 1/	
Fibrous Materials, Packing, Paranitrotoluene-Orthodichlorobenzene	16635	None 1/	
Fillers Ash	16431	D 297-76	34

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Fillers General	16401	None 1/	
Fillers, Mineral Oil	16411	None 1/	
Fillers, Packing Mineral Oil	16641	None 1/	
Fillers, Packing, Paranitrotoluene-Orthodichlorobenzene	16645	None 1/	
Fillers, Paranitrotoluene-Orthodichlorobenzene	16421	None 1/	
Flexibility, Bending Beam, Low Temperature	5211	---	
Flexibility, Hose, Low-Temperature	5711	None 1/	
Flexing Endurance, Cellular Rubber	12111	D 1055-69	24-26
Flexural Strength, Hard Rubber	11041	---	
Free Carbon	16511	D 297-76	37
Free Sulfur	16211	D 297-76	28
Friction, General	8001	None 1/	
Friction Machine Method	8011	D 413-39(1970)	
Friction, Rubber to Metal	8031	D 429-73	Method B
Friction, Dead-Weight Method	8021	D 413-39(1970)	
Fusion, Insulating Tape	13131	D 119-70	18
Gasket Materials, Compressibility and Recovery	3331	F 36-66	
Geometrical Measurements, Cellular Rubber, General	12005	D 1056	14
Geometrical Measurements, General	2001	---	
Glue	16521	D 297-76	68
Hard Rubber, Bulge Test	11321	D 639-72	41-47
Hard Rubber, Cold Flow	11121	None 1/	
Hard Rubber, Deflection	11051	None 1/	
Hard Rubber, Dimensional Changes, Acid	11421	D 639-72	19-26
Hard Rubber, Elongation	11021	D 2707-73	4.1.4
Hard Rubber, Flexural Strength	11041	None 1/	
Hard Rubber, General	11001	D 530-68(1974)	
Hard Rubber, Impact Resistance, Battery Containers	11261	D 639-72	35-40
Hard Rubber, Impact Resistance, Cantilever	11221	D 530-68(1974)	4.1.5
Hard Rubber, Impact Resistance, Fixed Size Ball	11251	None 1/	
Hard Rubber, Impact Resistance, General	11211	None 1/	
Hard Rubber, Impact Resistance, Simple Beam	11231	D 530-68(1974)	4.1.5
Hard Rubber, Impact Resistance, Variable Size Ball	11241	---	
Hard Rubber, Penetration, Acid	11431	None 1/	
Hard Rubber, Softening Point	11311	---	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Hard Rubber, Tensile Strength	11011	D 2707-73	
Hard Rubber, Voltage Withstand	11521	D 639-72	54-59
Hard Rubber, Weight Change	11411	D 639-72	19-26
Hardness, Durometer	3021	D 2240-75	
Hardness, Durometer, Low-Temperature	5511	D 2240-75	
Hardness, Indentometer	3051	None 1/	
Hardness Indentometer, Low-Temperature	5521	None 1/	
Hardness, Plastometer	3031	D 531-56(1970)	
Hardness, Plastometer, Low-Temperature	5531	---	
Hardness, ASTM Hardness	3041	None 1/	
Heat Test, Air, Air Heating Medium	7221	D 573-67(1972)	
Heat Test, Air, Cellular Rubber	12211	D 1055-69	15-16
Heat Test, Air, Liquid Heating Medium	7231	D 865-62(1974)	
Hold Test, Curved Specimen	10231	None 1/	
Hold Test, Straight Specimen	10221	D 380-76	15.5
Hose, Change in Adhesion, Liquid Immersion	6411	---	
Hose, Change in Diameter, Liquid Exposure	6421	None 1/	
Hose Flexibility, Low-Temperature	5711	None 1/	
Hydrostatic Resistance, Coated Fabrics	10511	D 751-73	35-38
Identification of Synthetic Rubber	15011	D 297-76	58-64
Impact Resistance, Battery Containers	11261	D 639-72	35-40
Impact Resistance, Hard Rubber Cantilever	11221	D 530-68(1974) D 256-73	4.1.5. & Method A
Impact Resistance, Hard Rubber, Fixed Size Ball	11251	None 1/	
Impact Resistance, Hard Rubber, General	11211	None 1/	
Impact Resistance, Hard Rubber Simple Beam	11231	D 530-68(1974) D 256-73	4.1.5. & Method B
Impact Resistance, Hard Rubber, Variable Size Ball	11241	D 639-72	19-26
Indentation, Cellular Rubber	12121	D 1005-69	20-23
Indentometer, Hardness	3051	None 1/	
Indentometer, Hardness, Low-Temperature	5521	None 1/	
International Hardness of Vulcanized Rubber		D 1415-68(1974)	
Kink, Hose	10361	D 380-76	15.1, 15.4
Laminated Materials, Change, in Liquids	6311	---	
Leakage, Air	10111	D 622-73	5
Length	2411	---	
Length, Cellular Rubber	12011	D 1056-73	14
Light Resistance	7311	D 750-68(1974)	
Liquid Treatment, General	6001	---	
Low-Temperature, General, Brittleness Motor-Driven Apparatus	5311	D 2137-75	
Low Temperature, Brittleness, Solenoid-Actuated Apparatus	5321	D 2137-75	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Low-Temperature, Cellular Rubber Deflection	12221	D 1055-69	27-30
Low-Temperature, Compression Set	5411	D 1229-62(1968)	
Low-Temperature, Conditioning of Materials, General	5111	D 832-64(1974)	
Low-Temperature, Flexibility, Bending Beam	5211	---	
Low-Temperature, Hardness, Durometer	5511	D 2240-75	
Low-Temperature, Hardness, Indentometer	5211	None 1/	
Low-Temperature, Hardness, Plastometer	5531	---	
Low-Temperature, Hose Flexibility	5711	None 1/	
Low-Temperature, Stiffness, Torsional	5611	D 1053-73	
Lubricant, Packing, Graphite Absent	16621	None 1/	
Lubricant, Packing, Graphite Present	16625	None 1/	
Lubricant Packings, Organic Solvent-Soluble And Graphite	16627	None 1/	
Metals and Fibrous Materials, Packings Mineral Oil	16631	None 1/	
Metals and Fibrous Materials, Packing, Paranitrotoluene -Orthodichlorobenzene	16635	None 1/	
Mineral Oil Extract	16371	D 297-76	24
Mineral Oil Method, Fibrous Materials	16531	None 1/	
Mineral Oil Method, Fillers	16411	None 1/	
Mineral Oil Method, Packing, Fillers in Rubber Compound	16641	None 1/	
Mineral Oil Method, Packing, Metal and Fibrous Materials	16631	None 1/	
Oil Immersion Test, Cellular Rubber	12311	D 1056-73	24-29
Orthodichlorobenzene-Paranitrotoluene Fibrous Materials	16535	None 1/	
Orthodichlorobenzene-Paranitrotoluene Fillers	16421	None 1/	
Orthodichlorobenzene-Paranitrotoluene, Fillers in Rubber Compound, Packings	16645	None 1/	
Orthodichlorobenzene-Paranitrotoluene, Metal and Fibrous Materials, Packings	16635	None 1/	
Oxygen Pressure Test	7111	D 572-73	
Packings, Asbestos	16651	None 1/	
Packings, Chemically Combined Water, Asbestos	16661	None 1/	
Packings Fillers in Rubber Compound, Mineral Oil	16641	None 1/	
Packings, Fillers in Rubber Combined, Paranitrotoluene-Orthodichlorobenzene	16645	None 1/	

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Packings, Chemical Analysis of General.	16601	None 1/	
Packings, Lubricant, Graphite Absent...	16621	None 1/	
Packings, Lubricant, Graphite Present.....	16625	None 1/	
Packings, Lubricant, Organic Solvent-Soluble and Graphite.....	16627	None 1/	
Packings, Metal and Fibrous Materials, Mineral Oil.....	16631	None 1/	
Packings, Metal and Fibrous Materials, Paranitrotoluene-Orthodichlorobenzene.....	16635	None 1/	
Packings, Rubber Compound and Rubber, Hydrocarbon.....	16611	None 1/	
Paranitrotoluene-Orthodichlorobenzene, Fibrous, Materials.....	16535	None 1/	
Paranitrotoluene-Orthodichlorobenzene, Fillers.....	16421	None 1/	
Paranitrotoluene-Orthodichlorobenzene, Packings, Fillers in Rubber Compound.....	16645	None 1/	
Paranitrotoluene-Orthodichlorobenzene, Metal and Fibrous Materials.....	16635	None 1/	
Penetration, Acid, Hard Rubber.....	11431	None 1/	
Phenol Resistance.....	6711	None 1/	
Phosphate Plasticizer, Fusion Method.....	15821	---	
Phosphate Plasticizer, Sodium Method.....	15825	---	
Pinholes, Friction Tape.....	13211	D 69-67(1972)	22
Plastic Flow.....	3111	None 1/	
Plasticizer, Phosphate, Fusion Method.... ..	15821	---	
Plastometer, Hardness.....	3031	D 531-56(1970)	
Plastometer, Hardness, Low-Temperature.....	5531	---	
Polychloroprene Rubber.....	15111	D 297-76	53
Polisobutylene Rubber..... .	15511	D 297-76	54
Polysulfide Rubber (Thioplasts)..... .	15411	---	
Preliminary Examination of Sample.....	16011	D 297-76	9
Pressure Test Air.....	7211	D 454-53(1970)	
Pressure Test, Air, Cellular Rubber.....	12231	D 1055-69	15-16
Pressure Test, Oxygen.....	7111	D 572-73	
Pressure Proof Test Hose.....	10211	D 380-76	12,13,15.1,15 3
Proof Pressure, Hose.....	10211	D 380-76	12,13,15.1,15.3
Recovery, Compression.....	3321	None 1/	
Recovery, Compressibility, Gasket Materials.....	3331	F 36-66	
Resilience, Oscillograph.....	3411	D 945-72	Part c
Resistance to Boiling Water.....	6611	---	
Resistance to Casters, Electrical.....	9211	None 1/	
Resistance to Light.....	7311	D 750-68(1974)	

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Resistance to Phenol	6711	None 1/	
Resistance to Steam, Digestion	7421	D 380-76	19
Resistance to Steam, Rack	7431	D 380-76	18
Rise Hose	10351	D 380-76	15.1, 15.1.4
Rubber Chemical Analysis	16001	D 297-76	58
Rubber Compound, Packing	16611	None 1/	
Rubber Content, Direct Method	16121	D 297-76	52
Rubber Content, General	16101	D 297-76	51
Rubber Content, Indirect Method	16111	D 297-76	10-12
Rubber Hydrocarbon, Packings	16611	None 1/	
Rubber, Separation From Other Materials	1011	D 3183-73	
Sample, Composite, for Chemical Analysis	1211	D 297-75	8
Sealing Pressure	3211	D 1081-60(1974)	
Seam Strength, Adhesion	8311	---	
Separation of Rubber From Other Materials	1011	D 3183-73	
Set, Compression	3311	D 395 69	B
Set, Compression, Cellular Rubber	12131	D 1055-69	17-19
Set, Compression, Low-Temperature	5411	D 1229-62(1968)	
Set, Tension	4411	D 412-75	
Softening Point, Hard Rubber	11311	---	
Solvent Extraction	6511	---	
Specific Gravity, Hydrostatic	14011	D 792-66 (1975)	
Specific Gravity, Pycnometer	14021	D 792-66 (1975)	
Splice, Strength	4311	None 1/	
Steam Resistance, Digestion	7421	D 380-76	19
Steam Resistance Rack	7431	D 380-76	18
Steam Sterilization	7411	---	
Sterilization Steam	7411	---	
Stiffness, Torsional, Low-Temperature	5611	D 1053-73	
Stiffness torsional Low-temperature Gaseous Medium	5612	D 1053-73	
Strain	4141	D 1456-61(1974)	
Strength Breaking Tape	13011	D 69-67(1972)	9.1
Strength Bursting, Curved Specimen, Hose	10021	D 380-76	14.2
Strength Bursting, Straight Specimen Hose	10011	D 380-76	14.1
Strength Flexural, Hard Rubber	11041	None 1/	
Strengthm Seam, Adhesion	8311	---	
Strength of Splice	4311	None 1/	
Strength, Tensile	4111	D 412-75	
Strength, Tensile, Hard Rubber	11011	D 2707-73	
Strength, Tensile, Tape	13021	D 119-68	16
Stress, Tensile	4131	D 412-75	
Styrene Rubber	15311	D 297-76	56
Sulfur, Free	16211	D 297-76	28
Sulfur, Friction Tape	13411	None 1/	
Sulfur, Fusion Method	16241	D 297-76	31

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Sulfur General	16201	D 297-76	26-27
Sulfur in Extract	16221	D 297-76	29
Sulfur, Inorganic, Antimony Absent	16261	D 297-76	32
Sulfur, Inorganic, Antimony Present	16251	None 1/	
Sulfur Zinc - Nitric Acid Method	16231	D 297-76	30
Synthetic Rubber, Chemical Analysis, General	15001	D 297-76	
Tackiness, Friction Tape	13141	D 69-67(1974)	20
Tackiness, Insulating Tape	13151	D 119-70	19
Tape, Friction, Adhesion	13111	D 69-67(1970)	19.1
Tape, Friction, Aged Adhesion	13121	D 69-67(1970)	19.2
Tape, Friction, Breaking Strength	13011	D 69-67(1970)	9.1
Tape, Friction, Dielectric Strength	13311	D 69-67(1970)	23
Tape Friction, Pinholes	13211	D 69-67(1970)	22
Tape Friction, Sulfur	13411	Nore 1/	
Tape Friction Tackiness	13141	D 69 67(1970)	20
Tape, General	13001	D 69-67(1970)	1-5
Tape, Insulating, Dielectric Strength	13321	D 119-70	20
Tape, Insulating, Elongation	13031	D 119-70	16
Tape, Insulating, Fusion	13131	D 119-70	18
Tape, Insulati g, Tackiness	13151	D 119-70	19
Tape, Insulating, Tensile Strength	13021	D 119-70	16
Tear Resistance, Crescent and Angle	4211	D 624-73	
Tear Resistance Strip	4221	None 1/	
Tensile Strength	4111	D 412-75	
Tensile Strength, Hard Rubber,	11011	D 2707-73	
Tensile Strength, Insulating Tape	13021	D 119-70	16
Tensile Strength, and Elongation, Liquid Immersion	6111	---	
Tensile Strength, and Elongation, Liquid Immersion, After Recovery	6121	---	
Tensile Stress	4131	D 412-75	
Tension Set	4411	D 412-75	
Tension Test, General	4001	D 412-75	
Test-Tube Heat-Aging Test	7241	D 865-62(1970)	
Thickness, Cellular Rubber	12031	D 1056-73	14
Thickness, Magnetic Gage	2041	---	
Thickness, Micrometer, Flat Foot	2011	---	
Thickness, Micrometer, Spherical Foot	2021	---	
Thickness Optical	2031	---	
Thioplasts (Polysulfide Rubber)	15411	---	
Total Extract	16311	D 297-76	20
Twist Hose	10331	D 380-76	15.1, 15 1.2
Unsaponifiable Material, Acetone Extract	16351	D 297-76	22
Vinyl Plastics, Identification,	15011	D 297-76	58-64

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

ALPHABETICAL INDEX OF TEST METHODS - Continued

Title	Method No.	Use ASTM Methbd No.	ASTM method section
Voltage withstand, Battery Container	11521	D 639-72	54-59
Volume Change	6211	---	
Volume Change, Cellular Rubber	12311	D 1056-73	24-29
Volume Resistivity	9111	D 991-75	
Warp Hose	10341	D 380-76	15.1,15.1.3
Water Absorption, Cellular Rubber	12411	D 1056-73	30-32.1
Water, Boiling, Resistance	6611	---	
Water, Boiling, Extraction	6621	---	
Waxy Hydrocarbons	16361	D 297-76	23
Weight Change, Liquid Immersion	6251	---	
Weight Change, in Battery Acid, Hard Rubber	11411	D 639-72	54-59
Weight Change in Water	6311	None 1/	
Width, Cellular Rubber	12021	D 1056-73	14
Width, Narrow Units	2111	---	
Width, Scale or Tape	2121	---	

1/ The word "None" indicates that the test method has been cancelled because it is no longer referenced in any Federal or Military specification and there is no comparable ASTM test method.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SECTION 3

Numerical Index of Test Methods

Title	Method No	Use ASTM Method No	ASTM method section
Group 1000 - Preparation of Materials and Samples			
Separation of rubber from other materials	1011	D 3183-73	
Buffing	1111	D 3183-73	
Composite sample for chemical analysis	1211	D 297-76	8
Group 2000 - Geometrical Measurements			
Geometrical measurements, general	2001		
Thickness, micrometer, flat foot	2011		
Thickness, micrometer, spherical foot	2021		
Thickness, optical	2031		
Thickness, magnetic gage	2041		
Width, narrow units	2111		
Width, scale or tape	2121		
Diameter, optical	2211		
Diameter, scale or tape	2221		
Diameter, circumference method	2231		
Circumference, outer wire or thread	2311		
Circumference, diameter, optical	2321		
Circumference, scale	2331		
Circumference, inner, mandrel	2341		
Circumference, outer, tape	2351		
Circumference, diameter, scale or tape	2361		
Length	2411		
Group 3000 - Rheological Tests			
Hardness, durometer	3021	D 2240-75	
Calibration of durometer	3025	D 2240-75	
Hardness, plastometer	3031	D 531-56(1970)	
Hardness, ASTM hardness number	3041	None 1/	
Hardness, indentometer	3051	None 1/	
Plastic flow	3111	None 1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

Numerical Index of Test Methods - Continued

Title	Method No	Use ASTM Method No.	ASTM method section
Sealing pressure	3211	D 1081-60(1974)	
Compression set	3311	D 395-75	Method B
Compression and recovery	3321	None 1/	
Compressibility and recovery, gasket materials	3331	F 36-66	
Resilience, oscillograph	3411	D 945-72	Part C
International hardness of vulcanized rubber	3061	D 1415-68 (1974)	
Group 4000 - Tension Tests			
Tension tests, general	4001	D 412-75	
Tensile strength	4111	D 412-75	
Calibration of tension testing machine	4116	D 412-75	
Elongation, ultimate	4121	D 412-75	
Tensile stress	4131	D 412-75	
Strain	4141	D 1456-61(1974)	
Tear resistance, crescent and angle	4211	D 624-73	
Tear resistance, strip	4221	None 1/	
Strength of splice	4311	None 1/	
Tension set	4411	D 412-75	
Group 5000 - Thermal Tests			
Conditioning of materials for low temperature testing, general	5111	D 832-64(1974)	
Flexibility, bending beam, low-temperature	5211		
Brittleness, low-temperature, motor-driven apparatus	5311	D 2137-75	
Brittleness, low-temperature, solenoid-actuated apparatus	5321	D 2137-75	
Compression set, low-temperature	5411	D 1229-62(1968)	
Hardness, durometer, low-temperature	5511	D 2240-75	
Hardness, indentometer, low-temperature	5521	None 1/	
Hardness, plastometer, low-temperature	5531		
Stiffness, torsional, low-temperature	5611	D 1053-73	
Hose, flexibility, low-temperature	5711	None 1/	
Stiffness, torsional, low-temperature, gaseous medium	5612	D 1053-73	

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:01Z
Check the source to verify that this is the currentversion before use.

Numerical Index of Test Methods - Continued

Title	Method No	Use ASTM Method No.	ASTM method section
Group 6000 - Liquid Treatment Tests			
Liquid treatment tests, general	6001		
Tensile strength and elongation immediately after immersion in liquids	6111		
Tensile strength and elongation, liquid immersion, after recovery	6121		
Change in volume, liquid immersion.	6211		
Change in thickness immediately after immersion in liquid	6231	None 1/	
Change in thickness, liquid immersion after recovery.	6241	None 1/	
Change in weight, liquid immersion.	6251		
Change in laminated materials, liquid immersion	6311		
Hose, change in adhesion, liquid immersion.	6411		
Hose, change in diameter, liquid exposure	6421	None 1/	
Extraction, organic solvent	6511		
Resistance to boiling water	6611		
Extraction, boiling water	6621		
Change in weight, water immersion	6631	None 1/	
Resistance to phenol.	6711	None 1/	
Group 7000 - Accelerated Aging Tests			
Accelerated aging tests, general.	7001		
Oxygen pressure test.	7111	D 572-73	
Air pressure test	7211	D 454-53(1970)	
Air heat test, air heating medium	7221	D 573-67(1972)	
Air heat test, liquid heating medium.	7231	D 865-62(1974)	
Test-tube heat-aging test	7241	D 865-62(1974)	
Resistance to light	7311	D 750-68(1974)	
Sterilization steam	7411		
Resistance to steam, digestion method	7421	D 380-76	19
Resistance to steam, rack method.	7431	D 380-76	18

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:01Z
Check the source to verify that this is the currentversion before use.

Numerical Index of Test Methods - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Group 8000 - Adhesion Tests			
Friction, general	8001	None 1/	
Friction, machine method	8011	D 413-76	
Friction, dead-weight method	8021	D 413-76	
Adhesion, rubber to metal	8031	D 429-73	Method B
Adhesion, coating to fabric	8211	D 751-73	39-42
Adhesion, seams (seam strength)	8311		
Group 9000 - Electrical tests			
Volume resistivity	9111	D 991-75	
Electrical resistance of casters	9211	None 1/	
Group 10000 - Hydrostatic tests			
Bursting strength, straight specimen	10011	D 380-76	14.1
Bursting strength, curved specimen	10021	D 380-76	14.2
Air leakage	10111	D 622-73	5
Proof pressure	10211	D 380-76	12,13,15.1&15.3
Hold test, straight specimen	10221	D 380-76	14.3
Hold test, curved specimen	10231	None 1/	
Elongation or contraction	10311	D 380-76	15.1,15.1.1,15.2
Expansion, circumference	10321	D 380-76	15.1,15.1.5
Twist	10331	D 380-76	15.1,15.1.2
Warp	10341	D 380-76	15.1,15.1.3
Rise	10351	D 380-76	15.1,15.1.4
Kink	10361	D 380-76	15.1,15.4
Coated fabrics, hydrostatic resistance	10511	D 751-73	35-38
Group 11000 - Hard Rubber			
Hard rubber, general	11001	D 530-68(1974)	
Tensile strength, hard rubber	11011	D 2707-73	
Elongation, hard rubber	11021	D 2707-73	4.1.4
Flexural strength, hard rubber	11041	None 1/	
Deflection, hard rubber	11051	None 1/	
Cold flow, hard rubber	11121	D 530-68(1974)	
Impact resistance, hard rubber, general	11211	None 1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

Numerical Index of Test Methods - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Impact resistance, hard rubber, cantilever	11221	D 530-68(1974) D 256-73	4 1 5 & Method A
Impact resistance, hard rubber, simple beam	11231	D 530-68(1974) D 256-73	4 1 5 & Method B
Impact resistance, hard rubber, variable size ball	11241		
Impact resistance, hard rubber, fixed size ball	11251	None 1/	
Impact resistance, battery containers	11261	D 639-72	35-40
Softening point, hard rubber	11311		
Bulge test, battery containers	11321	D 639-72	41-47
Weight change, hard rubber in battery acid	11411	D 639-72	19-26
Dimensional changes, hard rubber in battery acid	11421	D 639-72	19-26
Penetration, acid, hard rubber	11431	None 1/	
Voltage withstand, battery containers	11521	D 639-72	54-59
Group 12000 - Cellular Rubber			
Cellular rubber, general	12001	D 1056-73	1 thru 4,14
Geometrical measurements, cellular rubber, general	12005	D 1056-73	14
Length, cellular rubber	12011	D 1056-73	14
Width, cellular rubber	12021	D 1056-73	14
Thickness, cellular rubber	12031	D 1056-73	14
Diameter, cellular rubber	12041	D 1056-73	14
Flexing endurance, cellular rubber	12111	D 1055-69	24-26
Indentation, cellular rubber	12121	D 1055-69	20-23
Compression set, cellular rubber	12131	D 1055-69	17-19
Compression resistance, cellular rubber, oscillograph	12141		
Compression deflection, cellular rubber	12151	D 1056-73	17-20
Air heat test, cellular rubber	12211	D 1055-69	15-16
Deflection at low temperature, cellular rubber	12221	D 1055-69	27-30
Air pressure test, cellular rubber	12231	D 1055-69	15-16
Oil immersion test, cellular rubber	12311	D 1056-73	24-29
Water absorption, cellular rubber	12411	D 1056-73	30 thru 32.1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

Numerical Index of Test Methods - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Group 13000 - Tape			
Tape, general	13001	D 69-67(1972)	1 thru 5
Breaking strength, friction tape	13011	D 69-67(1972)	9.1
Tensile strength, insulating tape	13021	D 119-70	16
Elongation, insulating tape	13031	D 119-70	16
Adhesion, friction tape	13111	D 69-67(1972)	19.1
Adhesion, friction tape, aged	13121	D 69-67(1972)	19.2
Fusion, insulating tape	13131	D 119-70	18
Tackiness, friction tape	13141	D 69-67(1972)	20
Tackiness, insulating tape	13151	D 119-70	19
Pinholes, friction tape	13211	D 69-67(1972)	22
Dielectric strength, friction tape	13311	D 69-67(1972)	23
Dielectric strength, insulating tape	13321	D 119-70	17
Sulfur, friction tape	13411	None 1/	
Group 14000 - Miscellaneous physical tests			
Specific gravity, hydrostatic	14011	D 792-66(1975)	
Specific gravity, pycnometer	14021	D 792-66(1975)	
Abrasion	14111	D 1630-61(1974)	
Corrosion of metal by rubber	14211		
Group 15000 - Chemical Analysis of Synthetic Rubber Compounds			
Chemical analysis of synthetic rubber compounds, general	15001	D 297-76	
Identification of synthetic rubber	15011	D 297-76	58-64
Polychloroprene rubber	15111	D 297-76	53
Acrylonitrile rubber	15211	D 297-76	54
Styrene rubber	15311	D 297-76	56
Polysulfide rubber (thioplasts)	15411		
Polyisobutylene rubber	15511	D 297-76	55
Carbon black	15811	D 297-76	38
Phosphate plasticizer, fusion method	15821		
Phosphate plasticizer, sodium method	15825		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

Numerical Index of Test Methods - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Group 16000 - Chemical Analysis of Rubber Compounds and Packings			
Chemical analysis of rubber compounds, general	16001	D 297-76	58
Preliminary examination of sample for test	16011	D 297-76	9
Rubber content, general	16101	D 297-76	51
Rubber content, indirect method	16111	D 297-76	10 & 12
Rubber content, direct method	16121	D 297-76	52
Sulfur, general	16201	D 297-76	26 & 27
Sulfur, free	16211	D 297-76	28
Sulfur in extract	16221	D 297-76	29
Sulfur zinc - nitric acid method	16231	D 297-76	30
Sulfur, fusion method	16241	D 297-76	31
Sulfur, inorganic, antimony present	16251	None 1/	
Sulfur, inorganic, antimony absent	16261	D 297-76	32
Extractable materials, general	16301		
Extract, total	16311	D 297-76	20
Extract, acetone	16321	D 297-76	18
Extract, chloroform	16331	D 297-76	19
Extract, alcoholic potassium hydroxide	16341	D 297-76	21
Extract acetone, unsaponifiable	16351	D 297-76	22
Extract, waxy hydrocarbons	16361	D 297-76	23
Extract, mineral oil	16371	D 297-76	24
Fillers, general	16401	None 1/	
Fillers, mineral oil	16411	None 1/	
Fillers, paranitrotoluene-orthodichlorobenzene	16421	None 1/	
Fillers, ash method	16431	D 297-76	34
Free carbon	16511	D 297-76	37
Glue	16521	D 297-76	68
Fibrous materials, mineral oil	16531	None 1/	
Fibrous materials, paranitrotoluene-orthodichlorobenzene	16535	None 1/	
Chemical analysis of packings, general	16601	None 1/	
Packings, rubber compound and rubber hydrocarbon	16611	None 1/	
Packings, lubricant, graphite absent	16621	None 1/	
Packings, lubricant, graphite present	16625	None 1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

Numerical Index of Test Methods - Continued

Title	Method No.	Use ASTM Method No.	ASTM method section
Packings, lubricant, organic solvent soluble, and graphite	16627	None 1/	
Packings, metal and fibrous materials, mineral oil	16631	None 1/	
Packings, metal and fibrous materials, paranitrotoluene-orthodichlorobenzene	16635	None 1/	
Packings, fillers in rubber compound, mineral oil	16641	None 1/	
Packings, fillers in rubber compound, paranitrotoluene-orthodichlorobenzene	16645	None 1/	
Packings, asbestos	16651	None 1/	
Packings, chemically combined water, asbestos	16661	None 1/	

1/ The word "None" indicates that the test method has been cancelled because it is no longer referenced in any Federal or Military specification, and there is no Comparable ASTM test method

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SECTION 4

SUBJECT INDEX

Title	Section No	Method No.	Use ASTM Method No.	ASTM Method Section
Abrasion		14111	D 1630-61(1974)	
Acceptance:				
Lot	6		---	
Number	5, 6		---	
Acetone extract:				
Definition	5	16301	---	
Determination		16321	D 297-76	18
Unsaponifiable		16351	D 297-76	22
Acid Absorbed, Hard Rubber		11411	D 639-72	19 - 26
Acid Soluble Material, Hard Rubber		11411	D 639-72	19 - 26
Acrylonitrile Rubber:				
Determination		15211	D 297-76	54
Identification		15011	D 297-76	
Adhesion:				
Coating to Fabric		8211	D 751-73	39 - 42
Friction Tape		13111	D 69-67(1972)	19.1
		13121	D 69-67(1972)	19.2
Hose Change in Liquid		6411	---	
Rubber to Metal		8031	D 492-73	Method B
Seam Strength		8311	---	
Aging:				
Cellular Rubber:				
Air Heat Test		12211	D 1055-69	15-16
Air Pressure Test		12231	D 1055-69	15-16
Rubber:				
Air Heat Test		7221	D 573-67(1972)	
		7231	D 865-62(1974)	
		7241	D 865-62(1974)	
Air Pressure Test		7211	D 454-53(1970)	
General		7001	---	
Light		7311	D 750-68(1974)	
Oxygen Pressure Test		7111	D 572-73	
Steam		7411		
		7421	D 380-76	19
		7431	D 380-76	18
Air Heat Test (See Aging)				
Air Leakage Hose		10111	D 622-73	5
Air Pressure Test (See Aging)				
Alcoholic Potassium Hydroxide:				
Definition	5	16301	---	
Determination		16341	D 297-76	21
Antimony		16011	D 297-76	9
		16251	None 1/	
		16261	D 297-76	32

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No	Use ASTM Method No.	ASTM Method Section
Asbestos				
Content		16651	None 1/	
Chemically Combined Water		16661	None 1/	
Ash, Fillers		16431	D 297-76	34
Barium		16011	D 297-76	58
Battery Containers:				
Bulge Test		11321	D 639-72	41-47
Impact Resistance		11261	D 639-72	35-40
Voltage Withstand		11521	D 639-72	54-59
Breaking Strength, Tape, Friction		13011	D 69-67(1972)	9.1
Brittleness				
Definition		5311	D 2137-75	
Motor-driven Apparatus, Low-Temperature		5311	D 2137-75	
Solenoid Actuated Apparatus, Low-Temperature		5321	D 2137-75	
Buffing		1111	D 3181-73	
Bulge Test, Battery Containers		11321	D 639-72	41-47
Bursting Strength				
Hose				
Curved Specimen		10021	D 380-76	14.2
Straight Specimen		10011	D 380-76	14.1
Carbon		15811	D 297-76	55
		16511	D 297-76	37
Carbonates		16011	D 297-76	9
Casters, Electrical Resistance		9211	None 1/	
Cellular Rubber				
Air Heat Test		12211	D 1055-69	15-16
Air Pressure Test		12231	D 1055-69	15-16
Compression Deflection		12151	D 1056-73	17-20
Compression Resistance, Oscillograph		12141	---	
Compression Set		12131	D 1055-69	17-19
Definitions	5	12001	D 1056-73	1-4 & 14
Deflection, Low Temperature		12221	D 1055-69	27-30
Diameter		12041	D 1056-73	14
Flexing Endurance		12111	D 1055-69	17-19
Geometrical Measurements, General		12005	D 1056-73	14
Indentation		12121	D 1055-69	20-23
Length		12011	D 1056 73	14
Low-TemperatureTest, Deflection		12221	D 1055-69	27-30
Oil Immersion		12311	D 1056-73	24-29
Thickness		12031	D 1056-73	14

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No	Method No.	Use ASTM Method No	ASTM Method Section
Water Absorption		12411	D 1056-73	30-32
Width		12021	D 1056-73	14
Chloroform Extract:				
Definition	5	16301	---	
Determination		16331	D 297 76	19
Chloroprene:				
Determination		15111	D 297-76	53
Identification		15011	D 297-76	58-64
Circumference:				
Diameter, Optical		2321	---	
Diameter, Scale or Tape		2361	---	
Inner, Mandrel		2341	---	
Outer Tape		2351	---	
Outer, Wire or Thread		2311	---	
Scale		2331	---	
Coated Fabric:				
Adhesion		8211	D 751-73	39-42
Hydrostatic Pressure		10511	D 751-73	35-38
Cold Flow, Hard Rubber		11121	D 530-74	
Composite Sample:				
Packing		16601	None 1/	
Rubber		1211	D 297-76	8
Compressibility and Recovery, Gasket Materials		3331	F 36-66	
Compression Deflection, Cellular:				
Rubber		12151	D 1056-73	17-20
Compression and Recovery:				
Gasket Materails		3331	F 36-66	
Rubber		3321	None 1/	
Compression Resistance Cellular				
Rubber, Oscillograph		12141	---	
Compression Set:				
Cellular Rubber		12131	D 1055-69	17-19
Definition	5	3311	D 395- 75	
Low Temperature		5411	D 1229-62(1968)	
Rubber		3311	F 395- 75	Method B
Contraction Hose		10311	D 380- 76	15 1.1
Corrosion Metal by Rubber		14211	---	
Defective Unit, Definition	5,6		---	
Definition Of Terms	5		---	
Deflection				
Compression, Cellular Rubber		12151	D 1056-73	17-20
Hard Rubber		11051	None 1/	
Delivery, Definition	5,6		---	

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Diameter:				
Cellular Rubber		12041	D 1056-73	14
Circumference		2231	---	
Optical		2211	---	
Scale or Tape		2221	---	
Dielectric Strength:				
Friction Tape		13311	D 69-67(1972)	23
Insulation Tape		13321	D 119-70	17
Dimensional Changes, Hard Rubber in Battery Acid		11421	D 639-72	19-26
Durometer:				
Calibration		3025	D 2240-75	
Hardness		3021	D 2240-75	
Hardness, Low-Temperature		5511	D 2240-75	
Elongation:				
Definition	5	4001	D 412-75	2
Hard Rubber		11021	D 2707-73	4.1.4
Hose		10311	D 380-76	15.1.1
Rubber		4121	D 412-75	
Tape, Insulating		13031	D 119-70	16
Expanded Rubber, Definition	5	12001	D 1056-73	1-4, & 14
Expansion, Hose		10321	D 380-76	15.1.5
Extract:				
Acetone		16321	D 297-76	18
Alcoholic Potassium Hydroxide		16341	D 297-76	21
Chloroform		16331	D 297-76	19
Definitions Extracts	5	16301	---	
Mineral Oil		16371	D 297-76	24
Organic Solvent, Digestion Method		6511	---	
Total:				
Packings		16621	None 1/	
Rubber		16311	D 297-76	20
Unsaponifiable		16351	D 297-76	22
Water		6621	---	
Waxy Hydrocarbons		16361	D 297-76	23
Fabric:				
Coated, Hydrostatic Resistance		10511	D 751-73	35-38
Coating Adhesion		8211	D 751-73	39-42
Separation from Rubber		1011	D 3183-73	
Factice		16011	D 297-76	9
Fibrous Materials:				
Packings:				
Mineral Oil		16631	None 1/	
Paranitrotoluene-Orthodichlorobenzene		16635	None 1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No	Use ASTM Method No	ASTM Method Section
Rubber				
Mineral Oil		16531	None 1/	
Paranitrotoluene-Orthodichloro-benzene		16535	None 1/	
Fillers				
Packing:				
Mineral Oil		16641	None 1/	
Paranitrotoluene-Orthodichloro-benzene		16645	None 1/	
Rubber.				
Ash		16431	D 297-76	54
Mineral Oil		16411	None 1/	
Paranitrotoluene-Orthodichloro-benzene		16421	None 1/	
Flexibility.				
Bending Beam, Low-Temperature		5211		
Hose, Low Temperature		5711	None 1/	
Flexural Strength, Hard Rubber		11041	None 1/	
Free, Carbon.		15811	D 297-76	38
		16511	D 297-76	37
Free Sulfur				
Definition	5	16201	D 297-76	26-27
Determination		16211	D 297-76	28
Friction.				
Definition	5	8001	None 1/	
Machine Method		8011	D 413-76	
		8031	D 429-73	Method B
Weight Method		8021	D 413-76	
Fusion, Insulating Tape		13131	D 119-70	18
Gasket Materials, Compressibility and Recovery		3331	F 36-66	
Glue		16011	D 297-76	9
		16521	D 297-76	68
Hard Rubber.				
Acid Absorbed		11411	D 639-72	19-26
Acid Penetration		11431	None 1/	
Acid Soluble Material		11411	D 639-72	19-26
Bulge Test		11321	D 639-72	41-47
Cold Flow		11121	D 530-68(1974)	
Definition	5	11001	D 530-68(1974)	
Deflection		11051	None 1/	
Dimensional Changes, in Battery Acid		11421	D 639-72	19-26
Elongation		11021	D 2707-73	4.1.4
Flexural Strength		11041	None 1/	
General		11001	D 530-68(1974)	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Impact Resistance:				
Battery Containers		11261	D 639-72	35-40
Cantilever Beam		11221	D 530-68(1974)	4 1 5.
Fixed Size Ball		11251	None 1/	
General		11211	None 1/	
Simple Beam		11231	D 530-68(1974)	4.1 5.
Variable Size Ball		11241	---	
Softening Point		11311	---	
Tensile Strength		11011	None 1/	
Voltage Withstand, Battery Containers		11521	D 639-72	54-59
Weight Change Battery Acid		11411	D 639-72	19-26
Hardness				
Durometer		3021	D 2240-75	
Indentometer		3051	None 1/	
Plastometer		3031	D 531-56(1970)	
Low-Temperature:				
Durometer		5511	D 2240-75	
Indentometer		5521	None 1/	
Plastometer		5531	---	
Heat Test (See Aging)				
Hold Test, Hose:				
Curved Specimen		10231	None 1/	
Straight Specimen		10221	D 380-75	15.5
Hose:				
Change, in liquids.				
Adhesion		6411	---	
Diameter		6421	None 1/	
Flexibility, Low Temperature		5711	None 1/	
Hydrostatic Pressure:				
Air Leakage		10111	D 622-73	5
Bursting Strength.				
Curved Specimen		10021	D 380-76	14.2
Straight Specimen		10011	D 380- 76	14.1
Elongation		10311	D 380- 76	15.1.1
Expansion		10321	D 380- 76	15.1.5
Hold Test:				
Curved Specimen		10231	None 1/	
Straight Specimen		10221	D 380-76	15.5
Kink		10361	D 380-76	15.4
Proof Pressure		10211	D 380-76	12,13 & 15.3
Rise		10351	D 380-76	15.1.4
Twist		10331	D 380-76	15.1.2
Warp		10341	D 380-76	15.1.3

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Humidity and Temperature of Testing Room	7		None 1/	
Hydrostatic Pressure:				
Coated Fabric		10511	D 751-73	35-38
Hose. (See Hose Hydrostatic Pressure)				
Identification of Synthetic Rubber		15011	D 297-75	58-64
Impact Resistance. (See Hard Rubber.)				
Indentation, Cellular Rubber		12121	D 1055-69	20-23
Indentometer				
Hardness		3051	None 1/	
Hardness, Low-Temperature		5521	None 1/	
Inorganic Sulfur				
Antimony Absent		16261	D 297-76	32
Antimony Present		16251	None 1/	
Kink, Hose		10361	D 380-76	15.1,15.4
Laminated Materials, Change, in Liquids		6311	---	
Latex Foam Rubber, Definition	5	12001	D 1056-73	1 - 4 & 14
Leakage, Air Hose		10111	D 622-73	5
Length:				
Cellular Rubber		12011	D 1056-73	14
Rubber		2411	---	
Light Resistance		7311	D 750-68(1970)	
Liquid Treatment:				
Cellular Rubber:				
Volume Change, in Oil		12311	D 1056-73	24-29
Water Absorption		12411	D 1056-73	30-32.1
Hard Rubber.				
Acid Absorbed		11411	D 639-72	19-26
Acid-Soluble Material		11411	D 639-72	19-26
Dimensional Changes, in Battery Acid		11421	D 639-72	19-26
Penetration, Acid		11431	None 1/	
Weight Change, in Battery Acid		11411	D 639-72	19-26
Hose.				
Adhesion Change		6411	---	
Diameter Change		6421	None 1/	
Rubber				
Elongation, Change.				
Immediately After Immersion		6111	---	
After Recovery		6121	---	
Laminated Materials		6311	---	
Phenol Resistance		6711	None 1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Sovent Extraction	6	6511	---	
Tensile Strength Change.				
Immediately After Immersion		6111	---	
After Recovery		6121	---	
Thickness, Change.				
Immediately After Immersion.		6231	None 1/	
After Recovery		6241	None 1/	
Volume Change		6211	---	
Water:				
Boiling		6611	---	
Extraction		6621	---	
Weight Change		6631	None 1/	
Weight Change, General		6251	---	
Lot Definition	5, 6		---	
Low-Temperature				
Cellular Rubber, Deflection		12221	D 1055-69	15-16
Hose, Flexibility		5711	None 1/	
Rubber:				
Brittleness:				
Motor-Driven Apparatus		5311	D 2137-75	
Solenoid-Actuated Apparatus		5321	D 2137-75	
Compression Set		5411	D 1229-62(1968)	
Conditioning of Materials		5111	D 832-64(1974)	
Flexibility, Bending Beam		5211	---	
Hardness:				
Durometer		5511	D 2240-75	
Indentometer		5521	None 1/	
Plastometer		5531	---	
Stiffness, Torsional		5611	D 1053-73	
Lubricant, Packings:				
Graphite Absent		16621	None 1/	
Graphite Present		16625	None 1/	
Organic Solvent-Soluble, And Graphite		16627	None 1/	
Median, Definition	5		---	
Mineral Oil:				
Extract:				
Definition	5	16301	---	
Determination		16371	D 297-76	24
Nitrile Rubber:				
Determination		15211	D 297-76	54
Indentification		15011	D 297-76	58-64
Notes	8	None 1/	---	
Oil Treatment, Cellular Rubber		12311	D 1056-73	24-29
Organic Extract.				
Definition	5		---	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Determination		16301	---	
Oxygen Absorbed		7111	D 454-53(1970)	
Packings				
Asbestos				
Content		16651	None 1/	
Chemically Combined Water		16661	None 1/	
Chemical Analysis of, General		16601	None 1/	
Fibrous Materials:				
Mineral Oil		16631	None 1/	
Paranitrotoluene-Orthodichlorobenzene		16645	None 1/	
Fillers				
Mineral Oil		16641	None 1/	
Paranitrotoluene-Orthodichlorobenzene		16645	None 1/	
Lubricants				
Graphite Absent		16621	None 1/	
Graphite Present		16625	None 1/	
Organic Solvent-Soluble, and Graphite		16627	None 1/	
Metal				
Mineral Oil		16631	None 1/	
Paranitrotoluene-Orthodichlorobenzene		16635	None 1/	
Rubber Compound and Rubber Hydrocarbon		16611	None 1/	
Penetration Acid, Hard Rubber		11431	None 1/	
Phenol Resistance		6711	None 1/	
Phosphate Plasticizer:				
Fusion Method		15821	---	
Sodium Method		15825	---	
Pinholes, Friction Tape		13211	D 69-67(1972)	22
Plastic Flow		3111	None 1/	
Plasticizer, Phosphate:				
Fusion Method		15821	---	
Sodium Method		15825	---	
Plastometer				
Hardness		3031	D 531-56(1970)	
Hardness-Temperature		5531	---	
Polychloroprene (Chloroprene):				
Determination		15111	D 297-76	53
Identification		15011	D 297-76	58-65
Polyisobutylene				
Determination		15511	D 297-76	55
Identification		15011	D 297-76	58-64
Polystyrene (Styrene):				
Determination		15311	D 297-76	56
Identification		15011	D 297-76	58-64
Polysulfide (Thioplasts):				
Determination		15411	---	

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:01Z
Check the source to verify that this is the currentversion before use.

SUBJECT INDEX - Continued

Title	Section No.	Method No.	Use ASTM Method No.	ASTM Method Section
Identification		15011	D 297-76	58-64
Proof Pressure, Hose		10211	D 380-76	12,13 & 15.3
Recovery and Compression:				
Gasket Materials		3331	F 36-66	
Rubber		3321	None 1/	
Rejection of Lot	5, 6		---	
Resilience, Oscillograph		3411	D 945-72	Part C
Resistance, Electrical, Casters		9211	None 1/	
Rise, Hose		10351	D 380-76	15.1.4
Rubber.				
Corrosion of Metal		14211	---	
Direct Method		16121	D 297-76	52
Indirect Method		16111	D 297-76	10 & 12
Packings		16611	None 1/	
Separation From Fabric		1011	D 3183-73	
Sample:				
Chemical Tests, Preparation		1211	D 297-76	8
Definitions	5, 6			
Sampling and Acceptance Procedures	6		---	
Sampling Plan	6		---	
Scope and Contents	1			
Sealing Pressure		3211	D 1081-60(1974)	
Seam Strength		8311	---	
Set Compression				
Definition	5	3311	D 395-75	Method B
Determination		3311	D 395-75	Method B
Low-Temperature		5411	D 1229-62(1968)	
Set, Tension:				
Definition	5	4001	D 412-75	
Determination		4411	D 412-75	
Skin or Rind, Definition	5	12001	D 1056-73	1-4, & 14
Softening Point, Hard Rubber		11311	---	
Specific Gravity				
Hydrostatic		14011	D 792-66(1975)	Method A-1
Pycnometer		14021	D 792-66(1975)	Method A-2
Specimen, Definition			---	
Splice, Strength		4311	None 1/	
Sponge Rubber, Definition	5	12001	D 1056-73	1 - 4, & 14
Steam Resistance. (See Aging)				
Sterilization Steam		7411	---	
Stiffness, Torsional		5611	D 1053-73	
Stiffness, Torsional, Low Temperature Gaseous Medium		5612	D 1053-73	
Strain·				
Definition	5	4001	D 412-75	

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No	Method No	Use ASTM Method No	ASTM Method Section
Determination		4141	D 1456-61(1974)	
Strength				
Breaking, Friction Tape		13011	D 69-67(1972)	9.1
Bursting				
Hose				
Curved Specimen		10021	D 380-76	14.2
Straight Specimen		10011	D 380-76	14.1
Flexural				
Definition	5	11041	None 1/	
Determination		11041	None 1/	
Seam		8311	---	
Splice				
Definition	5	4001	D 412-75	
Determination		4311	None 1/	
Tear				
Crescent and Angle		4211	D 624-73	
Strip		4221	None 1/	
Tensile				
Definition	5	4001	D 412-75	
Hard Rubber		11011	D 2707-73	
Tape, Insulating		13021	D 119-70	16
Styrene Rubber.				
Determination		15311	D 297-76	56
Identification		15011	D 297-76	58-64
Sulfur:				
Extract				
Definition	5	16201	D 297-76	26 - 27
Determination		16221	D 297-76	29
Free:				
Definition	5	16201	D 297-76	26 - 27
Determination		16211	D 297-76	28
Fusion Method		16241	D 297-76	31
In Friction Tape		13411	None 1/	
Inorganic:				
Antimony Absent		16261	D 297-76	32
Antimony Present		16251	None 1/	
Definition	5	16201	D 297-76	26 - 27
Total	5	16201	D 297-76	26 - 27
Zinc - Nitric Acid Method		16231	D 297-76	30
Synthetic Rubber:				
Determination.				
Chloroprene		15111	D 297-76	53
Nitrile		15211	D 297-76	54
Polyisobutylene		15511	D 297-76	55
Styrene		15311	D 297-76	56

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No	Method No.	Use ASTM Method No	ASTM Method Section
Indentification		15011	D 297-76	58-64
Tackiness:				
Friction Tape		13141	D 69-67(1972)	20
Insulating Tape		13151	D 119-70	19
Tape:				
Friction:				
Adhesion		13111	D 69-67(1972)	19.1
		13121	D 69-67(1972)	19.2
Breaking Strength		13011	D 69-67(1972)	9.1
Dielectric Strength		13311	D 69-67(1972)	23
Pinholes		13211	D 69-67(1972)	22
Sulfur		13411	None 1/	
Tackiness		13141	D 69-67(1972)	20
General		13001	D 69-67(1972)	1 - 5
Insulating:				
Dielectric Strength		13321	D 119-70	17
Elongation		13031	D 119-70	16
Fusion		13131	D 119-70	18
Tackiness		13151	D 119-70	19
Tensile Strength		13021	D 119-70	16
Tear Resistance:				
Crescent and Angle		4211	D 624-73	
Definition	5	4001	D 412-75	
Strip		4221	None 1/	
Temperature and Humidity of Testing Room	7	None 1/	---	
Tensile Strength:				
Definition	5	4001	D 412-75	
Hard Rubber		11011	D 2707-73	
Rubber		4111	D 412-75	
Tape, Insulating		13021	D 119-70	16
Tensile Stress:				
Definition	5			
Determination		4131	D 412-75	
Tension Machine, Calibration		4116	D 412-75	
Tension Set:				
Definition	5	4001	D 412-75	
Determination		4411	D 412-75	
Test, Definition	5, 6		---	
Test Result, Definition	5, 6		---	
Test Unit Definition	5, 6		---	
Thickness:				
Cellular Rubber		12031	D 1056-73	14

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SUBJECT INDEX - Continued

Title	Section No	Method No.	Use ASTM Method No.	ASTM Method Section
Thickness---Continued				
Dial Micrometer				
Flat Foot		2011	---	
Spherical Foot		2021	---	
Magnetic Gage		2041	---	
Optical		2031	---	
Thioplasts (Polysulfide Rubber):				
Determination		15411	---	
Identification		15011	D 297-76	58-64
Torsional Test Stiffness		5611	D 1053-73	
Total Extract:				
Definition	5	16301	---	
Determination		16311	D 297-76	20
Total Sulfur; Definition	5	16201	D 297-76	26-27
Twist, Hose		10331	D 380-76	15.1.2
Unit:				
Defective	5,6		---	
Definition	5,6		---	
Unsaponifiable Acetone Extract:				
Definition	5	16301	---	
Determination		16351	D 297-76	22
Vinyl Plastics, Identification		15011	---	
Voltage Withstand, Battery Containers		11521	D 639-72	54-59
Volume Change:				
Cellular Rubber in Oil		12311	D 1056-73	24-29
Rubber in Liquids		6211	---	
Volume Resistivity				
Definition	5	9111	D 991-75	
Determination		9111	D 991-75	
Warp, Hose		10341	D 380-76	15.1.3
Waxy Hydrocarbons:				
Definition	5	16301	---	
Determination		16361	D 297-76	23
Identification		16011	D 297-76	9
Width:				
Cellular Rubber		12021	D 1056-73	14
Narrow Units		2111	---	
Scale or Tape		2121	---	

1/The word "None" indicates that the test method has been cancelled because it is no longer referenced in any Federal or Military specification and there is no comparable ASTM test method.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SECTION 5

DEFINITIONS OF TERMS

1. SCOPE

1.1 This section covers the definitions of terms used in the rubber industry.

2. DEFINITIONS

2.1 Definitions for terms used in the rubber industry shall be in accordance with ASTM D 1566-75a, entitled Standard Definitions of Terms Relating to Rubber and Rubber-Like Materials.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

SECTION 6

SAMPLING AND ACCEPTANCE PROCEDURES

1. SCOPE

1.1 Scope. This section covers uniform quality assurance provisions for rubber and rubber products and establishes criteria for sampling procedures.

2. DEFINITIONS

2.1 Quality assurance terms and definitions. Definitions for quality assurance terms shall be in accordance with Military Standards MIL-STD-105 and MIL-STD-109.

3. SAMPLING PLANS

3.1 Examination and tests. Sampling plans for examination and tests to determine the acceptance and rejection of rubber products shall be specified in accordance with MIL-STD-105 or ISO Standard 2859 entitled "Sampling Procedures and Tables for Inspection by Attributes."

☆ U. S. GOVERNMENT PRINTING OFFICE. 1977-703-020/4621

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:01Z
Check the source to verify that this is the current version before use.