CHANGE NOTICES ARE NOT
CUMULATIVE AND SHALL BE
RETAINED UNTIL SUCH TIME
AS THE STANDARD IS REVISED

FED-STD-793
CHANGE NOTICE 1
JANUARY 27, 1987

FEDERAL STANDARD

DEPOT STORAGE STANDARDS

The following changes which form a part of FED-STD-793, dated October 30, 1985 are approved by the Commissioner, Federal Supply Service, General Services Administration for all Federal Agencies.

PAGE 1

Delete Paragraph 3.2 and substitute:

3.2 Shelf-Life Extension Criteria. The material being inspected/tested shall be sampled as specified in 3.1. Each sample shall be inspected/tested as specified in the appropriate appendix (see 4.3). For items not listed in the appendices, contact the technical support activity responsible for the item (see 4.2). The material will be considered suitable for issue and the shelf-life extended if the number of defects does not meet or exceed the rejection number for the Acceptable Quality Level specified. If the rejection number is reached or exceeded, the item is not suitable for issue and the lot shall be excessed.

3.2.1 Length of shelf-life extension. When the shelf-life of an item is extended, the new reinspection date will be determined by adding one-half of the item's stated shelf-life to the month in which the item is reinspected. Any extension period containing a fraction of a month shall be rounded up to the next larger period of whole months.

3.2.2 Maximum time the shelf-life can be extended. Unless otherwise specified in the appropriate appendix, at the wholesale depot level, the reinspection date of type II (extendible) shelf-life items in FSG 80 may not be extended beyond the date determined by adding 2 times the item's stated shelf-life to the date of manufacture. Example: a paint in FSC 8010 with a date of manufacture 5-85 and a shelf-life code of 4 (1 year) may not have its reinspection date extended beyond 5-87. Unless otherwise specified in the appropriate appendix, at the wholesale depot level, the reinspection date of type II (extendible) shelf-life items in other FSG's may not be extended beyond the date determined by adding 3 times the item's stated shelf-life to the date of manufacture.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

PAGE 2

Delete Paragraph 4.2 and substitute:

4.2 List of GSA technical support activities by FSC responsibility.

FSC	Symbol
4210	7FXE
4240	7FXE
5610	7FXE
5640	7FXE
5970	7FXE
6135	7FXE
6630	FCGC
6750	FCGC
6810	10FTE
6840	10FTE
6850	10FTE
7510	2FYE
7520	2FYE
7530	2FYE
7540	2FYE
7930	10FTE
8010	10FTE
8030	10FTE
8040	10FTE
8105	2FYE
8135	2FYE
8415	7FXE
8520	10FTE
8540	2FYE
8710	7FXE
9310	2FYE
9320	7FXE
9330	7FXE
9390	7FXE
9905	7FXE
9920	7FXE

	Address
2FYE:	GSA-FSS Office Supplies and Paper Products Commodity Center ATTN: 2FYE 26 Federal Plaza New York, NY 10278 TEL (212)264-3500
7FXE:	GSA-FSS General Products Commodity Center ATTN: 7FXE 819 Taylor Street Fort Worth, TX 76102 TEL (817)334-4420
10FTE:	GSA-FSS Paints and Chemicals Commodity Center ATTN: 10FTE GSA Center Auburn, WA 98001 TEL (206)931-7192
FCGC:	GSA-FSS Office and Scientific Equipment Commodity Center ATTN: FCGC Crystal Mall Building # 4 Washington, DC 20406 TEL (202)557-0536

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.

APPENDIX S - PAGE 2

Change the storage temperature range for all NSN's under MIL-P-15931 to 40 - 100 degrees F (4.4 - 38 degrees C).

APPENDIX Z - PAGE 1

Line 1: After "UU-T-591" add ", A-A-696".

Add the following NSN'S: "8540-00-291-0389, 8540-00-291-0390, and 8540-00-291-0392".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:01Z
Check the source to verify that this is the current version before use.