MIL-D-12419A(CmlC)

13 April 1956
SUPERSEDING

MIL-D-12419(CmlC)

9 January 1953

MILITARY SPECIFICATION

DETECTOR KIT, CHEMICAL AGENT, M9A2

1. SCOPE

1.1 This specification covers one type of detector kit for use in the detection of chemical agents.

2. APPLICABLE DOCUMENTS

2.1 The following specifications, standards, and drawings, of the issue in effect on date of invitation for bids, form a part of this specification:

SPECIFICATIONS

FEDERAL

NN-B-621	-	Boxes; Wood, Nailed and Lock-Corner.
PPP-C-843	-	Cushioning Material, Cellulosic.
LLL-B-631	-	Boxes; Fiber, Corrugated (For Domestic Shipment).

MILITARY

JAN-P-106	-	Packaging and Packing for Overseas Shipment - Boxes; Wood, Nailed
JAN-P-108	-	Packaging and Packing for Overseas Shipment - Boxes, Fiberboard (V-Board and W-Board), Exterior and Interior.
MIL-P-116	-	Preservation, Methods of.
JAN-P-127	-	Packaging and Packing for Overseas Shipment - Tape, Adhesive, Pressure - Sensitive, Water Resistant.
MIL-A-140	-	Adhesives, Water-Resistant, Waterproof Barrier-Material.
MIL-L-10547	-	Liners, Case, Waterproof.

FSC 6665

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

DRAWINGS

CHEMICAL CORPS

D5-47-452 - Detector Kit, Chemical Agent, M9A2 - Bill of Material.

(Copies of specifications, standards, drawings and publications, required by contractors in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials.- All materials used in the manufacture of the kit shall conform to the specifications, drawings, and standards forming a part of this specification.

3.2 Manufacture.- The kit shall be manufactured as specified on Drawing D5-47-449, which is listed on Drawing D5-47-452.

3.3 Certification.- The contractor shall certify that sodium pyrophosphate peroxide in the vials has been manufactured not more than ninety (90) days prior to packaging (5.1.1), and that all other reagents in vials have been manufactured not more than one (1) year prior to packaging (see 5.3.1).

3.4 Expiration dates.- Expiration dates of items in the chemical components package which require such dates shall agree with the date marked on the outside of the package and the shipping container.

4. QUALITY ASSURANCE PROVISIONS

4.1 Lot.- A lot shall consist of the kits assembled by one contractor, from the same materials and under essentially the same manufacturing conditions. The inspection lot for nondestructive inspection, within the above limitations, shall be designated by the inspector.

4.2 Sampling for nondestructive inspection.- Sampling for nondestructive inspection shall be conducted in accordance with the classification of defects (see 4.3.3) and Standard MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3 Inspection.- Unless otherwise specified in the contract or purchase order, inspection of the detector kits shall be conducted during and at the point of assembly.

4.3.1 Components.- The inspector shall ascertain that all components of the detector kit covered by separate drawings, specifications, or standards are in accordance with the applicable drawings, specifications, or standards prior to final acceptance of the kits.

4.3.2 Packaging, packing, and marking.- The inspector shall inspect the packaging, packing, and marking for compliance with section 5.

4.3.3 Classification of defects.- Inspection of the detector kits shall be conducted as follows:

4.3.3.1 Detector kit, chemical agent, M9A2 - assembly.- (Dwg. D5-47-449 which is listed on Dwg. D5-47-452)

Categories and defects

Major — AQL 1.0 percent defective

1. Component missing or incorrectly assembled
2. Component damaged
* 3. Marking incorrect

Minor — AQL 2.5 percent defective

*51. Marking missing or illegible
52. Component located incorrectly
53. Contamination

Incidental

None

* Includes all marking and printing not previously inspected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3.3.2 Cards, general direction - assembly.- (Dwg. B5-47-484 which is listed on Dwg. D5-47-452)

Categories and defects

Major	AQL 1.0 percent defective

1. Component missing
2. Marking incorrect

Minor	AQL 2.5 percent defective

51. Size of cards incorrect
52. Brass eyelet missing or incorrectly located
53. Plastic sheets missing or incorrect
54. Cards improperly bound
55. Marking missing or illegible
56. Damage

Incidental	AQL 10.0 percent defective

101. Contamination

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3.3.3 Card, inspection and envelope - assembly.- (Dwg. A5-47-379 which is listed on Dwg. D5-47-452)

Categories and defects

Major	AQL 1.0 percent defective

1. Marking incorrect
2. Component missing

Minor	AQL 2.5 percent defective

51. Inspection card incorrect
52. Envelope incorrect
53. Marking missing or illegible

Incidental	AQL 10.0 percent defective

101. Contamination

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3.3.4 Card, report and envelope - assembly.- (Dwg. E5-47-322 which is listed on Dwg. D5-47-452)

Categories and defects

Major	AQL 1.0 percent defective
1. Marking incorrect	
2. Component missing	
Minor	AQL 2.5 percent defective
51. Marking missing or illegible	
52. Report card incorrect	
53. Envelope incorrect	
Incidental	AQL 10.0 percent defective
101. Contamination	

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3.3.5 Can and vial - assembly.- (Dwg. B5-47-465 which is listed on Dwg. D5-47-452)

Categories and defects

Major — AQL 1.0 percent defective

1. Marking missing, incorrect or illegible
2. Sealing tape missing
3. Component missing or incorrect
4. Packing missing or incorrect

Minor — AQL 2.5 percent defective

51. Damage
52. Contamination

Incidental

None

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

4.3.3.6 Pencil.- (Dwg. E5-47-77 which is listed on Dwg. D5-47-452)

Categories and defects

Major

None

Minor AQL 2.5 percent defective

51. Size or type incorrect
52. Cord missing, incorrect, or incorrectly attached
53. Damage

Incidental AQL 10.0 percent defective

101. Contamination

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging.

5.1.1 Chemical components (stock no. R5-47-564.)

5.1.1.1 Level A.- All items specified on Drawing D5-47-449 for insertion in the chemical components package shall be placed in a fiberboard box having inside dimensions of approximately 5 inches by 3 inches by 2-1/2 inches, and conforming to style FTC, W6c corrugated fiberboard of Specification JAN-P-108. The items shall be packaged in the box as indicated in figure 1. The box shall be provided with a separator made of fiberboard conforming to W6c of Specification JAN-P-108, and shall contain cellulosic cushioning material conforming to type II of Specification PPP-C-843, and fillers made of W6c fiberboard as required to make a tight pack. Corners, seams, and joints of the box shall be sealed with 2-inch wide pressure-sensitive tape conforming to type III, grade A, color optional, of Specification JAN-P-127.

5.1.1.2 Level C.- All items specified on Drawing D5-47-449 for insertion in the chemical components package shall be placed in a fiberboard box having inside dimensions of approximately 5 inches by 3 inches by 2-1/2 inches, and conforming to style FTC, corrugated fiberboard of Specification LLL-B-631. The items shall be packaged in the box as specified in figure 1. The box shall be provided with a double-faced corrugated fiberboard separator, and shall contain cellulosic cushioning material conforming to type II of Specification PPP-C-843, and fillers made of corrugated fiberboard conforming to Specification LLL-B-631 as required to make a tight pack.

5.1.2 Nonchemical components (M9A2 Chemical Agent Detector Kit, less items inserted in chemical components package) (See 5.1.1).

5.1.2.1 Level A.- The nonchemical components shall be packaged in a fiberboard box having approximate inside dimensions of 8-1/2 inches by 5-1/2 inches by 3-1/2 inches, and conforming to style RSC, type W6c of Specification JAN-P-108. Corners, seams, and joints of the box shall be sealed with 2-inch wide pressure-sensitive tape conforming to type III, grade A, color optional, of Specification JAN-P-127.

5.1.2.2 Level C.- The nonchemical components shall be packaged in a fiberboard box having inside dimensions of approximately 8-1/2 inches by 5-1/2 inches by 3-1/2 inches, and conforming to style RSC, corrugated fiberboard of Specification LLL-B-631, and closed in accordance with the requirements thereof.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.




FIGURE 1. - CHEMICAL COMPONENTS PACKAGE

PART OF SPEC	CHEMICAL CORPS SPECIFICATION FIGURE
MIL-D-12419(Cmc)	
	DATE: 1 NOV 55 A18-60-620

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

5.2 Packing.

5.2.1 Chemical components (stock no. R5-47-564).

5.2.1.1 Level A.- Ten packages of chemical components packaged as specified in 5.1.1.1, shall be packed in a style 4 nailed wood box conforming to Specification JAN-P-106. The inside dimensions of the box shall be approximately 14 inches by 7-5/8 inches by 5-7/8 inches. The wood box shall be closed and strapped in accordance with the appendix to Specification JAN-P-106.

5.2.1.2 Level B.- Ten packages of chemical components, packaged as specified in 5.1.1.1, shall be packed in a style 4 nailed wood box conforming to Specification NN-B-621. The inside dimensions of the box shall be approximately 14 inches by 7-5/8 inches by 5-7/8 inches. The box shall be closed and strapped in accordance with the appendix of Specification NN-B-621.

5.2.1.3 Level C.- Ten packages of chemical components, packaged as specified in 5.1.1.2 shall be packed in a style 4 nailed wood box conforming to Specification NN-B-621. The inside dimensions of the box shall be approximately 14 inches by 7-5/8 inches by 5-7/8 inches. The box shall be closed and strapped in accordance with the appendix of Specification NN-B-621.

5.2.2 Nonchemical components (M9A2 Chemical Agent Detector Kit, less items packed in chemical components shipping container) (See 5.2.1.)

5.2.2.1 Level A.- Ten packages of nonchemical components, packed as specified in 5.1.2.1, shall be packed in a style 4 nailed wood box conforming to Specification JAN-P-106. The inside dimensions of the box shall be approximately 20-1/2 inches by 11-7/8 inches by 9-1/8 inches. The box shall be closed and strapped in accordance with the appendix of Specification JAN-P-106.

5.2.2.2 Level B.- Ten packages of nonchemical components, packaged as specified in 5.1.2.1, shall be packed in a style 4 nailed wood box conforming to Specification NN-B-621. The inside dimensions of the box shall be approximately 20-1/8 inches by 11-5/8 inches by 8-7/8 inches. The box shall be closed and strapped in accordance with the appendix to Specification NN-B-621.

5.2.2.3 Level C.- Ten packages of nonchemical components, packaged as specified in 5.1.2.2 shall be packed in a style 4 nailed wood box conforming to Specification NN-B-621. The inside dimensions of the box shall be approximately 20-1/8 inches by 11-5/8 inches by 8-7/8 inches. The box shall be closed and strapped in accordance with the appendix to Specification NN-B-621.

5.3 Marking.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.

5.3.1 Chemical components.- In addition to any special marking required by the contract or order, each package of chemical components and each shipping container for packaged chemical components shall be marked in accordance with Standard MIL-STD-129. Marking shall include the following:

Federal stock number
Chemical Corps components stock number
Date manufactured
"Chemical Components, Chemical Agent Detector Kit, M9A2"
Expiration date (Date to be 3 years after packing of vials into can)

5.3.2 Nonchemical components.- In addition to any special marking required by the contract or order, each package of nonchemical components, and each shipping container for packaged nonchemical components shall be marked in accordance with Standard MIL-STD-129. Marking shall include the following:

Date packed
"Nonchemical Components, Chemical Agent Detector Kit, M9A2"

6. NOTES

6.1 Intended use.- The detector kits covered by this specification are intended for use in the detection of chemical agents in the field.

6.2 Ordering data.- Procurement documents should specify:

a. The title, number, and date of this specification.
b. Level of packaging and packing required.

6.3 Stock number.- The Chemical Corps stock number for this item is 564916.

Notice.- When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Chemical Corps

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:48Z
Check the source to verify that this is the current version before use.