MILITARY SPECIFICATION

REPAIR EQUIPMENT, PNEUMATIC TARGET,

PACKAGING OF

1. SCOPE

1.1 This specification covers preservation, packaging, and packing of the component items of pneumatic target repair equipment set, SC 1080-93-CL-E04.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-640	- Boxes, Fiberboard, Corrugated, Triple-Wall.

Military

MIL-P-116	- Preservation, Methods of.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

OFFICIAL CLASSIFICATION COMMITTEE

Uniform Freight Classification Rules

(Application for copies should be addressed to the Official Classification Committee, 1 Park Avenue at 33rd Street, New York, N. Y. 10016.)

AMERICAN TRUCKING ASSOCIATION

National Motor Freight Classification Rules

(Application for copies should be addressed to the American Trucking Association, 1616 P Street N.W., Washington, D.C. 20036.)

3. REQUIREMENTS

3.1 Materials. Materials shall be as specified herein and in the applicable specifications. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free from defects affecting serviceability.

3.2 Preservation and packaging. Preservation and packaging shall be level A or C as specified (see 6.2).

3.2.1 Level A.

3.2.1.1 Preservation. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116. Methods of preservation indicated by symbols herein shall conform to the applicable symbols listed in MIL-P-116.

3.2.1.2 Air valves, paint brushes, varnish brushes, thread, and twine. These items shall be individually preserved method IC-1.

3.2.1.3 Needles, hand roller, shears, and stitcher. These items shall be individually preserved method I, using type P-1 preservative on the needles, hand roller, and stitcher and type P-2 preservative on the shears.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.

3.2.1.4 Intermediate packaging. Component items comprising a complete set shall be packaged in the chest in accordance with the chest loading plan. The lid of the chest shall be closed and secured.

3.2.2 Level C. Component items of the set shall be preserved and packaged to afford protection against corrosion, deterioration, and damage from the supplier to the initial destination for immediate use or for controlled humidity storage. Intermediate packaging shall be as specified for level A.

3.3 Packing. Packing shall be level A, B, or C as specified (see 6.2).

3.3.1 Level A. Each chest containing the component items of a complete set shall be packed in a close-fitting box conforming to PPP-B-601, overseas type, style optional. The box shall be closed and strapped in accordance with the appendix to the box specification. Strapping shall be zinc coated.

3.3.2 Level B. Each chest containing the component items of a complete set shall be packed in a close-fitting box conforming to PPP-B-640, class 2, style E. The box shall be closed and strapped in accordance with the appendix to the box specification. Strapping shall not be required to be zinc coated.

3.3.3 Level C. Each chest containing the component items of a complete set, with the lid secured to prevent pilferage and accidental opening, shall be prepared for shipment unboxed in a manner to assure carrier acceptance and safe delivery to destination at the lowest rates of the carrier in compliance with Uniform Freight Classification Rules or National Motor Freight Classification Rules.

3.4 Marking. Items, packages, chests, and shipping containers shall be marked in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.

4.2 Quality conformance inspection.

4.2.1 Unit of product. For the purpose of inspection, a completed pack of any one level prepared for shipment shall be considered a unit of product.

4.2.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.2.3 Examination. Samples selected in accordance with 4.2.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials not as specified for level A or B. Each incorrect material shall constitute one defect.
102. Methods not as specified for level A.
103. Containers not as specified for level A or B.
104. Chest lids not closed and secured as specified.
105. Strapping not zinc coated for level A.
106. Marking illegible, incomplete, or incorrect.

5. PREPARATION FOR DELIVERY

(Not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders to cover the preservation, packaging, packing, and marking of repair equipment set, pneumatic target, SC 1080-93-CL-E04.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Level of preservation and packaging and level of packing required (see 3.2 and 3.3).

6.3 Revision changes. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodian
Army - ME

Review activity:
Army - SM

Preparing activity:
Army - ME

Project No. 1080-A017

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION
MIL-R-12499C(ME) - Repair Equipment, Pneumatic Target, Packaging of

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 80 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: SMEFB-RDE-KX
FORT BELVOIR, VIRGINIA 22060

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: SMEFB-RDE-KX
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:52Z
Check the source to verify that this is the current version before use.