INCH-POUND

MIL-DTL-32393
9 August 2011
SUPERSEDING
MS25046B
31 March 1967

DETAIL SPECIFICATION

COVER ASSEMBLY, TERMINAL BLOCK, TWO STUD

Inactive for new design after 9 August 2011.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for one type of terminal block cover assembly.

1.2 Part or identifying number (PIN). The PIN to be used for the terminal block cover assembly acquired by this specification is MS25046-1. The MS part number is being retained.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of the documents cited in sections 3 and 4 of this specification, whether or not they are listed.

Comments, suggestions, or questions on this document should be addressed to Defense Logistics Agency Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616, or e-mailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

2.2 Government document.

2.2.1 Standard. The following standard forms a part of this document to the extent specified herein. Unless otherwise specified, the issue of this document is that cited in the solicitation or contract.

FEDERAL STANDARD

FED-STD-H28	- Screw-Thread Standards for Federal Services

(Copies of this document are available online at https://assist.daps.dla.mil/ or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

2.3 Non-government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

AEROSPACE INDUSTRIES ASSOCIATION

NASM25087	- Screw, Externally Relieved Body
NASM35338	- Washer, Lock-Spring, Helical, Regular (Medium) Series

(Copies of these documents are available online at http://www.aia-aerospace.org/ or from Aerospace Industries Association, 1000 Wilson Blvd, Suite 1700, Arlington, VA 22209-3928.)

AMERICAN SOCIETY FOR QUALITY (ASQ)

ASQ Z1.4	- Sampling Procedures and Tables for Inspection by Attributes

(Copies of this document are available online at http://www.asq.org or from the American Society for Quality, 600 North Plankinton Avenue, Milwaukee, WI 53023.)

ASTM INTERNATIONAL

ASTM D5948	- Standard Specification for Molding Compounds, Thermosetting

(Copies of this document are available online at http://www.astm.org or from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

2.4 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Construction. The design and dimensions of the terminal block cover assembly shall be in accordance with figure 1.

3.2 Material. The terminal block cover assembly shall consist of molded thermosetting plastic in accordance with ASTM D5948, type MAI-60 or type MMI-30.

3.3 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible, provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

4. VERIFICATION

4.1 Classification of inspections. The inspection requirement specified herein is classified as conformance inspection (see 4.3).


4.2 Sampling.

4.2.1 Lot. For purposes of sampling, a lot shall consist of all terminal block cover assemblies that were produced from the same lot of thermosetting plastic compound, at the same facility, using the same equipment, practices and procedures.

4.2.2 Sampling for conformance inspection. A random sample of terminal block cover assemblies shall be selected from each lot and subjected to the inspection specified in 4.3. Sampling shall be in accordance with ASQ Z1.4, inspection level I, with the acceptance quality limit (AQL) as specified in the contract (see 6.2).

4.3 Conformance inspection. Unless otherwise specified, each of the terminal block cover assemblies selected in accordance with 4.2.2 shall be examined to verify that the design and dimensional measurements are as specified in 3.1. Any dimensions not meeting the requirements specified in 3.1 shall constitute a failure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.



NOTES:
1. Dimensions are in inches.
2. Unless otherwise shown, all tolerances are ±0.015.
3. Remove all burrs and break all edges to a 0.03 radius, unless otherwise specified. All cavity walls shall be tapered.
4. Surface roughness: as molded.
5. All threads shall be in accordance with FED-STD-H28.

FIGURE 1. Cover assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of materiel is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The terminal block cover assembly covered by this specification is a component used in terminal board and block specifications.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. AQL (see 4.2.2).
c. Packaging requirements (see 5.1).

6.3 Subject term (key word) listing.

Molded
Thermosetting plastic

Custodians:
Army - CR4
Navy - AS
Air Force - 85
DLA - GS

Review Activity:
Air Force - 99

Preparing Activity:
DLA - GS4

(Project 5940-2011-088)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.