INCH-POUND

MIL-DTL-32401
27 October 2011
SUPERSEDING
MS25044B
16 October 1981

DETAIL SPECIFICATION

TERMINAL BOARD ASSEMBLY, TWO STUD

Inactive for new design after 27 October 2011.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for one type of terminal board assembly.

1.2 Part or identifying number (PIN). The PIN to be used for the terminal board assembly acquired by this specification is MS25044-1. The MS part number is being retained.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of the documents cited in sections 3 and 4 of this specification, whether or not they are listed.

Comments, suggestions, or questions on this document should be addressed to DLA Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616, or e-mailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

2.2 Government document.

2.2.1 Specifications. The following specifications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

DEPARTMENT OF DEFENSE SPECIFICATIONS

MS3376	- Nut, Self-Locking, Reduced Height, Steel, 450°F, 12 Point, Captive Washer
MS25045	- Block Terminal, 2 Stud
MIL-DTL-32393	- Cover Assembly, Terminal Block, Two Stud

(Copies of these documents are available online at https://assist.daps.dla.mil/ or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

2.3 Non-government publications. The following document forms a part of this document to the extent specified herein. Unless otherwise specified, the issue of this document is that cited in the solicitation or contract.

SAE INTERNATIONAL

SAE AS20659	- Terminal, Lug, Crimp Style, Copper, Uninsulated, Ring Tongue, Type I, Class 1, for 175 °C Total Conductor Temperature

(Copies of this document are available online at http://www.sae.org or from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

2.4 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Construction. The terminal board assembly shall consist of the subassemblies and parts shown in figure 1. The design and dimensions of the terminal block (base) subassembly, part MS25045-1, shall be in accordance with MS25045. The design and dimensions of the terminal cover subassembly, part MS25046-1, shall be in accordance with MIL-DTL-32393. The design and dimensions of the two nuts, part MS3376-4, which attach to the terminal studs of part MS25045-1, shall be in accordance with MS3376.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

3.2 Material. The materials used on the terminal block (base) subassembly, part MS25045-1, shall be in accordance with MS25045. The materials used on the terminal cover subassembly, part MS25046-1, shall be in accordance with MIL-DTL-32393. The materials used on the two nuts, part MS3376-4, which attach to the terminal studs of part MS25045-1, shall be in accordance with MS3376.

3.3 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible, provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

4. VERIFICATION


4.1 Classification of inspections. The inspection requirement specified herein is classified as conformance inspection (see 4.2).

4.2 Conformance inspection. Unless otherwise specified, all subassemblies and parts shall be subjected to 4.2.1 and 4.2.2.

4.2.1 Visual inspection. All subassemblies and parts shall be visually inspected for conformance with figure 1. Any subassembly or part found to not conform with figure 1 shall constitute a failure.

4.2.2 Construction and material. All subassemblies and parts shall conform to the requirements of 3.1 and 3.2. Any subassembly or part found not to conform with 3.1 and 3.2, or found not to have a certificate of conformance, shall constitute a failure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.



NOTES:
1. Terminals SAE AS20659 and the straps shown are not included with the terminal board assembly and are shown only for the purpose of illustrating how the assembly fits together.
2. Terminals SAE AS20659 are procured separately under SAE AS20659.

FIGURE 1. Terminal board assembly.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of materiel is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The terminal board assembly covered by this specification is used in various aircraft and watercraft.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. Packaging requirements (see 5.1).

6.3 Subject term (key word) listing.

Terminal block
Terminal cover
Terminal stud

Custodians:
Navy - AS
Air Force - 85
DLA - GS

Preparing Activity:
DLA - GS4

(Project 5940-2011-090)

Review Activity:
Air Force - 99

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T06:14Z
Check the source to verify that this is the current version before use.