MIL-T-63279 (AR)
12 March 1979

MILITARY SPECIFICATION

TEST SET, ELECTRONIC SYSTEMS: M92;
REPAIR PARTS FOR

This specification is approved for use by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the inspection and packaging of repair parts for the M92 Electronic Systems Test Set.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents.- The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078	-	Ammunition, Standard Quality Assurance Provisions, General Specification For
MIL-W-63150(AR)	-	Weapons and Support Materiel, Standard Quality Assurance Provisions For
MIL-T-63264(AR)	-	Test Set, Electronic Systems: M92

STANDARDS

MILITARY

MIL-STD-1188	-	Commercial Packaging of Supplies and Equipment
MIL-STD-1460	-	Soldering of Electrical Connections and Printed Wiring Assemblies, Procedures for
MIL-STD-454	-	Standard General Requirements for Electronic Equipment

FSC: 4925

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.3)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

9219846	Relay Indicator
9310970	Knob
9321211-2	Rotary Switch (S4)
9325989	Cable Assembly, Power Cable No. 1
9325990	Cable Assembly, Power Cable No. 2
9325991	Cable Assembly, Test Cable No. 1
9325992	Cable Assembly, Test Cable No. 2
9325993	Cable Assembly, Test Cable No. 3
9325999-2	Stud Nut
9326021	Case, Carrying
9326111	Rod
9326117	Flare Simulator Assembly
9326195	Relay (K2)
9326202	Test Set, Electronic Assembly
9326211	Dispenser Test Adapter Assembly
9326218	Relay (K1)
9326731	Transistor (Q1)
9326733	Voltage Regulator (VR1)
9326737	Voltage Comparator (U1)
9326153	Packing and Marking for Box, Exterior for Rotary Switch
11829005	Packing and Marking for Box, Exterior for Voltage Regulator
11829012	Packing and Marking for Box, Exterior for Case, Carrying
11829022	Packing and Marking for Bag, Barrier for Transistor (Q1)
11829023	Packing and Marking for Bag, Barrier for Relay (K1)
11829024	Packing and Marking for Bag, Barrier for Voltage Comparator
11829025	Packing and Marking for Bag, Barrier for Relay (K2)
11829026	Packing and Marking for Bag, Barrier for Relay Indicator
11829028	Packing and Marking for Box, Exterior for Cable Assembly, Test Cable No. 1
11829031	Packing and Marking for Box, Exterior for Dispenser Test Adapter Assembly
11829036	Packing and Marking for Box, Exterior for Cable Assembly, Test Cable No. 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

11829039	Packing and Marking for Box, Exterior for Flare Simulator Assmebly
11829045	Packing and Marking for Box, Exterior for Cable Assembly, Test Cable No. 2
11829046	Packing and Marking for Box, Exterior for Cable Assembly, Power Cable No. 2
11829047	Packing and Marking for Bag, Polyethylene for Stud Nut
11829048	Packing and Marking for Bag, Polyethylene for Rod
11829051	Packing and Marking for Bag, Polyethylene for Knob
11829052	Packing and Marking for Box, Exterior for Test Set, Electronic Assembly
11829996	Packing and Marking for Box, Exterior for Cable Assembly, Power Cable No. 1

3. REQUIREMENTS

3.1 Materials.- Materials shall be in accordance with applicable drawings and specifications.

3.2 Parts and assemblies. - The parts and assemblies shall comply with all requirements specified on the applicable drawings and with all requirements specified on applicable specifications.

3.3 Wiring and soldering. - Soldering of electrical wires, cables, connectors, components and assemblies shall be performed in a thorough, workmanlike manner in accordance with MIL-STD-1460 or MIL-STD-454.

3.4 Workmanship.- All parts shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any part nor shall the parts be contaminated by the cleaning agents. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions.- Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections.- The following type of inspection shall be conducted on this item.

a. Quality conformance inspection.

4.3 First article inspection. - Not applicable

4.4 Quality conformance inspection

4.4.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. - See MIL-A-48078.

a. Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9219846
4.4.2.1	Relay Indicator				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Relay Indicators delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9219846.				

NOTES:

5

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.2	Knob				9310970
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Knobs delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9310970.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9321211-2
4.4.2.3	Rotary Switch				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Switches delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9321211-2.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.4	Power Cable No. 1				9325989
					NEXT HIGHER ASSEMBLY
					9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9325990
4.4.2.5	Power Cable No. 2				NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9325991
4.4.2.6	Test Cable No. 1				NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9325992
4.4.2.7	Test Cable No. 2				NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.8	Test Cable No. 3				9325993
					NEXT HIGHER ASSEMBLY
					9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cable length incorrect		0.40%	3.2	Gage
102	Connectors incorrect or damaged		0.40%	3.2	Visual
103	Circuit resistance greater than 0.3 ohms		0.40%	3.2	MIL-STD-202, Method 303.
104	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
Minor					
201	Marking missing, improper or illegible		0.65%	3.2	Visual
202	Evidence or poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9325998-2
4.4.2.9	Stud Nut, Knurled				NEXT HIGHER ASSEMBLY 9325999
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Length "L" incorrect		0.40%	3.2	Gage
102	Hex size incorrect		0.40%	3.2	Gage
103	Pitch		0.40%	3.2	Gage
104	Shaft diameter		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326021
4.4.2.10	Case, Carrying				NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Handle, clamps or hinges loose, damaged or inoperable		0.40%	3.2	Visual
102	Any length, width, diameter or depth of cutout in cover incorrect		0.40%	3.2	Gage
103	Panel mounting hole location (12 holes)		0.40%	3.2	Gage
Minor					
201	Case dented or damaged		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.11	Rod				9326111
					NEXT HIGHER ASSEMBLY
					9326117
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Length		0.40%	3.2	Gage
102	Diameter		0.40%	3.2	Gage
Minor					
201	Flats missing or not located on same side		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.12	Flare Simulator Assembly				9326117
					NEXT HIGHER ASSEMBLY
					9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Any part missing, damaged or improperly assembled		0.40%	3.2	Visual
Minor					
201	Identification plate missing, illegible or improperly annotated		0.65%	3.2	Visual
202	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326195
4.4.2.13	Relay (K2)				NEXT HIGHER ASSEMBLY 9325975
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Relays delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9326195.				

NOTES:

17

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.14	Test Set, Electronic Assembly				9326202
					NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: This assembly shall be tested and inspected to the requirements of MIL-T-63264 (AR) para. 4.3 and 4.4 as applicable. Packaging shall be in accordance with section 5.0 of this document.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326211
4.4.2.15	Dispenser Test Adapter Assembly				NEXT HIGHER ASSEMBLY 9325901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Any part missing, damaged or improperly assembled		0.40%	3.2	Visual
102	Circuit resistance greater than 0.15 ohms		0.40%	3.2	MIL-STD-202, Method 303
103	Insulation resistance less than 20 megohms		0.40%	3.2	MIL-STD-202, Method 302, Test Condition A
	(see ref. dwg. 9324928 for the following.)				
104	Hole location, all holes		0.40%	3.2	Gage
105	Overall length or width		0.40%	3.2	Gage
106	Hole size "Z", 2 places		0.40%	3.2	Gage
Minor					
201	Lacing missing or inadequate		0.65%	3.2	Visual
202	Push rod does not operate smoothly		0.65%	3.2	Manual
203	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.16	Relay (K1)				9326218
					NEXT HIGHER ASSEMBLY
					9325975
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Relays delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9326218.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9326733
4.4.2.17	Voltage Regulator				NEXT HIGHER ASSEMBLY 9325975
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Output voltage		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		1.00%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-63279 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.18	Voltage Comparator				9326737
					NEXT HIGHER ASSEMBLY
					9325975
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	NOTE: Voltage Comparators delivered in accordance with this specification require the supplier to furnish with the delivery a certificate of conformance in accordance with MIL-W-63150 (AR) stating that the parts supplied comply with all the dimensional and functional requirements defined on drawing 9326737.				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. - Testing is described in the Quality Conformance Inspection Tables.

4.4.4 Inspection equipment.- The inspection equipment required to perform the examinations and tests prescribed herein is described in the Paragraph Reference/Inspection Method column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.2 herein.

5. PREPARATION FOR DELIVERY

5.1 Packaging - Packaging shall be as specified on the drawings below:

Nomenclature	Pkg Dwgs
Relay Indicator	11829026
Knob	11829051
Rotary Switch (S4)	9326153
Cable Assembly, Power Cable No. 1	11828996
Cable Assembly, Power Cable No. 2	11829046
Cable Assembly, Test Cable No. 1	11829028
Cable Assembly, Test Cable No. 2	11829045
Cable Assembly, Test Cable No. 3	11829036
Stud Nut	11829047
Case, Carrying	11829012
Rod	11829048
Flare Simulator Assembly	11829039
Relay (K2)	11829025
Test Set, Electronic Assembly	11829052
Dispenser Test Adapter Assembly	11829031
Relay (K1)	11829023
Transistor (Q1)	11829022
Voltage Regulator (VR1)	11829005
Voltage Comparator (U1)	11829024

5.2 Packing and Marking. - Packing and marking shall be in accordance with the commercial requirements of MIL-STD-1188.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data.- See MIL-A-48078.

6.2 Submission of inspection equipment designs for approval. (See MIL-A-48078). Submit equipment designs, as required, to Commander: US Army Armament Research and Development Command, ATTN: DRDAR-QAA-I, Dover, New Jersey 07801.

6.3 Drawings. - Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal, or Picatinny Arsenal drawings. Technical data originally prepared by these activities are now under the cognizance of ARRADCOM.

Custodian:
Army - AR

Preparing Activity:
Army - AR

Project Number: 4925-A034

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-T-63279 TEST SET, ELECTRONIC SYSTEMS: M92:REPAIR PARTS FOR

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Armament R&D Command
ATTN: DRDAR-QAA
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.