A-A-51896
24 April 1987

COMMERCIAL ITEM DESCRIPTION

PLATFORM, EXERCISE MAT, PHYSICAL THERAPY

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers an exercise mat platform suitable for use in physical therapy.

Salient characteristics:

The physical therapy exercise mat platform shall have the following approximate dimensions:

Length: 96 inches (244 cm) (Inside Dimension)
Width: 72 inches (183 cm) (Inside Dimension)
Height: 18 inches (46 cm)

The platform shall be constructed of a 3/4 inch (1.9 cm) thick plywood top, an angle iron frame, and tubular legs. The top shall be recessed to suitably hold a 2-1/2 inches (6.4 cm) thick exercise mat in place.

Workmanship. The exercise mat platform shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One exercise mat platform, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:02Z
Check the source to verify that this is the current version before use.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling.

For examination and testing. Sampling for examination shall be conducted in accordance with MIL-STD-105 and Table I. The unit of product for sampling purposes shall be one exercise platform.

TABLE I. Sampling for examination.

	Inspection level	AQL (defects per hundred units)
For visual examination		
Major defects	II	1.0
Total defects (Major and minor combined)	II	4.0
For dimensional examination	S-1	2.5
All tests	S-2	1.5

Inspection. Inspection shall be conducted to determine compliance with specification requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:02Z
Check the source to verify that this is the current version before use.

Table II. Visual Examination - Classification of defects.

Categories	Defects
Major	
101	Missing or improper alignment of components.
102	Not free from construction defects which weaken the strength or durability of the item for its intended use.
103	Components not as described in the salient characteristics.
Minor	
201	Not free from abrasions, cuts, and stains.

*Examination shall not be limited to the classified possible defects listed herein.

Dimensional examination. Platform shall be examined for compliance with dimension requirements of the salient characteristics.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:02Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

6530-01-166-9015

NOTE: The exercise mat platform shall be compatible with exercise mat, NSN 6530-01-166-7765.

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-1885

PGC 54281

Location: CID/PLATFORM/H13-7

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:02Z
Check the source to verify that this is the current version before use.