MILITARY SPECIFICATION

INSULATING AND JACKETING COMPOUNDS,
ELECTRICAL (FOR CABLES, CORDS, AND WIRES),
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-I-3930E, dated 14 June 1985.

SPECIFICATION SHEETS

MIL-I-3930/1 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IP-Medium-Low Temperature, Polyvinylchloride and Polyvinylchloride Acetate (PVC).

MIL-I-3930/2 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IS-Medium-Low Temperature, Styrene-Butadiene Rubber (SBR).

MIL-I-3930/3 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IS-L-Medium-Low Temperature, Heat-Resistant, Styrene-Butadiene Rubber (SBR).

MIL-I-3930/4 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IR-Low Temperature, Natural Rubber.

MIL-I-3930/5 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IL-Low Temperature, Natural Rubber Deposited from a Rubber Latex Compound.

MIL-I-3930/6 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IJ-S-Medium-Low Temperature, Insulating and Jacketing, Styrene-Butadiene Rubber (SBR).

MIL-I-3930/7 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IL-H-Low Temperature, Heat-Resistant, Natural Rubber Deposited from a Rubber-Latex Compound.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-16T22:22Z
Check the source to verify that this is the current version before use.

MIL-I-3930/8 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IL-RN-Low Temperature, Layer of Natural Rubber Latex and a Color-Coded Outer Layer of Chloroprene Rubber (CR) Latex Bonded Together.

MIL-I-3930/9 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IH-Low Temperature, Heat and Ozone Resistant, Ethylene-Propylene Rubber (EPM) or Ethylene-Propylene-Diene Rubber (EPDM).

MIL-I-3930/10 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IJ-H-Low Temperature, Heat and Weather Resistant, Insulating and Jacketing, Ethylene-Propylene Rubber (EPM) or Ethylene-Propylene-Diene Rubber (EPDM).

MIL-I-3930/11 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating Compound, Type IE-Polyethylene in accordance with L-P-390, Type II, Class L, Grade 3 or 4, Category 5.

MIL-I-3930/12 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating and Jacketing Compound, Type TPE-S-Low Temperature, Heat and Ozone Resistant, Styrenic Thermoplastic Elastomer.

MIL-I-3930/13 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Insulating and Jacketing Compound, Type TPE-O-Low Temperature, Weather Resistant, Olefinic Thermoplastic Elastomer.

MIL-I-3930/14 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JP-Medium-Low Temperature, Polyvinylchloride and Polyvinylchloride-Acetate (PVC).

MIL-I-3930/15 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JS-Medium-Low Temperature, Styrene-Butadiene Rubber (SBR).

MIL-I-3930/16 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires) Jacketing Compound, Type JS-L-Low Temperature, Heat-Resistant, Styrene-Butadiene Rubber.

MIL-I-3930/17 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JR-Low Temperature, Natural Rubber.

MIL-I-3930/18 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JN-Moderate-Low Temperature, Chloroprene Rubber (CR).

Source: https://assist.dla.mil -- Downloaded: 20260-16T22:22Z
Check the source to verify that this is the current version before use.

MIL-I-3930/19 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JN-L-Low Temperature, Chloroprene Rubber (CR).

MIL-I-3930/20 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JH-Low Temperature, Heat and Weather Resistant, Ethylene-Propylene (EPM), or Ethylene-Propylene-Diene Rubber (EPDM).

MIL-I-3930/21 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JU-Low Temperature, Heat and Weather Resistant, Polyurethane Thermoplastic Elastomer.

MIL-I-3930/22 - Insulating and Jacketing Compounds, Electrical (For Cables, Cords, and Wires), Jacketing Compound, Type JN Moderate-Low Temperature, Chlorinated Polyethylene Rubber (CM).

MIL-I-3930/23 - Insulating and Jacketing Compound, Electrical, (For Cables, Cords, and Wires), Jacketing Compound, Type JN-L-Low Temperature, Chlorinated Polyethylene Rubber (CM).

Preparing activity:
Army-CR

Source: https://assist.dla.mil -- Downloaded: 202610-16T22:22Z
Check the source to verify that this is the current version before use.