MIL-P-17802D
AMENDMENT-1
26 October 1976

MILITARY SPECIFICATION

PADLOCKS AND PADLOCK SETS, LOW SECURITY, KEY OPERATED, REGULAR (OPEN) SHACKLE

This amendment forms part of Military Specification MIL-P-17802D dated 3 December 1975, and is approved for use by all Department and Agencies of the Department of Defense.

Add the attached figures 1 thru 4.

Custodians:

Army - GL
Navy - SH
Air Force - 99

Preparing activity:

Army - GL

Project No. 5340-1201

Review activities:

Army - WC
Navy - YD
DSA - IS

User activities:

Navy - CG

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:34Z
Check the source to verify that this is the current version before use.




FIGURE 1. *Padlock component nomenclature.*

Source: https://assist.dla.mil -- Downloaded: 202610-18T10:34Z
Check the source to verify that this is the currentversion before use.

UPPER CROSS-SECTION VIEWS

UNLOCKED POSITION

LOCKED POSITION





FIGURE 2. *Examples of dead-bolt locking.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:34Z
Check the source to verify that this is the current version before use.



NOTES. (1) Various types of gripping devices may be used to transmit the measured load applied by the testing machine to the test specimen.

(2) The required tension load shall be applied slowly along the vertical center line of the padlock so as to put a direct and equal tension in each shank of the shackle.

(3) The gripping device shall not distort the shackle when tension is applied.

FIGURE 3. *Example of tension load applications.*

Source: https://assist.dla.mil -- Downloaded: 202610-18T10:34Z
Check the source to verify that this is the current version before use.




FIGURE 4. *Example of padlock set identification.*

☆U.S. GOVERNMENT PRINTING OFFICE: 1976-703-020/1360

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:34Z
Check the source to verify that this is the current version before use.