MILITARY SPECIFICATION

COUPLINGS AND PROPULSION CLUTCHES FOR NAVAL SHIPBOARD

PROPULSION UNITS AND AUXILIARY TURBINES

This amendment forms a part of Military Specification MIL-C-18087(SHIPS), 7 March 1955.

Page 2, paragraph 2.1, Under Military Specifications: Add:

"MIL-Q-9858 - Quality Control System Requirements."

Page 2, paragraph 2.1, Under Navy Department: Delete:

"General Specifications for Inspection of Material."

Page 12, paragraph 3.12.6: Delete and substitute:

"3.12.6 The onboard repair parts and stock components for couplings and clutches specified in table II shall be furnished by the supplier to be carried onboard.

"Table II - List of onboard repair parts.

Item	Part(s) required (A "set" means sufficient for one clutch unit)	Factor code	Number of installed clutches per ship			
			1	2	3	4
1.	Bearings, complete, all types, except thrust bearings, sets (see note 1)	E	1	1	2	2
2.	Bearing thrust collar, each size and type	G	1	1	1	1
3.	Bearing thrust shoes, each size and type, sets	E	1	1	2	2
4.	Bushings, rubber, for type III clutch, each size and type, sets	D	1	2	3	3
5.	Drum for type IV clutch, each size and type	G	1	1	1	1
6.	Detents, ball, each size and type, set	D	1	2	3	3

1/ CHANGES FROM PREVIOUS ISSUE. THE OUTSIDE MARGINS OF THIS DOCUMENT HAVE BEEN MARKED "#" TO INDICATE WHERE CHANGES (DELETIONS, ADDITIONS, ETC.) FROM THE PREVIOUS ISSUE HAVE BEEN MADE. THIS HAS BEEN DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT AS WRITTEN IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:57Z
Check the source to verify that this is the current version before use.

Table II- (Cont'd)

Item	Part(s) required (A "set" means sufficient for one clutch unit)	Factor code	Number of installed clutches per ship			
			1	2	3	4
7.	Elements, cone, each size and type, sets	D	1	2	3	3
8.	Elements, sensing for bearings (RTE), each size and type, sets	E	1	1	2	2
9.	Fasteners, self locking threaded, complete sets	D	1	2	3	3
10.	Gaskets which cannot be fabricated from standard Navy gasket material, complete sets	D	1	2	3	3
11.	Glasses for oil sight flow fittings and gages, complete sets	D	1	2	3	3
12.	Hubs for type VII clutch, each size and type, set	D	1	2	3	3
13.	Lining, friction, for type VI clutch, each size and type, set	G	1	1	1	1
14.	Plates, steel and sintered bronze for type V and VII clutches, each size and type,set	D	1	2	3	3
15.	Seals, bearings, oil each size and type, set	D	1	2	3	3
16.	Sleeve for type VII clutch, each size and type, set	D	1	2	3	3
17.	Springs, each size and type, set	D	1	2	3	3
18	Tube, rubber, for type VI clutch, each size and type, set	G	1	1	1	1
19.	Valve parts, including springs, diaphragms, pistons, seat inserts and bushings, each size and type.	D	1	2	3	3

NOTE 1. In case bearings, item 1, if port and starboard gears differ, 100 percent for 1 port and 100 percent for 1 starboard shaft shall be furnished."

Page 13, paragraph 4.1: Delete and substitute:

"4.1 Responsibility for inspection. - Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:57Z
Check the source to verify that this is the current version before use.

Page 13: Add as paragraph 4.1.5:

"4.1.5 The quality control system requirements shall be in accordance with MIL-Q-9858."

Page 14, paragraph 4.3: Delete.

Preparing activity
Navy - Ships
(Project 3010-N004 Sh)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:57Z
Check the source to verify that this is the current version before use.