MILITARY SPECIFICATION SHEET

MODULE ASSEMBLY (TRANSFORMER)

The complete requirements for procuring the module described herein shall consist of this document and the latest issue of specification MIL-M-50276(MU).

1. SCOPE

1.1 This specification covers detail requirements, quality assurance provisions and preparation for delivery for production and repair parts for Module Assembly (Transformer) used in Atomic Demolition charge.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY
MIL-M-50276(MU) - Modules, General Specification for
MIL-S-60902(MU) - Soldering, Electrical Connections for Nuclear Weapons Systems, Procedure For

DRAWINGS

ORDNANCE CORPS
8808362 - Packing and Marking for Storage and Shipments
8822613 - Diode
8822616 - Terminal
8826285 - Diode
8826290 - Potting Data Modules
8836409 - Capacitor
8857424 - Module Assembly (Transformer)
8860642 - Sensistor
8869643 - Module Transformer Assembly
8860645 - Transformer Board Sub Assy
8860646 - Terminal Assembly
8860647 - Transformer Assembly
8860648 - Board, Terminal
8883539 - Bag, Packing for Repair Parts
ET-8857424 - Equipment Tabulation

FSC 1125

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Requirements. Requirements shall be in accordance with MIL-M-50276(MU).

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions. Quality assurance provisions shall be in accordance with MIL-M-50276(MU) and asspecified herein.

4.1.1 Sampling and inspection not applicable. The following inspections in MIL-M-50276(MU) are not applicable.

a. 4.3.2.1.2 Insulation paper (see dwg 8826313); baseboard, module (see dwg 8826168) covering details of plug-in modules and baseboard marking as applicable.

b. 4.3.2.1.3 Contact pin (see dwg 8826288) and guide pin module (see dwgs 8826308 and 8866640) covering details of plug-in modules.

c. 4.3.2.1.4 All plug-in type modules (see dwg in detail specification.)

4.2 Classification of characteristics.

4.2.1 Diode (see dwgs 8822613 and 8826285); miniature lug (see dwg 8822616); capacitor (see dwg 8836409); sensistor (see dwg 8860642); transformer assembly (see dwg 8860647); covering details of dwgs 8857424, 8860645, 8860646 as applicable.

Categories	Characteristics	Method of inspection
Critical: None defined.		
Major:		
101.	Objective evidence (see section 5, MIL-M-50276(MU) available for part in accordance with applicable drawing	Objective evidence. Visual
Minor: None defined.		

4.2.2 Board, terminal (see dwg 8860648 covering a detail of dwg 8860646).

Categories	Characteristics	Method of inspection
Critical: None defined.		
Major:		
101.	Diameter of holes, max	Gage
102.	Location of holes	Gage
103.	Length	Gage
104.	Width	Gage

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

105. Thickness, min.....Gage
106. Material (see Material, Section 3, MIL-M-50276(MU).....Visual
107. Workmanship (see Workmanship, section 3, MIL-M-50276(MU).....Visual-Manual

Minor: None defined.

4.2.3 Terminal board assembly (inhibitor)(see dwg 8860646 covering a detail of dwg 8860645).

Categories	Characteristics	Method of inspection

Critical: None defined.

Major:
101. Terminals tight.....Manual

Minor:
201. Workmanship (see Workmanship, section 3, MIL-M-50276(MU).....Visual-Manual

4.2.4 Transformer board sub-assembly (see dwg 8860645 covering a detail of dwg 8860643).

Categories	Characteristics	Method of inspection

Critical: None defined.

Major:
101. Wiring.....Visual
102. Soldering in accordance with MIL-S-60902(MU).....Visual-Manual
103. Materials (see Materials, section 3, MIL-M-50276(MU).....Visual

Minor:
201. Workmanship (see Workmanship, section 6, MIL-M-50276(MU).....Visual-Manual

4.2.5 Module-transformer assembly (see dwg 8860643 covering a detail of dwg 8857424).

Categories	Characteristics	Method of inspection

Critical: None defined.

Major:
101. Potting in accordance with dwg 8826290.....Visual
102. Length max.....Gage
103. Width max.....*Measure
104. Depth of potting.....Gage
105. Height of terminal.....Gage

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

106.	Location of terminals	Gage
107.	Height of side projections	Gage
108.	Terminals and screws free of potting	Visual
109.	Marking	Visual

*Measure with suitable scale

Minor:

201.	Workmanship (see workmanship, section 3, MIL-M-50276(MU))	Visual-Manual

4.2.6 Module assembly (transformer) (see dwg 8857424).

Categories	Characteristics	Methof of Inspection

Critical: None defined.

Major:

101.	Wiring	Visual
102.	Soldering in accordance with MIL-S-60902(MU)	Visual
103.	Materials (see material, section 3, MIL-M-50276(MU))	Visual
104.	Length of wire min	*Measure

*Measure with suitable scale

Minor:

201.	Workmanship (see workmanship, section 3, MIL-W-50276(MU))	Visual-Manual

4.3 Acceptance inspection equipment. Acceptance inspection equipment shall be in accordance with MIL-M-50276(MU) and ET-8857424.

4.4 Insulation resistance. The module insulation resistance shall be tested in accordance with Table I.

TABLE I

Insulation resistance (see dwgs 8857424 and 8860643)

Positive potential applied to pin	Minus potential to all other pins except pin
2	1
4	3 and 5

5. PREPARATION FOR DELIVERY

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

5.1 Preparation for delivery for production modules. Preparation for delivery for production modules shall be in accordance with MIL-M-50276(MU).

5.2 Preparation for delivery for repair modules.

5.2.1 Preservation and packaging. Preservation and packaging shall be as specified in MIL-M-50276(MU).

5.2.1.1 Level A. The modules shall be packaged in accordance with dwgs 8883539-1 and 8808362 and as specifed in MIL-M-50276(MU).

5.2.1.2 Level C. The modules shall be packaged in accordance with dwg 8808362 and MIL-M-50276(MU).

5.2.2 Packing.

5.2.2.1 Levels A and C. The modules shall be packed in accordance with dwgs 8883539-1 and 8808362 and MIL-M-50276(MU).

5.2.3 Marking. Marking shall be as specified in dwgs 8883539-1 and 8808362 and MIL-M-50276(MU).

6. NOTES

6.1 Notes. Notes shall be in accordance with MIL-M-50276(MU).

Custodian:
Army - MU

Preparing Agency
Army - MU
Project No. 1125-A018

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

MIL-M-50276/13(MU) Module, Assembly (Transformer)

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding Officer
Picatinny Arsenal
ATTN: SMUPA-NR
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.