[METRIC]

A-A-2655A
December 23, 1996
SUPERSEDING
A-A-2655
July 6, 1990

COMMERCIAL ITEM DESCRIPTION

BINDER, LOOSE-LEAF, FLEXIBLE PRONG

The General Services Administration has authorized the use of this commercial item description.

1. Scope. This Commercial Item Description covers loose-leaf binders, with flexible prongs, for use in containing paper.

2. Salient Characteristics.

2.1. Materials. The binder shall be fabricated from colored tag board stock that shall meet the requirements specified in Table I below.

Table I

Basis Weight, min (24"x36"-500 sheets)	244 g/m^2 (150 lbs)	TAPPI T 410
Thickness, average	0.279 ± 0.025 mm (0.011" ± 0.001")	TAPPI T 411*
Bursting Strength, min	482.6 kPa (70 lbs)	TAPPI T 403
Tearing Resistance, min		
MD	190 g	TAPPI T 414
CD	235 g	

* Thickness determination must be performed on the paper stock before graining.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document, should be sent to: General Services Administration, Federal Supply Service, 26 Federal Plaza, New York N.Y. 10278 ATTN: Engineering Branch (2FYEE).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:24Z
Check the source to verify that this is the current version before use.

2.2. Construction. The stock shall be leather-grained or crushed grain on the outside surface. The binder shall accommodate sheets 30 x 22 cm (11" x 8-1/2") (first dimension is binding side). The capacity of the binder shall be not less than 0.95 cm (3/8"), and shall be equipped with three double-prong metal fasteners with matching eyelets, suitable for use with the binders, permanently affixed to a W-type spine and spaced 10.8 cm (4-1/4") center to center. All corners shall be rounded. A panel, not less than 5.4 cm (2-1/8") high by 10.8 cm (4-1/4") wide shall be embossed on the outside of the front cover. Each binder shall be permanently market with the name or trademark of the manufacturer.

2.3. Color. The color of binders shall be as specified in the contract or purchase order (See 7.2).

2.4. Workmanship. The binders shall be free from any defects which may affect appearance or serviceability.

3. Quality assurance: The product provided shall meet the salient characteristics of this Commercial Item Description, conform to producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

4. REGULATORY REQUIREMENTS:

Certification (paperboard). The contractor shall certify that the paperboard used in the manufacture of this item contains a minimum of 20% Post Consumer Recovered Material (PCRM) in accordance with Code 40 of the Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Materials; Final Rule. The Government reserves the right to require proof of such conformance prior to first delivery, and thereafter as may be otherwise provided for under the provisions of the contract.

5. PACKAGING, PACKING AND MARKING: Packing, packing and marking shall be as specified in the contract or purchase order.

6. REFERENCED DOCUMENTS: The issues of the referenced documents in effect on the date of the solicitation for offers or request for proposals shall be used to determine conformance with the requirements of this Commercial Item Description.

6.1. Title 40, Code of Federal Regulations, Protection of the Environment, Part 247. Copies may be purchased with a VISA, Master Card or prepaid check through: Government Printing Office, Washington, DC; Phone 202-783-3238. When ordering ask for: Title 40, Parts 190-250; Stock Number: 869-013-00-146-0.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:24Z
Check the source to verify that this is the current version before use.

6.2. ANSI/ASQC Z1.4 - American National Standards Institute (ANSI)/American Society for Quality Control (ASQC), Sampling Procedures and Tables for Inspection by Attributes. Copies may be purchased from: American Society for Quality Control, P.O. Box 3005, 611 E. Wisconsin Avenue, Milwaukee, WI 53201-4606.

6.3. TAPPI standard T test methods can be obtained from Technical Association of the Pulp and Paper Industry; Technology Park/Atlanta P.O. Box 105113; Atlanta, GA 30348.

7. ORDERING DATA. Purchaser shall specify the following in the contract or purchase order:

7.1. Title, number and date of this commercial item description.
7.2. Color of binder required.
7.3. Packaging, packing, and marking required.

MILITARY INTEREST:

NONE: DoD has no registered interest in revisions or amendments to this Commercial Item Description until further notice

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:24Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:24Z
Check the source to verify that this is the current version before use.