[INCH-POUND]
A-A-469B
July 25, 1996
SUPERSEDING
A-A-469A
August 27, 1991

# COMMERCIAL ITEM DESCRIPTION

# COLANDER

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

## 1. SCOPE

1.1 Scope. This commercial item description (cid) covers aluminum and corrosion-resisting steel colanders.

## 2. CLASSIFICATION

2.1 Classification. The colanders shall be of the following types and sizes.

Type I - Aluminum alloy
  Size 1 - 11 quart capacity (10.4 L)
  Size 2 - 14 to 16 quart capacity (13.2 to 15.1 L)
Type II - Corrosion-resisting Steel
  Size 2 - 14 to 16 quart capacity (13.2 to 15.1 L)

## 3. SALIENT CHARACTERISTICS

3.1 Material. The type I colanders shall be formed from a 3000 series aluminum alloy. The type II colander shall be formed from corrosion-resisting steel conforming to a type 300 series in accordance with ASTM A167 or A276.

3.2 Construction. The body of the colanders shall be formed without seams from a single piece of the specified material. The colanders shall be hemispherical in shape with a half-round open bead and have two handles made of aluminum, corrosion-resisting steel, nickel-chrome plated steel, or tin plated steel. The handles shall be either welded with corrosion resistant material or riveted to the body with no recesses and open seams and shall be located diametrically opposite each other. The dimensions of the colanders shall be as listed in table I. The body shall be fitted with a base and shall have a minimum of 4 perforations per square inch. The perforation size shall be consistent and the allowable diameter range shall be 1/8 to 9/32 inch (3.2 to 7.1 mm). The number and spacing of the perforations shall be in accordance with the manufacturer's standard commercial practice.

3.3 Finish. The type I colander shall be smooth on all surfaces and edges and shall be free from corrosion, discoloration and stain. The type II colander shall be finished to the equivalent of a No. 2B finish or better as defined in the American Iron and Steel Institute's handbook, Finishes for Stainless Steel, on all visible surfaces.

3.4 Standard compliance. The type I colanders shall meet the requirements of NSF International Standard Number 2.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

Distribution Statement A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

Table I - Dimensions

| Type | Size | Capacity (qt.) | Sidewall thickness (inch) |
|---|---|---|---|
| I | 1 | 11<br>(10.4 L) | 0.075 - 0.120<br>(1.9 - 3.0 mm) |
| I | 2 | 14 - 16<br>(13.2 - 15.1 L) | 0.075 - 0.120<br>(1.9 - 3.0 mm) |
| II | 2 | 14 - 16<br>(13.2 - 15.1 L) | 0.018 - 0.040<br>(0.46 - 1.0 mm) |

Note: Capacity tolerance shall be plus 15 percent, minus 5 percent.

3.5 Workmanship. The colander shall be clean and free from dirt, rough or sharp edges, slivers, burrs, scratches, rough die or gouge marks, tool marks, or other defects which may affect appearance or serviceability. The colanders shall not be fractured, buckled, bent, malformed, or damaged.

3.6 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3.7 Standard commercial product. The colander shall, as a minimum, be in accordance with the requirements of this CID and shall be the manufacturer's standard commercial product. A standard commercial product is a product which has been sold or is currently offered for sale on the commercial market through advertisements, manufacturer's catalogs, or brochures, and represents the latest production model.

## 4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

## 5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 NSF International compliance. Except for the type II colander, the contractor shall submit to the contracting officer or authorized representative, prior to awarding of contract, satisfactory evidence that the items offered meet the requirements of NSF International Standard No. 2. Satisfactory evidence of this compliance may be any of the following:

(1) Listing in the current edition of the "NSF International Listing Food Service Equipment and Related Products, Components and Materials", and display of the NSF International mark on the finished item; or

(2) Certification issued by NSF International under their special contract evaluation/certification program for government contracts; or

(3) Certified test report from a recognized independent testing laboratory acceptable to the medical authority of the service for which the item(s) are being procured stating that the item has been tested and conforms to NSF International Standard No. 2.



Source: https://assist.dla.mil -- Downloaded: 2026Ø10-26T08:08Z
Check the source to verify that this is the current version before use.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Sources of non-Government association documents.

American Iron and Steel Institute handbooks are available from the Committee of Stainless Steel Producers, American Iron and Steel Institute, 1000 16th Street, N.W., Washington, DC 20036.

ASTM standards are available from the American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

NSF International standards are available from NSF International, P.O. Box 130140, Ann Arbor, MI 48113-0140.

7.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type and size required.
c. Preservation, packing, and marking desired.

7.3 Part Numbering. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

```
AA469-11      (AA469-11)  Example - Type I, Size 1 Colander
   |  || --- Size (1 or 2)
   |  | --- Type (1 - I, 2 - II)
   | --- CID number
```

7.4 National Stock Number (NSN): The following NSN's correspond to colanders defined by this CID:

| NSN | Type | Size | P/N |
|---|---|---|---|
| 7330-00-680-2762 | I | 1 | AA469-11 |
| 7330-00-272-3120 | I | 2 | AA469-12 |
| 7330-00-266-7453 | II | 2 | AA469-22 |

MILITARY INTERESTS:

Military Coordinating Activity:
Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Civil Agencies Coordinating Activities:
VA - OSS

Review Activities:
Army - MD1, QM1
Navy - MC
Air Force - 35, 84

Preparing Activity:
GSA - FSS

(DoD Project 7330-0721)



Source: https://assist.dla.mil -- Downloaded: 202640-26T08:08Z
Check the source to verify that this is the current version before use.