A-A-55485/3
September 30, 1993
SUPERSEDING
MIL-M-38527/3B
December 15, 1988

COMMERCIAL ITEM DESCRIPTION

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER

The General Services Administration has authorized the use of this commercial item description (CID) in preference to MIL-M-38527/3B.

Abstract. This CID covers mounting pads with pin through-holes beginning on a .100 diameter circle and tapering at an angle to a larger exit diameter circle.

Part or Identifying Number (PIN). The PIN shall be A-55485/03- (plus a dash number from figure 1 and a material letter as shown below). Complete PIN example: A-55485/03-001D.

Salient characteristics.

Material. Material shall be diallyl phthalate (D) or nylon (N).

Configurations and dimensions. Configurations and dimensions shall be as specified on figure 1.

Regulatory requirements. This section is not applicable to this CID.

Quality assurance provisions. Quality assurance provisions shall be as specified in A-A-55485.

Packaging. Packaging shall be as specified in A-A-55485.

Suggested sources of supply. Suggested sources of supply are shown in table I.

Supersession data. Supersession data shall be as specified in table II.

Notes. The following information may be useful in acquiring the items described, but is not directive in nature.

Ordering data. Ordering data shall be as specified in A-A-55485.


Comments. Comments and requests for changes to this CID should be directed to Defense Electronics Supply Center, ATTN: DESC-EMM, 1507 Wilmington Pike, Dayton, OH 45444-5270, telephone (513) 296-5255, FAX (513) 296-8868.

AMSC N/A

FSC 5999

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.005	0.13
.010	0.25
.020	0.51
.033	0.84
.040	1.02
.105	2.67
.200	5.08
.255	6.48

A-55485/03-001

Figure 1. Configurations and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.005	0.13
.010	0.25
.020	0.51
.025	0.64
.030	0.76
.037	0.94
.050	1.27
.150	3.81
.187	4.75
.225	5.72


A-55485/03-002

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/03-003



A-55485/03-004

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm		Inches	mm
.000	0.00		.065	1.65
.010	0.25		.080	2.03
.015	0.38		.100	2.54
.020	0.51		.135	3.43
.022	0.56		.142	3.61
.035	0.89		.210	5.33
.040	1.02		.230	5.84
.050	1.27			

A-55485/03-005

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.020	0.51
.025	0.64
.027	0.69
.040	1.02
.050	1.27
.060	1.52
.080	2.03
.100	2.54
.230	5.84
.250	6.35
.300	7.62

A-55485/03-006

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.022	0.56
.031	0.71
.055	1.40
.062	1.57
.086	2.18
.120	3.05
.200	5.08
.343	8.71

A-55485/03-007

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.005	0.13
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.200	5.08
.275	6.99

A-55485/03-008

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.020	0.51
.038	0.97
.040	1.02
.041	1.04
.150	3.81
.195	4.95
.228	5.79

A-55485/03-009

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.027	0.69
.033	0.84
.040	1.02
.085	2.16
.200	5.08
.255	6.48
.305	7.75


A-55485/03-010

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/03-011




A-55485/03-012

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.






SECTION A A

Inches	mm
.010	0.25
.015	0.38
.022	0.56
.040	1.02
.050	1.27
.065	1.65
.080	2.03
.100	2.54
.115	2.92
.142	3.61
.235	5.96

A-55485/03-013

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.023	0.58
.025	0.64
.040	1.02
.080	2.03
.150	3.81
.230	5.84

A-55485/03-014

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.020	0.51
.025	0.64
.030	0.76
.032	0.81
.040	1.02
.080	2.03
.100	2.54
.120	3.05
.200	5.08
.235	5.97
.250	6.35

A-55485/03-015

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.150	3.81
.225	5.72

A-55485/03-016

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.015	0.38
.025	0.64
.050	1.27
.075	1.91
.220	5.59
.260	6.60
.340	8.34

A-55485/03-017

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ±.015 (0.38 mm).
4. Unless otherwise specified, tolerances are ±.010 (0.25 mm) for decimals and ±1° on angles. A .010 (0.25 mm) radius is permissible on corners and edges. A 1° draft is permitted on sides.

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. Suggested sources of supply. 1/

CID PIN (see figure 1) A-55485/03-	Vendor commercial PIN 2/							
	CAGE code 07047	CAGE code 08289	CAGE code 13103	CAGE code 21071	CAGE code 24227	CAGE code 32559	CAGE code 53174	CAGE code 54355
001N	10394N			10834-1			AP-399/N	965-566N
001D	10394D			10834-2			AP-399/D	965-566D
002N	10047N		7717-133N	10118-1	2001	205-085	AP-033/B/N	965-607N
002D	10047D		7717-133D	10118-2			AP-033/B/D	965-607D
003N	10124N			10106-1			AP-295/N	965-559N
003D	10124D			10106-2			AP-295/D	965-559D
004N	10201N			10288-1	2018	213-100	AP-034/N	965-610N
004D	10201D			10288-2			AP-034/D	965-610D
005N	10242N			10286-1			AP-271/N	965-555N
005D							AP-271/D	965-555D
006N	10194N		7717-121N	10272-1			AP-031/N	965-554N
006D	10194D	504-100-D	7717-121D	10272-2			AP-031/D	965-554D
007N	10026N	503-026-N	7717-26N	10140-1	2010	402-120	AP-015/B/N	965-604N
007D	10026D	503-026-D	7717-26D	10140-2			AP-015/B/D	965-604D
008N	10250N		7717-43N	10397-1	2017		AP-013/N	965-608N
008D	10250D		7717-43D	10397-2			AP-013/D	965-608D
009N	10232N	700-093-N		10399-1	2016		AP-004/B/N	965-640N
009D	10232D	700-093-D		10399-2			AP-004/B/D	965-640D
010N	10044N	503-043-N	7717-44N	10030-1	2015	209-125	AP-005/N	965-605N
010D	10044D	503-043-D	7717-44D	10030-2			AP-005/D	965-605D
011N	10197N						AP-420/N	
011D	10197D						AP-420/D	
012N	10251N		7717-80N	10164-1			AP-464/N	965-645N
012D	10251D			10164-2			AP-464/D	965-645D
013N	10034N			10266-1		200-115	AP-156/N	965-518N
013D				10266-2			AP-156/D	965-518D
014N			7717-113N				AP-432/N	965-595N
014D							AP-432/D	965-595D
015N			7717-149N	10704-1	2020	214-120	AP-125/N	965-602N
015D				10704-2			AP-125/D	965-602D
016N	10091N			10280-1			AP-033/A/N	965-556N
016D	10091D			10280-2			AP-033/A/D	965-556D
017N			7717-161N	10102-1	3032		AP-019/N	965-529N
017D				10102-2			AP-019/D	965-529D

1/ This table is not a qualified products list or an approved source list. The vendors listed have submitted Certificates of Compliance (see A-A-55485) to DESC-EMM; however, parts may be ordered from any manufacturer who agrees to supply products that meet all the requirements of this CID.

2/ Vendor commercial PIN's are given for reference only. Do not use these numbers for ordering purposes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. Suggested sources of supply - Continued. 1/

Vendor CAGE number	Vendor name and address
07047	Milton Ross Company 262 Valley Road Warrington, PA 18976-2533 (215) 491-0600
08289	Delbert Blinn Company, Incorporated 1678 East Mission Boulevard Pomona, CA 91766-2007 (909) 623-1257
13103	Thermalloy, Incorporated 2021 West Valley View Lane Dallas, TX 75381-0839 (214) 243-4321
21071	Globe Plastics, Incorporated 13477 Twelfth Street Chino, CA 91710-9998 (909) 464-1520
24227	Teknational Industries, Incorporated 480 Clinton Avenue South Rochester, NY 14620-1103 (716) 232-1291
32559	Bivar, Incorporated 4 Thomas Irvine, CA 92718-2512 (714) 951-8808
53174	APX Plastics Company 3407 Dalworth Street Arlington, TX 76011-6815 (817) 275-3883
54355	Accessories for Electronics, Incorporated 800 Merrick Road Baldwin, NY 11510-3593 (516) 546-1751

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE II. Supersession information. 1/

Superseded (old) PIN in accordance with MIL-M-38527/38: M38527/03-	Superseding (new) CID PIN A-55485/03-
001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012
013	013
014	014
015	015
016	016
017	017

1/ Complete PIN shall include a suffix letter to denote material.

MILITARY INTERESTS:

Custodians

Army - ER
Navy - EC
Air Force - 85

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

PREPARING ACTIVITY:

DLA-ES

(Project 5999-0313-03)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.