A-A-1192
May 13, 1981

COMMERCIAL ITEM DESCRIPTION

HANGER, PIPE

The General Services Administration has authorized the use of this commercial item description in preference to Federal Specification WW-H-171E

This commercial item description covers pipe hangers, brackets, saddles, clamps, and pipe-rolls, for all types of piping systems

Salient characteristics

Shall conform to the requirements of MSS SP-58, SP-69 and SP-90 except that, in accordance with MSS SP-69, hangers and supports for fire protection systems shall conform to NFPA Nos. 11 through 17 as applicable

Shall be one of the types defined by MSS SP-58,and SP-69 or NFPA Nos 11 through 17, as specified.

Workmanship. Pipe hangers and supports shall be free from defects which affect use and serviceability

The issues of MSS SP-58, SP-69 and SP-90, and NFPA Nos 11 through 17 in effect on the date of the solicitation shall be used to determine compliance with stated requirements.

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product sold in the commercial marketplace The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

Regulatory requirements. The manufacturer shall utilize recovered materials to the maximum extent practicable.

Packaging, packing, and marking The items shall be packed in accordance with normal commercial practice and packed to assure acceptance by common carrier and provide product protection against loss and damage during multiple shipments, handling, and storage The shipping container shall be in compliance with National Motor Freight Classification and Uniform Freight Classification Shipping containers shall be marked as specified in the contract or order.

MSS SP-58, SP-69, and SP-90 are available from the Manufacturers Standardization Society of the Valve and Fittings Industry, Inc., 5203 Leesburg Pike, Suite 502, Falls Church, Virginia 22041.

NFPA Nos. 11 through 17 are available from the National Fire Protection Association, 470 Atlantic Avenue, Boston, Massachusetts 02210

MILITARY INTERESTS

Custodians

Navy - YD
Air Force - 99

User activities

Army - CE, ME
Navy - MC

Military Coordinating Activity

Navy - YD

Preparing activity

GSA - FSS

FSC 5340

GSA DC-01104179

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.