MIL-M-35082B

15 August 1968
SUPERSEDING
MIL-M-35082A
3 September 1965

MILITARY SPECIFICATION

MILK (PLAIN OR CHOCOLATE FLAVORED), CREAM, HALF AND HALF, FILLED AND CHEESE, COTTAGE, CREAMED, AND FILLED

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers milk (plain or chocolate flavored) cream or half-and-half filled and cheese, cottage, creamed and filled for use by the Armed Forces, as a perishable item, when authorized for general issue in lieu of fresh, recombined, reconstituted, or blended milk, cream, or half-and-half, and creamed cottage cheese.

1.2 Classification.- The finished product shall be of the following types and styles, as specified (see 6.2):

Type I - Milk, whole
  Style A - Plain
  Style B - Chocolate flavored
Type II - Milk skim or low fat
  Style A - Skim milk, not fortified
  Style B - Skim milk, fortified (with MSNF)
  Style C - Lot fat milk, not fortified
  Style D - Low fat milk, fortified (with MSNF)
  Style E - Low fat milk, chocolate flavored
Type III - Cream or Half and Half
  Style A - Table Cream
  Style B - Half and Half
Type IV - Cottage cheese

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

FSC 8910

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

C-C-281	-	Cheese, Cottage
C-C-310	-	Chocolate Flavored Milk and Chocolate Flavored Drink
PPP-B-636	-	Box, Fiberboard

MILITARY

MIL-M-35052	-	Milk, Nonfat, Dry
MIL-F-35081	-	Fat, Hydrogenated, Vegetable or Animal

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage
MIL-STD-175	-	Sanitary Standards for the Equipment and Methods for the Handling of Milk and Milk Products in Bulk Milk Dispensing Operations
MIL-STD-668	-	Sanitary Standards for Food Plants

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

U. S. Department of Health, Education and Welfare

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder

U. S. Department of Agriculture

USDA-CMS - Visual Aid #1, Visual Aids for Inspection of Metal Containers

(Application for copies should be addressed to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402).

Association of Official Agricultural Chemists

Official Methods of Analysis

(Application for copies should be addressed to the Association of Official Analytical Chemists, Box 540, Benjamin Franklin Station, Washington, D. C. 20044).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

American Public Health Association

Standard Methods for the Examination of Dairy Products.

(Application for copies should be addressed to the American Public Health Association, 1790 Broadway, New York, N. Y. 10019).

3. REQUIREMENTS

3.1 Material.- At time of use in the preparation of the products under this specification, the ingredients shall not impart oxidized, stale, tallowy, or other objectionable flavors or odors to the finished product.

3.1.1 Fat.- Fat shall be refined, bleached, deodorized, hydrogenated vegetable, animal or mixture of animal and vegetable fat conforming to the commodity requirements of types I, II, and III products, respectively, of MIL-F-35081.

3.1.2 Nonfat dry milk.- Nonfat dry milk (used also to fortify, as applicable) shall conform to the commodity requirements for type I, style B or type II, style A product of MIL-M-35052.

3.1.3 Stabilizing salts.- Stabilizing salts (type III product only) shall meet the requirements of 3.5. If used, the weight added shall not exceed 0.3 percent of the weight of the finished product.

3.1.4 Emulsifiers.- Emulsifiers shall meet the requirements of 3.5. If used, the weight added shall not exceed 0.5 percent of the weight of the finished product.

3.1.5 Vitamins.- When specified (see 6.2) type I, style A shall contain added vitamin D and type II, except style E, shall contain added vitamins A and D. When Vitamin addition is not specified or specifically excluded, they may be added.

3.2 Preparation.-

3.2.1 Milk (except chocolate flavored), cream and half-and-half.-

3.2.1.1 Mixing.- A sufficient quantity of potable water shall be combined with the necessary ingredients from 3.1.1 through 3.1.5 to produce the product specified. The thoroughly blended mixture shall be pasteurized, homogenized and handled as specified.

3.2.1.2 Pasteurization.- Pasteurization may be performed prior to or following homogenization and shall be according to 3.2.1.2.1 or 3.2.1.2.2, as applicable.

3.2.1.2.1 Type I and II milk shall be pasteurized by subjecting every particle of product to: (1) a temperature of not less than 145°F. for not less than 30 minutes, (2) a temperature of not less than 161°F. for not less than 15 seconds, or (3) any other pasteurization process which has been demonstrated to be equally efficient in the destruction of micro-organisms.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

3.2.1.2.2 Type III product shall be pasteurized by subjecting every particle of product to: (1) a temperature of not less than 150°F. for not less than 30 minutes, (2) a temperature of not less than 166°F. for not less than 15 seconds, or (3) any other pasteurization process which has been demonstrated to be equally efficient in the destruction of micro-organisms.

3.2.1.3 Homogenization.- When specified (see 6.2), the finished product shall be homogenized at such temperatures and pressure as will insure the break-up of the fat globules to meet the requirements of 3.3.1.

3.2.1.4 Cooling and handling.- Following pasteurization (and homogenization, if required), the products shall be cooled immediately to a temperature of 45°F. or lower, and maintained at a temperature not exceeding 45°F. until time of delivery. Unless otherwise specified (see 6.2), the finished product shall be delivered within 48 hours after date of pasteurization or manufacture.

3.2.1.5 Vitamin addition.- When Vitamin addition is specified, the levels of vitamins shall meet the requirements of 3.3.2. Vitamin addition may be made in any manner that complies with 3.5.

3.2.2 Chocolate flavored milk.- Type I, style B and type II, style E products shall meet the physical and composition requirements for types I and II, No. 3 products respectively, of C-C-310 except that the fat, used in place of milk fat shall comply with 3.1.1 of this specification.

3.2.3 Cottage cheese.- Type IV product shall meet the requirements for type II, class B product of C-C-281 except that the cream dressing shall comply with the requirements for half-and-half (type III, style B) of this specification.

3.3 Finished product.-

3.3.1 Physical requirements.- Types I (style A), II (except style E), and III of the finished products shall possess a sweet pleasing flavor, free from undesirable off-flavors, and it shall have a white or light-cream color. They shall not be adulterated by the addition of preservatives, chemicals, neutralizers or other foreign substances. In addition, types I, II (styles C and D), and III products shall have been homogenized (see 3.2.3) to such an extent that after 48 hours of quiescent storage at a temperature of not lower than 40°F. nor higher than 45°F., no visible cream separation, fat layer or product separation shall occur.

3.3.2 Chemical requirements.- The products shall comply with the following chemical requirements as applicable (see 3.2.2 and 3.2.3):

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

For type I (Style A):

Fat	- not less than 3.25 percent
Milk solids-not-fat	- not less than 8.25 percent
Vitamin D, when specified	- not less than 400 I.U. units per quart of milk
Phosphatase; not to exceed;	- 4 micrograms of phenol equivalents per ml.

For type II (Styles A - D):	Style A	Style B	Style C	Style D
Fat - not more than (percent)	0.5	0.5	2.0	2.0
Fat - not less than (percent)	-	-	0.5	0.5
Total solids - not less than (percent)	8.8	10.4	9.8	11.5
Vitamin A, enriched when specified - not less than	All styles - 2,000 I.U. units per quart of milk.			
Vitamin D, enriched when specified - not less than	All styles - 400 I.U. units per quart of milk.			
Phosphatase; not to exceed;	All styles - 4 micrograms of phenol equivalent per ml. of milk.			

For type III:	Style A	Style B
Fat - not less than (percent)	18.0	10.5
Total solids - not less than (percent)	25.2	19.5
Titratable acidity (calculated as lactic acid) - not more than (percent)	0.16	0.16
Phosphatase; not to exceed; both styles	- 4 micrograms of phenol equivalent per gr. or ml. of product.	

3.3.3 Bacteriological requirements.- The standard plate count for Type I and II (except chocolate) and Type III shall not exceed 20,000 bacteria per ml. in 2 of the last 4 consecutive samples, taken on separate days. In addition, at no time after pasteurization and until time of delivery, shall the coliform count exceed 10 per ml. in more than two samples in each series of 4, each sample to be taken on a separate day.

3.4 Workmanship.- The product shall be processed in establishments meeting the requirements of MIL-STD-668. It shall be prepared and processed with minimum delay between the various stages in production.

3.5 All food deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preacceptance inspection.- Product shall be rejected if produced in plants which do not meet the requirements of MIL-STD-668.

4.3 Sampling for inspection.- Sampling for inspection shall be in accordance with MIL-STD-105, except as stated herein.

4.3.1 Inspection of components (examination and testing).- In accordance with 4.1 above, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.1.1 Inspection of fat and milk, dry, nonfat.- Inspection of fat and milk, dry nonfat, shall be made in accordance with the applicable examination criteria of MIL-F-35081 and MIL-M-35052, except that the sampling plans and acceptable quality levels (AQLs) shall not apply. The sample for examination shall be a 1-pound composite derived from 5 primary containers or all primary containers if less than 5 form a lot. Nonconformance to one or more requirement(s) shall be cause for rejection of the involved lot of finished product.

4.3.1.2 Examination of stabilizing salts and emulsifiers.- Determination of compliance with requirements of 3.1.3 and 3.1.4 as concerns identity shall be ascertained by examination of labels, invoices, or other valid documents. Nonconformance to one or more identity requirements shall be cause for rejection of the involved lot of finished product.

4.3.1.3 Examination of vitamins A and D concentrates.- Examination shall be made of vitamin A and D concentrates to determine compliance with the referenced requirements of 3.5, as concerns identity. This examination shall be made by a review of labels, invoices, or other valid documents. Noncompliance with the identity requirements shall indicate and unacceptable component(s) and, as such, shall be cause for rejection of the involved lot of finished product.

4.3.1.4 Testing of components.- Testing of components described in this specification shall be as shown in table I. Results shall apply to the sample unit. Nonconformance to one or more test requirement(s) shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

TABLE I.- Testing of components

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported as	Test ref & reqmt paragraph
Primary container	Primary container	Primary containers	S-1	Residual standard plate count	Bacteria colonies per ml. of capacity	5.1.1
Caps or cover	Caps or cover	Caps or cover	S-1	Residual standard plate count	Bacteria colonies per sample unit	5.1.1

4.3.2 Process examination.- Examination shall be made during processing to determine compliance with 3.2 and 5.1.1, 5.1.1.1 and 5.1.2, as concerns procedures, equipment, controls, and formulation (see 3.1.3, and 3.1.4). Formulation, temperature(s), and time interval records shall be maintained. Noncompliance with one or more requirements as determined by actual examination or as reflected by the examination of records shall be cause for rejection of the involved quantity of product.

4.3.3 Examination of end item.- Classification of defects found during examination shall be in accordance with tables III through VI and 4.3.3.1 through 4.3.3.4. The examination criteria for the above tables shall be as shown in table II. AQLs shall be expressed in terms of defects per hundred units for tables III, IV and V, and as percent defective for table VI.

TABLE II.- End item examination criteria

Table	Inspection level	Sample unit	Lot size expressed in	AQLs			
				Major A	Major B	Minor	Total
III	I	1 primary container	Primary containers	0.25	1.5	-	4.0
IV	I	1 primary container	Primary containers	0.25	1.5	-	4.0
V	S-2	Contents of 1 primary container	Primary containers	-	1.5	-	-
VI	S-3	Contents of 1 primary container	Primary containers	-	-	2.5	-

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

TABLE III.- External examination of primary containers (multi-gallon)

Category			Defect	Bulk milk dispenser container 1/	Single service non-returnable disposable can 2/
Major A	Major B	Minor			
101			Leaker	X	X
102			Closure not as specified (in one or more respects tally 1 defect)	X	X
103			Dispenser tube or discharge not properly protected	X	-
104			Improperly closed	X	X
	151		Not type, style or size specified	X	X
	152		Severe dent (as applicable)	X	X
105			Crushed (affecting serviceability), as applicable	X	X
	153		Pitted rust (as applicable) 3/	X	X
	154		Nomenclature on label missing, incorrect or illegible	X	X
		201	Not clean 4/ 5/	X	X
		202	Moderate dent (as applicable)	X	X
		203	Labeling information, other than nomenclature missing, incorrect or illegible	X	X

1/ See MIL-STD-175 for proper closure, sealing, protection of dispenser or discharge tubing and tagging of dispenser containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

2/ USDA-CMS-Visual Aid #1 shall be used as a guide for classification of defects.

3/ Rust that can be removed by wiping with a cloth will not be considered as pitted rust.

4/ Cans showing a very thin film of grease which is discernible to the touch but not readily discernible visually are considered to be clean.

5/ Applicable only when not in violation with regulations referenced in 3.5.

TABLE IV.- External examination of primary containers (containers one-gallon or less)

Category			Defect	Single service fiberboard containers	Multi-service glass containers w/ cap-covers
Major A	Major B	Minor			
101			Leaker	X	X
102			Crushed, broken or cracked	X	X
103			Not closed or sealed	X	X
104			Pouring lip not completely covered to its largest diameter 1/	-	X
	151		Not plastic or wax (when specified) coated	X	-
105			Chipped or thin spot	-	X
	152		Not type, style or size specified (when specified)	X	X
	153		Nomenclature of label missing, incorrect or illegible (body or cap)	X	X
		201	Chipped (other than lip) or thin spot	-	X
		202	Not clean 2/	X	X
		203	Labeling information, other than nomenclature missing, incorrect or illegible 3/	X	X

1/ See 5.1.1.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

2/ Applicable only when not in violation with regulations referenced in 3.5.

3/ See 5.3.

TABLE V.- Examination for product characteristics 1/ 2/

Category	Defect
Major B	
151	Not a sweet pleasing flavor
152	Not a white or light-cream color

1/ Applicable to types I (Style A), II (except Style E) and III.

2/ Presence of any foreign material(s) (e.g., rust, dirt, grease, wood particles, paint, insects, insect parts, glass; hair, metal, paper, or objectionable flavors and odors (e.g., oxidized, stale, tallowy, etc.), shall be basis for rejection of the entire lot.

TABLE VI.- Examination for volume 1/ 2/ 3/

Category	Defect
Minor	
201	Volume of contents more than 5 percent under specified volume (containers 1 pint or less).
202	Volume of contents more than 2 percent under specified volume (containers more than 1 pint but not more than 1 gallon).
203	Volume of contents more than 1 percent under specified volume (containers more than 1 gallon).

1/ Lot shall be rejected if sample data indicate lot average is less than specified volume.

2/ Determine volume at 40° - 45°F.

3/ Report to the nearest 1/8 fluid ounce for defect 201, 1/2 fluid ounce for defect 202, and 1 fluid ounce for defect 203.

4.3.3.1 Examination of finished product for homogenization efficiency.- Examination for homogenization efficiency shall be in accordance with 3.3.1. Procedures for testing for homogenization efficiency shall be in accordance with 4.5.3. Lot size shall be expressed as number of primary containers. A lot shall consist on one size and type of primary container, containing one type and style of product. The sample for testing shall be a 1-quart sample, obtained from 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

primary container, except for primary containers of less than 1-quart capacity, in which case sufficient primary containers shall be drawn to obtain 1 quart for testing. Nonconformance to test requirements shall be cause for referral to the responsible authority for administrative action.

4.3.3.2 Examination and testing of chocolate flavored milk and cottage cheese.- Examination and testing of these products shall be made in accordance with the applicable examination criteria of C-C-310 and C-C-281, except that the fat and cream dressing components shall be in accordance with 3.1.1 (see also 3.2.2) and 3.2.3 respectively.

4.3.3.3 Examination of the filled and closed shipping container.- Examination of the filled and closed shipping container shall be in accordance with examination criteria of PPP-B-636 for level C pack. In addition, the following defects shall be included in the table of examination: Major: Marking: Missing, incorrect, or illegible. Minor: Arrangement not as specified.

4.3.3.4 Examination for temperature and age at time of delivery.- Examination shall be made of product temperature at time of delivery. The sample unit for examination shall be one primary container of each size container delivered. Lot size shall be expressed in terms of the sample unit and the sample size for inspection shall be the number of sample units indicated by inspection level S-2. In addition, examination of product age shall be made at time of delivery by a check of date or code stampings on the containers sampled for temperature. Finding of any temperature not in accordance with the requirements in 3.2.1.4 or finding of any container more than 48 hours old following pasteurization or manufacture or absence of date or code markings on more than one container, shall be cause for rejection of the lot.

4.3.4 Sampling procedures and acceptance criteria for testing of finished product.- The finished product, except Chocolate Flavored Milk and Cottage Cheese (see 4.3.3.2), shall be tested for the characteristics specified in 3.3.2 and 3.3.3. Procedures for testing for chemical and bacteriological requirements for all other items shall be in accordance with 4.5. Lot size shall be expressed in terms of gallons and shall consist of primary containers containing one type and style of product. The sample for testing shall be the contents of one primary container for each type product supplied, except for bulk containers of more than 1/2 gallon. The sample for primary containers greater than 1/2 gallon shall be a one-pint (sterile container) sample, derived from one primary container. Results shall be reported as indicated in 4.3.4.2. If the test for Vitamin A and D (as applicable) made on the initial production lot complies with the requirement, thereafter, the testing for vitamin(s) need be run every six months or when special testing is deemed necessary by the Government. If the initial production lot does not comply with the test requirements, testing of subsequent lots shall be continued until two successive lots are in compliance. Nonconformance of one or more test requirements for chemical of phosphatase shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

4.3.4.1 Bacteriological requirements.- Bacterial and coliform requirements shall be based on 4 consecutive samples taken in separate days and as specified in 3.3.3. If the standard plate count and coliform count of the last four consecutive samples do not meet the aforementioned referenced requirements, the finished product shall be considered as noncomplying and as such shall be cause for referral to the responsible authority for administrative action.

4.3.4.2 Reporting of test results.- 1/ Test results shall be reported as follows:

	Type I 2/	Type II 2/	Type III 2/
Fat	0.01 percent	0.1 percent	0.1 percent
Milk solids not-fat	0.01 percent	---	---
Total solids	---	0.1 percent	0.1 percent
Titratable acidity	---	---	0.01 percent
Vitamin A	---	50 I. U.	---
Vitamin D	50 I. U.	50 I. U.	---
Bacterial requirements	3/	3/	3/
Phosphatase	Pass or fail	Pass or fail	Pass or fail

1/ Not applicable to Type I, Style B and Type II, Style E.

2/ Unless otherwise specified, report to nearest value shown.

3/ In accordance with Standard Methods for Examination of Dairy Products.

4.4 Standby test samples.- The Government reserves the right to withdraw and hold standby test samples of components of finished product or both (quantity of which shall be not more than twice that required by this specification) for inspection purposes. Samples not used will be returned to the supplier.

4.5 Tests.- Test procedures and controls which differ from those specified herein, may be used by the supplier if they provide a quality assurance equivalent to that specified. If The Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.5.1 Chemical analyses.- Chemical analyses shall be made in accordance with the following methods from Official Methods of Analysis of the Association of Official Agricultural Chemists; Chapter: Dairy Products:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

Type of Product	Test	Section	Method
I 1/	Fat	Milk	Roese-Gottlieb
	Milk solids not-fat	Milk	Total solids (method I) (subtract percent fat from percent total solids)
II 2/	Fat	Milk	Roese-Gottlieb
	Total solids	Milk	Total solids (method I)
III	Fat	Cream	Roese-Gottlieb
	Total solids	Cream	Total Solids
	Titratable acidity	Milk	Acidity (weigh sample)

1/ Except type I style B (see 3.2.1.1).

2/ Except type II style E (see 3.2.1.1).

4.5.1.1 Vitamins A and D (types I and II products).- When tested, the quantities of vitamins A and D shall be determined by the following applicable methods as described in Official Methods of Analysis of the Association of Official Agricultural Chemists, chapter: Nutritional Adjuncts:

Section	Method
Vitamin A	Carr-Price
Vitamin D	Vitamin D in milk

4.5.1.2 Phosphatase.- Phosphatase shall be determined as described in Official Methods of Analysis of the Association of Official Analytical Chemists, Chapter: Dairy Products, Method: Residual Phosphatase (Method II).

4.5.2 Bacteriological examination (all types).- Bacteriological analyses shall be made in accordance with the following methods as published in Standard Methods for the Examination of Dairy Products:

Test	Chapter	Method
Standard Plate Count	Agar Plate	---
Coliform Count	Coliform Bacteria	Coliform test using Desoxycholate Lactose Agar

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

4.5.3 Homogenization efficiency (all Types).- Efficiency of homogenization shall be tested by filling a 1-quart glass milk bottle with product and storing under quiescent conditions at a temperature not below 40°F. nor above 45°F. for a period of 48 hours, after which time the product shall be observed to determine the presence of any visible cream separation, fat layer, or product separation.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level C.- The product shall be packaged in single or multi-service containers of the capacity specified (see 6.2), or, when specified (see 6.2), in sealed milk dispenser containers complying with MIL-STD-175.

5.1.1 All containers shall be sound and clean, and shall afford adequate and proper protection of the contents from contamination. Immediately before use, multi-service containers shall be subjected to an approved bactericidal treatment after cleaning. For all single and multi-service containers, prior to use, the residual standard-plate count shall be not more than one colony per milliliter of capacity, and for the caps or covers not more than 10 colonies each, as determined in accordance with procedures described in Standard Methods for the examination of Dairy Products, chapter: Tests for Sanitation of Equipment and Containers; Section: Rinse Methods.

5.1.1.1 All containers except dispenser containers shall be filled and closed by sanitary mechanical methods. The bulk dispenser containers shall be filled in a manner that will protect the top of the container effectively during filling. After filling, the containers shall be immediately closed and sealed. Containers fabricated at the supplier's plant shall be suitably protected from contamination during fabrication and filling. The pouring lip of all containers closed by cap or cover shall be completely covered to at least its largest diameter by cap or cover, except that paper, sanitary milk containers which do not form a pouring lip until opened, are exempted from this requirement.

5.1.2 Five-gallon non-returnable cans.- When specified (see 6.2), 5 gallons of the product shall be packaged in a size 906 by 906 by 1312 or 1314 metal can. The cans shall be constructed with soldered side seams and double-seamed soldered or unsoldered ends. The weight of tin coating and base weight of plate shall be in accordance with the can manufacturer's recommendations. The closure of the can shall be that normally used for the product. Cans shall be cleaned not more than 4 hours before filling, using water at a temperature not less than 175°F. to clean the can interior thoroughly. Clean cans shall be maintained and handled under clean and sanitary conditions free from airborne dust and insects.

5.2 Packing, level C.- Twelve 2-quart, twenty-four 1-quart, or forty-eight 1-pint containers, or 1 dispenser container, as applicable shall be packed on end in snug-fitting shipping containers in accordance with 5.2.1 or 5.2.2, as applicable. The 5-gallon non-returnable can shall serve as a shipping container.

5.2.1 For preparation in temperate climates.- The shipping container shall be constructed and closed in accordance with style RSC, type CF or SF, class domestic, method II closure, of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

5.2.2 For preparation in tropical climates.- The shipping container shall be constructed and closed in accordance with style RSC, V3c or V3s, of PPP-B-636.

5.3 Labeling and marking.-

5.3.1 Unit containers.- The following information shall be printed on each container, in not less than 12-point type using a moisture-proof ink:

Name of Product

Net contents

In addition, the following precautionary labeling shall be included on unit containers larger than 2-quart capacity:

PERISHABLE

KEEP REFRIGERATED (40°F. OR LESS)

DO NOT FREEZE

5.3.2 Shipping container.- Shipping containers shall be marked in accordance with MIL-STD-129. In addition, the following precautionary markings shall be included on top of the shipping container:

PERISHABLE

KEEP REFRIGERATED (40°F. OR LESS)

DO NOT FREEZE

6. NOTES

6.1 Intended use of product and technical information.- Products covered by this specification are intended to be used when authorized, in areas outside the limits of Continental United States or in areas where its manufacture and sale is not prohibited by law, where a sufficient supply of satisfactory fresh fluid milk, skim or low-fat milk, cream, half-and-half and chocolate-flavored milk and cottage cheese from authorized sources is not available. Considerable mechanical dairy equipment and refrigeration, as well as technical knowledge in the operation of dairy plant equipment and sanitation, are essential for production of satisfactory finished products. Refrigeration (40°F. or lower but not frozen) is necessary for the finished products between production and time of use. Finished products must be protected from freezing.

6.2 Ordering data.- Procurement documents should specify the following:

(a) Title, number and date of this specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

(b) Type and style (types I, II and III), of product required (see 1.2).
(c) When homogenization is required (see 3.2.1.3).
(d) When delivery time shall be other than that specified in 3.2.1.4.
(e) When added vitamins A or D are required (see 3.2.1.5).
(f) Type of packaging required (see 5.1 and 5.1.2).
(g) Capacity of single or multi-service containers (see 5.1).

6.3 Packing specified in 5.2.2 is intended to provide the limited Military protection for specific operational requirements.

6.4 Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

Army - GL

Project No. 8910-0184

Review activities:

Army - MD
Navy - MC, SA
Air Force - 45

☆U.S. GOVERNMENT PRINTING OFFICE: 1976-703-020/1065

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-M-35082B - Milk (Plain or Chocolate Flavored), Cream, Half and Half, Filled and Cheese, Cottage, Creamed, and Filled

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Natick Research and Development Command
ATTN: DRXNM-TD
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:55Z
Check the source to verify that this is the current version before use.