MILITARY SPECIFICATION

PAD, POLISHING, OPHTHALMIC LENS, ROUND, 4 INCH, 100s

This specification has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force.

1. SCOPE

1.1 This specification covers a round fabric pad suitable for use in surfacing and polishing ophthalmic lenses.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids, form a part of this specification:

SPECIFICATIONS

FEDERAL

CCC-T-191 — Textile Test Methods.

PPP-B-566 — Boxes, Folding, Paperboard.

PPP-B-585 — Boxes, Wood, Wirebound.

PPP-B-601 — Boxes, Wood, Cleated-Plywood.

PPP-B-621 — Boxes, Wood, Nailed and Lock-Corner.

PPP-B-636 — Box, Fiberboard.

PPP-B-676 — Boxes, Set-Up, Paperboard.

MILITARY

MIL-B-10377 — Box, Wood, Cleated, Veneer, Paper Overlaid.

MIL-L-10547 — Liners, Case, Waterproof.

STANDARDS

MILITARY

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 — Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material.

3.1.1 *Stock.* The stock for both the warp and filling shall be 100 percent domestic wool not lower in grade than 64's. Stock shall be

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.

of good character, sound, well conditioned, and shall meet the requirements hereinafter specified.

3.1.2 *Yarn.* Fibres shall be well carded and evenly spun into yarns for both the warp and filling. The yarn shall be free from the admixture of vegetable matter, garnetted wools, waste, or any other adulterants. Yarn shall be 3-run for the warp and 3⅝-run for the filling.

3.1.3 *Color.* Color shall be one of the manufacturer's standard colors, stock dyed with the best quality dyes. The finished fabric shall be free from top dressing, "spec" dyeing, penciling, or inking.

3.1.3.1 *Colorfastness.* The finished fabric shall show good fastness to crocking and laundering when tested as specified in 4.4.

3.1.4 *Physical requirements.*

3.1.4.1 *Weight.* Weight of the finished fabric shall be 24-25 ounces per linear yard for a width of 57 inches inside selvages when tested as specified in 4.4.

3.1.4.2 *Thread count.* The finished ends of the fabric shall be 57 per inch minimum and the finished picks shall be 59 per inch minimum when tested as specified in 4.4.

3.1.4.3 *Breaking strength.* The finished fabric shall have a minimum warp break of 70 pounds and a minimum filling break of 60 pounds when tested as specified in 4.4.

3.1.4.4 *Shrinkage.* The finished fabric shall have a maximum warp shrink of 3½ percent and a maximum filling shrink of 3 percent when tested as specified in 4.4.

3.1.5 *Finish.* The finish fabric shall be thoroughly fulled and covered, well sheared and pressed, and shall have a wool broadcloth finish.

3.1.6 *Acidity.* The pH of the finished fabric shall be not lower than 4.0 nor more than 7.0 when tested as specified in 4.4.

3.2 Dimensions. Each pad shall be one thickness of fabric and 4 ± ⅛ inches in diameter.

3.3 Workmanship. Workmanship shall be first class throughout. The pads shall be clean, evenly woven, free from lint and other defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibilities for inspection. Unless otherwise specified herein, the supplier is responsible for the performance of all inspection requirements prior to submission for Government inspection and acceptance. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. Inspection records of the examinations and tests shall be kept complete and available to the Government as specified in the contract or order.

4.1.1 Inspection, as used in this specification, is defined as both examination (such as visual, etc., investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.2 *Certificates of quality.* When available, certificates of quality, supplied by the manufacturer of the component or material, listing the specified test method and test results obtained, may be furnished in lieu of actual performance of such testing by the contractor.

4.2 Sampling.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.

4.2.1 *For examination.* Sampling for examination shall be conducted in accordance with Standard MIL-STD-105.

4.2.2 *For tests.* Sampling for tests shall be conducted in accordance with Standard MIL-STD-105. The unit of product for testing shall be the quantity of material necessary to perform all required tests one time each, taking into consideration the fact that, where possible, the same material may be used to perform two or more tests.

	Inspection level	*AQL (percent defective)*	*Minimum sample size*
Component material testing	L2	*	2

* Acceptance number shall be zero (0) for all sample sizes.

4.3 Examination. The pads shall be examined to determine compliance with all requirements contained in this specification.

4.4 Tests. Tests shall be conducted, as necessary, to determine compliance with specification requirements, and wherever applicable, the methods of testing specified in Specification CCC-T-191 shall be followed. In addition, the tests specified below of the same specification shall be conducted.

Test	*Method*
Colorfastness to crocking	5650
Colorfastness to laundering	5614
Weight	5041
Thread count	5050
Breaking strength	5100
Shrinkage	5590
Acidity	2811

5. PREPARATION FOR DELIVERY

5.1 Packaging.

5.1.1 *Unit of issue.* One hundred (100) pads, as specified, constitute one unit of issue.

5.1.2 *Packaging quantities.* The number of units of issue indicated in table I shall be packaged in each unit and exterior container, as applicable, for the required level of protection specified in procurement document.

TABLE I. *Packaging quantities*

Unit package	*Intermediate package*	*Exterior container*
1 unit	Not required	36 units

5.1.2.1 *Packing variation permitted.* If the required number of units to be shipped is less than the number of units specified to be overpacked in an exterior container, such units shall be packed in an exterior container of suitable size and design, acceptable to a common carrier, which will insure safe delivery to destination.

5.1.3 *Level A.*

5.1.3.1 *Unit package.* Each unit shall be packaged in a carton of appropriate size, constructed in accordance with Specification PPP-B-566 or PPP-B-676.

5.1.4 *Level C.* Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose within the continental limits of the United States of America.

5.2 Packing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.

5.2.1 *Level A.*

5.2.1.1 *Exterior container.* Exterior container shall be designed for type 2 load, and constructed in accordance with Specification PPP-B-585, style 8, for class 3 use; PPP-B-601, table II, using type III, class 1 plywood; PPP-B-621, table III; or MIL-B-10377, table II.

5.2.1.2 *Case liner.* Each level A box shall be lined with a waterproof case liner, conforming to Specification MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto.

5.2.1.3 *Strapping.* Strapping, when required, shall be in accordance with applicable box specifications.

Note: Strapping will not be required for shipments forwarded to a receiving activity within the continental limits of the United States for storage and redistribution.

5.2.2 *Level B.*

5.2.2.1 *Exterior container.* Exterior container shall be constructed in accordance with Specification PPP-B-621, table I, or PPP-B-636, type I, class 1, fabricated from not less than 275-pound test fiberboard.

5.2.3 *Level C.* The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 **Marking.**

5.3.1 *Unit package.* Each unit package shall be marked in accordance with section 5 of Standard MIL-STD-129.

5.3.2 *Exterior container.* Exterior container shall be marked in accordance with Standard MIL-STD-129.

6. NOTES

6.1 **Ordering data.** Procurement documents should specify the following:

(a) Number and date of this specification.

(b) Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

6.2 This specification does not include all types, classes, grades, sizes, etc., of the commodity indicated by the title of this specification, or which are commercially available, but is intended to cover the types, etc., which are normally procured to meet Military requirements.

6.3 **Transportation description.** Transportation description applicable to this item is:

Dry Goods, NOIBN, in Boxes.

Carload minimum weight 20,000 pounds subject to Rule 34 of the Uniform Freight Classification.

Truckload minimum weight, any quantity, per National Motor Freight Classification.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodians:
Army—Army Medical Service
Navy—Bureau of Medicine and Surgery
Air Force

Preparing activity:
Navy—Bureau of Medicine and Surgery
(MMSA)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 **1426**

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1973—714-866/3983 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Defense Personnel Support Center
ATTN: DPSC-ATTS
2800 South 20th Street
Philadelphia, Pennsylvania 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:59Z
Check the source to verify that this is the current version before use.