MILITARY SPECIFICATION

MICROCIRCUITS, DIGITAL, TTL, HEX BUS DRIVERS
WITH 3-STATE OUTPUTS, MONOLITHIC SILICON

This amendment forms a part of Military Specification MIL-M-38510/163A dated 7 August 1984. and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

* TABLE I, V_{OC} conditions column: Delete "5.5 V" and substitute "0.0 V".

TABLE I, t_{PLH}, conditions column, after C_L = 50 pF: Add "±10%". Make this same change to page 4 for t_{PHL}, t_{PZH}, t_{PHZ}, t_{PZL}, t_{PLZ}.

PAGE 10

FIGURE 4, C_L column: After 50 pF: Add "±10%", six places.

PAGE 13

TABLE III, V_{OC}, tests 75 through 80 at pin 16: Delete "5.5 V" and substitute "0.0 V".

TABLE III, I_{OS}, I_{CC} tests 81 through 87, pin 16: Delete as required and substitute "5.5 V". Make these same changes to pages 16, 19, and 22.

PAGE 14

* TABLE III, tests 100 through 103, and 116 through 119, delete and substitute (with same limits and units) as follows:

t_{PZH}		100	B	3.0 V	OUT	3.0 V		3.0 V		GND		3.0 V		3.0 V		3.0 V	GND	5.0 V	$\overline{G}_1$ to 1_Y
t_{PZL}		101	GND	GND	"	GND		GND		"		GND		GND		GND	B	"	$\overline{G}_2$ to 1_Y
t_{PHZ}		102	B	3.0 V	"	3.0 V		3.0 V		"		3.0 V		3.0 V		3.0 V	GND	"	$\overline{G}_1$ to 1_Y
t_{PLZ}		103	B	GND	"	GND		GND		"		GND		GND		GND	GND	"	$\overline{G}_1$ to 1_Y

t_{PZH}		116	B	3.0 V	OUT	3.0 V		3.0 V		GND		3.0 V		3.0 V		3.0 V	GND	5.0 V	$\overline{G}_1$ to 1_Y
t_{PZL}		117	GND	GND	"	GND		GND		"		GND		GND		GND	B	"	$\overline{G}_2$ to 1_Y
t_{PHZ}		118	B	3.0 V	"	3.0 V		3.0 V		"		3.0 V		3.0 V		3.0 V	GND	"	$\overline{G}_1$ to 1_Y
t_{PLZ}		119	B	GND	"	GND		GND		"		GND		GND		GND	GND	"	$\overline{G}_1$ to 1_Y

Source: https://assist.dla.mil -- Downloaded: 20261O-21T13:42Z
Check the source to verify that this is the current version before use.

PAGE 17

* TABLE III, tests 100 through 103 and 116 through 119, delete and substitute (with same limits and units) as follows:

t_{PZH}	100	B	GND V	OUT	GND V	GND	GND	GND	GND	GND	GND	5.0 V	$\overline{G}_1$ to 1y
t_{PZL}	101	GND	3.0 V	"	3.0.V	3.0 V	"	3.0 V	3.0 V	3.0 V	B	"	$\overline{G}_2$ to 1y
t_{PHZ}	102	B	GND V	"	GND V	GND V	"	GND	GND	GND	GND	"	$\overline{G}_1$ to 1y
t_{PLZ}	103	B	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	GND	"	$\overline{G}_1$ to 1y

t_{PZH}	116	B	GND	OUT	GND	GND	GND	GND	GND	GND	GND	5.0 V	$\overline{G}_1$ to 1y
t_{PZL}	117	GND	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	B	"	$\overline{G}_2$ to 1y
t_{PHZ}	118	B	GND	"	GND	GND	"	GND	GND	GND	GND	"	$\overline{G}_1$ to 1y
t_{PLZ}	119	B	3.0 V	"	3.0 V	3.0 V	"	3.0.V	3.0 V	3.0 V	GND	"	$\overline{G}_1$ to 1y

PAGE 20

* TABLE III, tests 100 through 103 and 116 through 119, delete and substitute (with same limits and units) as follows:

t_{PZH}	100	B	3.0 V	OUT	3.0 V	3.0 V	GND	3.0 V	3.0 V	3.0 V	GND	5.0 V	$\overline{G}_1$ to 1y
t_{PZL}	101	"	GND	"	GND	GND	"	GND	GND	GND	"	"	$\overline{G}_1$ to 1y
t_{PHZ}	102	"	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	"	"	$\overline{G}_1$ to 1y
t_{PLZ}	103	"	GND	"	GND	GND	"	GND	GND	GND	"	"	$\overline{G}_1$ to 1y

t_{PZH}	116	B	3.0 V	OUT	3.0 V	3.0 V	GND	3.0 V	3.0 V	3.0 V	GND	5.0 V	$\overline{G}_1$ to 1y
t_{PZL}	117	"	GND	"	GND	GND	"	GND	GND	GND	"	"	$\overline{G}_1$ to 1y
t_{PHZ}	118	"	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	"	"	$\overline{G}_1$ to 1y
t_{PLZ}	119	"	GND	"	GND	GND	"	GND	GND	GND	"	"	$\overline{G}_1$ to 1y

PAGE 23

* TABLE III, tests 100 through 103 and 116 through 119, delete and substitute (with same limits and units) as follows:

t_{PZH}	100	B	GND	OUT	GND	GND	GND	GND	GND	GND	GND	5.0 V	$\overline{G}_1$ to 1y
t_{PZL}	101	"	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	"	"	$\overline{G}_1$ to 1y
t_{PHZ}	102	"	GND	"	GND	GND	"	GND	GND	GND	"	"	$\overline{G}_1$ to 1y
t_{PLZ}	103	"	3.0 V	"	3.0 V	3.0 V	"	3.0 V	3.0 V	3.0 V	"	"	$\overline{G}_1$ to 1y

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:42Z
Check the source to verify that this is the current version before use.

t_{PZH}		116	B	GND	OUT	GND		GND		GND		GND		GND		GND	GND	5.0 V	G_1 to 1_Y
t_{PZL}		117	"	3.0 V	"	3.0 V		3.0 V		"		3.0 V		3.0 V		3.0 V	"	"	G_1 to 1_Y
t_{PHZ}		118	"	GND	"	GND		GND		"		GND		GND		GND	"	"	G_1 to 1_Y
t_{PLZ}		119	"	3.0 V	"	3.0 V		3.0 V		"		3.0 V		3.0 V		3.0 V	"	"	G_1 to 1_Y

NOTE: The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - ER
Navy - EC
Air Force - 17

Review activities
Army - AR, MI
Navy - SH, OS
Air Force - 11, 19, 85, 99
DLA - ES

User activities:
Army - SM
Navy - AS, CG, MC

Agent:
DLA - ES

Preparing Activity:
Air Force - 17

(Project 5962-0759)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:42Z
Check the source to verify that this is the current version before use.