MIL-G-22786A

31 January 1974

SUPERSEDING
MIL-G-22786(S&A)
10 April 1964

MILITARY SPECIFICATION

GRATER, FOOD, (NON-MECHANICAL)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE. This specification covers one type and size of non-mechanical food grater.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard
PPP-B-636 - Boxes, Shipping, Fiberboard
PPP-B-676 - Boxes, Set-Up

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 20260-19T13:59Z
Check the source to verify that this is the current version before use.

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N. W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 First article. When specified (see 6.2) the supplier shall furnish a sample of the item to be procured under this specification for first article inspection and approval (see 4.3 and 6.5).

3.2 Standard product. The food grater delivered under this specification shall be the manufacturer's commercial product, except for any changes necessary to comply with specification requirements.

3.3 Materials. Materials shall be as specified herein. Materials not definitely specified shall be of the quality normally used by the manufacturer in his standard commercial food grater provided the completed item complies with all provisions of this specification. The material used shall have no adverse effect on the health of personnel when used for its intended purpose (see 6.4).

3.4 Design and construction. The grater shall be the half-round, open type with a single, coarse grating surface and shall be fabricated from stainless steel or plated steel not less than 0.0193 inches thick. The grater shall have a wire-reinforced bead on all edges and shall be reinforced on the back by two cross pieces, approximately one inch thick, fabricated from the same material as the grater. The finish shall be as specified in 3.5.

3.4.1 Handle. The grater shall be equipped with a handle, approximately one inch wide, fabricated from the same material as the grater. The handle shall be welded or riveted across the top of the grater body.

Source: https://assist.dla.mil -- Downloaded: 20260-19T13:59Z
Check the source to verify that this is the current version before use.

3.4.2 Dimensions. Dimensions shall be 3-7/8 inches wide by 9-1/4 inches long, exclusive of handle; and, 12-1/2 inches long overall. A tolerance of plus or minus 1/2 inch shall apply.

3.5 Finish. Stainless steel surfaces shall be polished in accordance with the manufacturer's commercial practice. Plated steel surfaces shall be plated in accordance with the manufacturer's commercial practice to a hard, nontoxic, nonabsorbing, and readily cleanable surface. Cadmium or zinc plating shall not be acceptable.

3.6 Marking for identification. The handle of each grater shall be permanently and legibly marked with the manufacturer's identification marking.

3.7 Workmanship. The finished grater shall be free from dirt and other harmful extraneous material, burrs, slivers, tool and grind marks, dents and cracks. External surfaces shall be free from sharp edges and corners, except where required.

3.7.1 Metal fabrication. Metal used in the fabrication of the grater shall provide for original quality surface finish and shall be free from kinks and unspecified bends. Forming and shearing shall not cause damage to the metal and shall be done neatly and accurately. All bends of a major nature shall be made with dies or fixtures to insure uniformity of size and shape.

3.7.2 Welding. The surfaces of parts to be welded shall be free from rust, scale, paint, grease and other foreign matter. Welds shall be smooth and free of cracks, burn holes, undercuts or incompleted fusion. All scale and flux shall be removed from the finish weld area.

3.7.3 Rivets. Rivet holes shall be accurately punched or drilled and shall have burrs removed. Rivets shall fill the hole completely and the heads shall be in full contact with the surface of the member and concentric with the hole.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 20260-19T13:59Z
Check the source to verify that this is the currentversion before use.

TABLE I. Classification of defects (cont'd)

Table	Defect	Classification Major	Minor
Construction and workmanship	Not in accordance with specific design requirements	X	
	Cracked or fractured metal	X	
	Sharp edges, slivers, or burrs, that may cause injury	X	
	Rivets not completely set, cracked, broken, or loose (when applicable)	X	
	Weld cracked or fractured, burned through, excess material not ground smooth, or excess flux or splatter not removed (when applicable)	X	
Identification marking	Missing, illegible, incorrect, incomplete, or in wrong location		X

4.4.2.2 Dimensional examination. The food grater shall be examined for compliance with 3.4.2. Any dimension not within the specified tolerance shall be considered a defect. The inspection level shall be S-2 and the acceptable quality level (AQL) shall be 4.0 expressed in defects per hundred units.

4.4.3 Examination of preparation for delivery. An examination shall be made to determine that packing and marking complies with the section 5 requirements. Defects shall be scored in accordance with table II. The sample unit shall be one shipping container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with an AQL of 2.5 defects, expressed in terms of defects per hundred units.

TABLE II. Examination of preparation for delivery

Examine	Defect
Marking	Omitted, incorrect, illegible, of improper size, location, sequence, or method of application
Materials	Any component missing, damaged, or otherwise defective
Workmanship	Inadequate application of components, such as incomplete closure of container flaps, loose strapping, improper taping or inadequate stapling Bulged or distorted containers
Contents	Number of graters per container is more or less than required

Source: https://assist.dla.mil -- Downloaded: 202610-19T13:59Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A or C as specified (see 6.2).

5.1.1 Level A.

5.1.1.1 Unit packaging. Each food grater shall be completely wrapped with minimum 30 pound basis weight kraft paper and the wrap shall be secured.

5.1.1.2 Intermediate packaging. Six food graters, unit packaged as specified in 5.1.1.1, shall be packaged in the most compact manner in a snug-fitting folding or set-up paperboard box, or fiberboard box conforming to variety 1, style III or VIII, type G, class 1 of PPP-B-566; type I, variety 1, grade B, class C, style 4 of PPP-B-676; or style RSC, type CF, variety SW, or type SF, class domestic of PPP-B-636, respectively. Box closure shall be in accordance with the applicable box specification.

5.1.2 Level C. The food graters shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Packing shall be level A, B, or C as specified (see 6.2).

5.2.1 Level A. Thirty-six graters, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, V2s of PPP-B-636. Each shipping container shall be closed, waterproofed by means of tape, and reinforced with flat strapping or tape banding in accordance with PPP-B-636.

5.2.2 Level B. Thirty-six graters, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF, variety SW, or type SF, class domestic of PPP-B-636. Each shipping container shall be closed in accordance with method II of the appendix of PPP-B-636.

5.2.2.1 When specified, see 6.2, the shipping container shall be V3c, V3s, or V4s, fabricated and closed in accordance with PPP-B-636.

5.2.3 Level C. Graters, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T13:59Z
Check the source to verify that this is the currentversion before use.

5.3 Marking. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. Food graters covered by this specification are intended for shredding food.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) When a first article is required (see 3.1, 4.3).
(c) Selection of applicable level of packaging and packing (see 5.1 and 5.2).
(d) When weather-resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1).

6.3 Contract data requirements. Any data items to be delivered under any contract for items covered by this specification should be specifically called for in the contract in accordance with the applicable regulations of the procuring activity.

6.4 Questions pertaining to the adverse effect of materials on the health of personnel shall be referred to the Medical Department of Respective Service who will act as an advisor to the procuring activity.

6.5 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample, initial production item or other specific item described under the definition of a first article in the ASPR. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the first article.

Custodians:

Army - GL
Navy - SA

Preparing activity:

Army - GL

Project No. 7330-0469

Review activities:

Army - MD
Navy - MS

User activities:

Navy - YD, MC, CG

Source: https://assist.dla.mil -- Downloaded: 202610-19T13:59Z
Check the source to verify that this is the currentversion before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T13:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-G-22786A GRATER, FOOD, (NON-MECHANICAL)

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-19T13:59Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U.S. ARMY NATICK LABORATORIES
NATICK, MA 01760

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

STSNLT-EQS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD - 314

Commander
US Army Natick Laboratories
ATTN: STSNLT-EQS
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-19T13:59Z
Check the source to verify that this is the current version before use.