MIL-I-21177B
21 September 1977
SUPERSEDING
MIL-I-21177A(SHIPS)
5 January 1962

MILITARY SPECIFICATION

INSECTICIDE, DIAZINON, LIQUID, RESIDUAL (0.5 PERCENT)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers an oil-base residual insecticide suitable for controlling cockroaches and ants.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

VV-K-220	-	Kerosine, Deodorized
PPP-C-96	-	Cans, Metal, 28 Gage And Lighter
PPP-C-704	-	Pails, Metal: (Shipping, Steel, 1 Through 12 Gallon)

Beneficial comments (recommendations, additons, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Natick Research and Development Command, Natick, MA 01760 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6840

Source: https://assist.dla.mil -- Downloaded: 202610-19T09:02Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-791 - Lubricants, Liquid Fuels And Related Products; Methods Of Testing

MILITARY

MIL-STD-105 - Sampling Procedures And Tables For Inspection By Attributes
MIL-STD-129 - Marking For Shipment And Storage
MIL-STD-147 - Palletized And Containerized Unit Loads, 40 Inch x 48 Inch Pallets, Skids, Runners or Pallet Type Base

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

Federal Insecticide, Fungicide, and Rodenticide Act

(Title 7 United States Code Section 135 et seq. as amended by the Federal Environmental Pesticide Control Act of 1972 (PL 92-516) and any regulations promulgated thereunder by the Administrator of the Environmental Protection Agency.)

(Application for copies should be addressed to the Environmental Protection Agency, Pesticide Registration Division, 401 M Street, S.W., Washington, DC 20460.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

3. REQUIREMENTS

3.1 Chemical composition. Sufficient technical diazinon containing a stabilizer shall be dissolved in odorless kerosine and auxiliary solvents so that the finished insecticide (at 77°F, 25°C) will contain not less than 0.5 percent by weight of actual diazinon (see 3.2.2).

3.1.1 Diazinon content. The technical grade of diazinon used in this formulation shall contain 90 ± 1 percent of actual diazinon. Diazinon is defined as the chemical 0,0-diethyl-0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate.

3.1.2 Kerosine. The kerosine used in this formulation shall conform to VV-K-220.

3.2 End item.

3.2.1 Appearance. The finished insecticide shall (1) at 80°F (27°C) be clear and homogeneous with no sediment when tested as specified in 4.4.1, and (2) at 32°F (0°C) be clear and homogeneous with no sediment or phase formation when tested as specified in 4.4.2.

3.2.2 Diazinon content. The insecticide shall contain a minimum of 0.50 percent by weight when tested as specified in 4.4.3.

3.2.3 Flashpoint. The insecticide shall have a minimum flashpoint of 125°F (52°C) when tested as specified in 4.4.4.

3.2.4 Residual odor. The insecticide shall have a mild and inoffensive odor when tested as specified in 4.4.5.

3.2.5 Staining. The insecticide shall show no staining when tested as specified in 4.4.6.

3.2.6 Water content. The insecticide shall have a maximum water content of 0.1 ml per 100 ml when tested as specified in 4.4.7.

3.2.7 pH. The pH of the insecticide shall have a minimum value of 6 and a maximum value of 9 when tested as specified in 4.4.8.

Source: https://assist.dla.mil -- Downloaded: 20261-19T09:02Z
Check the source to verify that this is the current version before use.

3.3 Labeling. The labeling shall be registered with the Pesticide Registration Division, Environmental Protection Agency, and shall be in compliance with the requirements of the Federal Insecticide, Fungicide and Rodenticide Act, as amended, of 1972.

3.4 Label data. Label data shall be durably and legibly marked on the main body, by lithographing or stenciling with non-corrosive, weather-resistant, waterproof ink which will not smear or rub off during handling. Label data shall include, but not be limited to the following:

(a) The name and percent by weight of each active ingredient.

(b) The total percent by weight of inactive ingredients.

(c) National stock number, Military specification number, contract number, and lot number.

(d) Manufacturer's name and address, date of manufacture and net weight of contents.

(e) EPA registration and establishment number.

(f) Directions for use: As a minimum, the label shall list usage directions for the control of roaches and ants. Apply without dilution as a strip treatment to cracks, crevices, and other roach harborages and to ant runways. Use coarse, wet spray and apply until the surface is wet to the point of run-off (approximately 1 gallon (3.8 liters) per 1000 square feet (93 square meters). Reapply only when reinfestation is noted. Do not use for space spray or for residual treatment covering extensive indoor surfaces such as entire bulkheads and overheads.

(g) Precautionary information: CAUTION. KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin or eyes. Wash thoroughly after using. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Do not use on household pets or humans. Do not let pets or children contact treated surfaces until dry.

This product is toxic to fish and wild life. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not use, pour, spill or store near heat or open flame.

Apply this product only as specified on this label.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

(h) Container Disposal.

1. Empty container in normal manner and allow to drain for one minute into the spray or mix tank.

2. Add one quart (946 ml) of rinse solution (water or designated spray carrier) per gallon (3.8 l) container size.

3. Replace closure.

4. Rotate and upend container to get rinse over all interior surfaces.

5. Drain rinse into the spray or mix tank.

6. Repeat steps 1 through 5 above for a total of 3 rinses. After the third rinse allow the reused container to drain for one minute into the spray or mix tank.

7. Crush the rinsed container and bury in a sanitary landfill in conformance with Federal State and Local Standards, or recycle through a properly equipped metal reclaiming firm.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless other specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality conformance inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter. For purposes of sampling, a lot shall consist of all insecticide manufactured as one batch.

4.2.1 Component and material inspection. In accordance with 4.1 above, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings and standards, unless otherwise excluded, amended or qualified in this specification or applicable purchase documents.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T09:02Z
Check the source to verify that this is the current version before use.

4.3 End item inspection.

4.3.1 Examination of the end item. The end item shall be examined for the specific defects in 4.3.1.1 and 4.3.1.2. The applicable inspection levels and acceptable quality levels (AQLs) shall be as indicated in 4.3.2. The lot size for the purpose of determining the sample size shall be in accordance with MIL-STD-105. The sample size shall be expressed in filled unit containers of the same capacity.

4.3.1.1 Examination of unit container for visual defects. The sample unit for this examination shall be one filled unit container.

Examine	Defect
Unit container for:	
Workmanship	Dented, abraded, dirty, split, punctured or any seepage of contents. Bulged or distorted.
Marking or labeling	Missing, incomplete, incorrect, illegible.
Contents	Not homogeneous, contains lumps, evidence of moisture, presence of foreign matter.

4.3.1.2 Examination of filled container for net contents. The sample unit for this examination shall be one filled unit container. The lot shall be unacceptable if the average net contents per container for all sample units examined is less than specified or indicated.

4.3.2 Inspection level and acceptable quality level (AQL). The inspection level and AQL expressed in defects per 100 units, shall be as follows:

Examination	Inspection level	AQL
4.3.1.1	I	2.5

4.3.3 Packaging inspection. An examination shall be made to determine whether the preservation-packaging, packing, and marking complies with the section 5 requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

4.3.4 Examination for palletization. An examination shall be made to determine that the palletization complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one palletized unit load fully prepared for delivery. The lot size shall be the number of palletized unit loads in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirements.
Palletization	Not as specified. Pallet pattern, when applicable, not as specified. Interlocking of loads, when applicable, not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence or method of application.

4.3.5 Testing of the end item. The end item shall be tested for characteristics specified in table I. The lot size shall be expressed in gallons (liters) of insecticide. From each inspection lot, two containers shall be randomly selected. From each of the two containers enough material to perform tests shall be taken and placed on separate clean, dry, amber glass containers and sealed. Care shall be exercised to prevent contamination or alterations of the insecticide during sampling, storage and testing. All test reports shall contain the individual values utilized in expressing the final result. The lot shall be unacceptable if either specimen fails one or more of these tests.

Lot size, gallons (liters)	Sample size
800 (3032) or less	2
801 (3032) up to and including 22,000 (83,279)	3
22,001 (83,283) or more	5

Source: https://assist.dla.mil -- Downloaded: 202640-19T09:02Z
Check the source to verify that this is the current version before use.

TABLE I. Instructions for testing of the end item

Characteristic	Requirement	Test method	Pass or fail	Results reported numerically to nearest
Appearance	3.2.1	4.4.1	X	
		4.4.2	X	
Diazinon content	3.2.2	4.4.3		1 percent
Flashpoint	3.2.3	4.4.4		1 degree
Residual odor	3.2.4	4.4.5	X	
Staining	3.2.5	4.4.6	X	
Water content	3.2.6	4.4.7		0.1 ml
pH	3.2.7	4.4.8	X	

4.4 Test methods.

4.4.1 Appearance at 80°F (27°C). With the sample at 80° ± 1°F (27° ± 0.5°C), the insecticide shall be examined visually by transmitted light for clarity, homogeneity, and sediment.

4.4.2 Appearance at 32°F (0°C). The appearance of the insecticide at 32°F (0°C) shall be determined by transferring 50 ml of the insecticide to a 50 ml glass-stoppered cylinder, storing for 1 week at 32° ± 1°F (0° ± 0.6°C). The sample shall then be examined by transmitted light for clarity, phase formation and sediment.

4.4.3 Diazinon content. The diazinon content shall be determined as follows:

4.4.3.1 Reagents. The following reagents shall be used:

Petroleum ether: 30° to 60°C boiling range

Wash solution - To 500 ml of distilled water add 500 ml of a saturated and filtered sodium chloride solution and 6.5 ml of 0.1N sodium hydroxide.

Acetic anhydride - Reagent grade

Nitromethane - Redistilled commercial grade

Source: https://assist.dla.mil -- Downloaded: 202610-19T09:02Z
Check the source to verify that this is the current version before use.

Acetic acid - Glacial, reagent grade

Perchloric acid (0.1N) - Combine 9 ml of perchloric acid (70 to 72 percent, reagent grade) with 100 ml of glacial acetic acid in a 1-liter volumetric flask. Mix well, add 20 ml of acetic anhydride, and make to the mark with additional glacial acetic acid. Allow to stand at least 24 hours and standardize against potassium acid phthalate. 1/

Potassium acid phthalate - US National Bureau of Standards primary standard grade

Indicators:

Phenolphthalein - 0.1 percent in alcohol

Crystal violet - 0.1 percent in glacial acetic acid

1/ Standardization of perchloric acid - Weigh 0.8 gram (g) of potassium acid phthalate into a 250 ml beaker. Add 50 ml of glacial acetic acid, warm to hasten solution, cool and wash sides of beaker with glacial acetic acid. Add 3 drops of crystal violet indicator and titrate with the perchloric acid to a blue-green end point. Calculate the normality by the equation.

$$N = \frac{\text{grams of potassium acid phthalate}}{0.204 \times \text{ml of perchloric acid}}$$

4.4.3.2 Assay for diazinon content. Pipette 100 ml of the insecticide into a 250 ml separatory funnel, add 100 ml of petroleum ether and 2 drops of phenolphthalein indicator. Add 20 ml of the wash solution and shake the funnel vigorously for 1 minute. After phase separation, drain the aqueous layer into a second 250 ml separatory funnel, add 50 ml of petroleum ether and again shake vigorously for 1 minute. Discard aqueous layer. Successively wash the two petroleum ether extracts with 30 ml of distilled water and discard washings. Combine the petroleum ether extracts in a 500 ml standard tapered Erlenmeyer flask and evaporate on a steam (bath) to a final volume of 115 to 125 ml. (Caution: Avoid prolonged heating). Add 25 ml of acetic anhydride, connect flask to a corresponding standard tapered condenser and reflux 2 hours. Wash down condenser with nitromethane and add an additional 40 ml. Cool, add 3 drops of crystal violet indicator and titrate with the 0.1N perchloric acid to a blue-green end point. Calculate the percentage of actual diazinon by the equation:

$$\text{Percentage} = \frac{a \times b \times 0.3044}{C}$$

Where:

a = normality of perchloric acid
b = ml of acid used
c = specific gravity of the insecticide at sampling temperature

Source: https://assist.dla.mil -- Downloaded: 202610-19T09:02Z
Check the source to verify that this is the current version before use.

The specific gravity may be determined by any standard method reliable to 3 significant figures.

4.4.4 Flash point. The flash point shall be determined by the TAG closed cup tester in accordance with Method 1101 of FED-STD-791.

4.4.5 Residual odor. Residual odor shall be determined as follows: Dip uniform strips of No. 40 Whatman filter paper into the liquid. Remove and allow to dry 24 hours in a well-ventilated room. Examine for residual odor.

4.4.6 Staining. Test for staining shall be made as follows: Place 3 drops of the insecticide upon No. 40 Whatman filter paper (11 centimeter diameter) supported so that the treated area shall be free of contact with any surface. Allow to dry for 4 hours and examine for staining, using untreated No. 40 Whatman filter paper for comparison.

4.4.7 Water content. The water content of the sample shall be determined by the distillation procedure specified in Method 3001 of FED-STD-791.

4.4.8 pH. The pH of the insecticide shall be measured as follows: Place 25 ml of the insecticide and 100 ml of freshly boiled and cooled distilled water in a 250 ml separatory funnel and shake vigorously for 1 minute. Allow phases to separate for a few minutes and determine the pH of the aqueous portion by any standard method.

5. PACKAGING

5.1 Preservation-packaging. Preservation-packaging shall be level A or C as specified (see 6.2).

5.1.1 Level A. Insecticide shall be furnished in 1-gallon (3.8 liters) cans, 1-gallon (3.8 liters) pails or 5-gallon (18.9 liters) pails as hereinafter specified (see 6.2).

5.1.1.1 One gallon (3.8 liters) cans. The 1-gallon (3.8 liters) shall conform to type V, class 4 of PPP-C-96 and shall be fabricated of 8 pound (3.6 kg) terneplate, 1.25 pound (0.6 kg) hot dipped tinplate or 0.50 pound (0.23 kg) electrolytic tinplate. Cans shall be oblong and equipped with wire handles, metal screw cap closures and metal inner seals. Each can, including the side seam, shall be exterior coated in accordance with Plan B. Each filled can shall be closed in accordance with the applicable requirements specified in the appendix of PPP-C-96.

Source: https://assist.dla.mil -- Downloaded: 202640-19T09:02Z
Check the source to verify that this is the current version before use.

5.1.1.2 One gallon (3.8 liters) pails. The 1-pound (3.8 liters) pails shall conform to type I, class 4 of PPP-P-704. Inner seals shall be used with closures. Each filled pail shall be closed in accordance with the applicable requirements specified in the appendix of PPP-P-704.

5.1.1.3 Five gallon (18.9 liters) pails. The 5-gallon (18.9 liters) pails shall conform to type I, class 4 of PPP-P-704. Inner seals shall be used with closures. Each filled pail shall be closed in accordance with the applicable requirements specified in the appendix of PPP-P-704.

5.1.2 Level C. Insecticide shall be preserved-packaged to afford adequate protection against deterioration and physical damage during shipment from the contractor to the first receiving activity. The package and size of package shall be the same as that normally used by the contractor for retail distribution.

5.2 Packing. Packing shall be level A, B or C as specified (see 6.2).

5.2.1 Level A packing.

5.2.1.1 One gallon (3.8 liters) cans. Six 1-gallon (3.8 liters) cans of insecticide, preserved-packaged as specified in 5.1, shall be packed in accordance with the applicable level A packing requirements specified in the appendix of PPP-C-96.

5.2.1.2 One gallon (3.8 liters) pails. Four 1-gallon (3.8 liters) pails of insecticide, preserved-packaged as specified in 5.1, shall be packed in accordance with the applicable level A packing requirements specified in the appendix of PPP-P-704.

5.2.1.3 Five gallon (18.9 liters) pails. Five gallon (18.9 liters) pails of insecticide, preserved-packaged as specified in 5.1, shall not require overpacking.

5.2.2 Level B.

5.2.2.1 One gallon (3.8 liters) cans. Six 1-gallon (3.8 liters) cans of insecticide, preserved-packaged as specified in 5.1, shall be packed in accordance with the applicable level B packing requirements specified in the appendix of PPP-C-96. When specified (see 6.2), class weather-resistant fiberboard shall be used for the container and interior pads, partitions and cells.

Source: https://assist.dla.mil -- Downloaded: 202610-19T09:02Z
Check the source to verify that this is the currentversion before use.

5.2.2.2 One gallon (3.8 liters) pails. Four 1-gallon (3.8 liters) pails of insecticide, preserved-packaged as specified in 5.1, shall be packed in accordance with the applicable level B packing requirements specified in the appendix of PPP-P-704. When specified (see 6.2), class weather-resistant fiberboard shall be used for the container and interior pads and partitions.

5.2.2.3 Five gallon (18.9 liters) pails. Five gallon (18.9 liters) pails of insecticide, preserved-packaged as specified in 5.1, shall not require over-packing.

5.2.3 Level C packing. Insecticide, preserved-packaged in 1-gallon (3.8 liters) cans and pails, as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall comply with Uniform Freight Classification or National Motor Freight Classification, as applicable.

5.3 Palletization. When specified (see 6.2), insecticide, packed as specified in 5.2, shall be palletized in accordance with load type I or III, as applicable, of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. In addition, each prepared load type III shall be bonded with horizontal straps in accordance with bonding means E and wood caps shall be used under and over the load. Pallet patterns of load type I shall be in accordance with the appendix of MIL-STD-147. Interlocking of load type I containers shall be effected by reversing the pattern of each course. If the load type I container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer.

5.4 Marking. In addition to any special marking required by the contract or order, interior packages, shipping containers and palletized unit loads shall be marked in accordance with MIL-STD-129. The marking for hazardous materials specified in MIL-STD-129 shall be applicable.

5.4.1 Paper labels. When paper labels are used for the labeling requirements specified in 3.4, the paper labels shall be secured and protective coated in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. This insecticide is intended to control cockroaches and ants.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Selection of the applicable levels of preservation-packaging and packing (see 5.1 and 5.2).
(c) Whether container shall be a 1-gallon can or pail, or 5-gallon pail (see 5.1.1).
(d) When weather-resistant fiberboard materials are required for level B packing (see 5.2.2.1 and 5.2.2.2).
(e) When palletization is required (see 5.3).

6.3 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodians:

Army - GL
Navy - SH
Air Force - 68

Review activities:

Army - MD
Navy - YD

User activity:

Navy - MC

Preparing activity:

Army - GL

Project No. 6840-0317

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:02Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-I-21177B INSECTICIDE, DIAZINON, LIQUID, RESIDUAL (0.5 PERCENT)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T09:02Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
US ARMY NATICK RESEARCH and DEVELOPMENT COMMAND
NATICK, MASSACHUSETTS 01760

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
DRXNM-TDC

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314



Commander
US Army Natick Research and Development Command
ATTN: DRXNM-TDC
Natick, MA 01760

NATICK OP 1 JUL 77

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-19T09:02Z
Check the source to verify that this is the current version before use.