MIL-S-43301C(GL)
29 April 1977
SUPERSEDING
MIL-S-43301B(GL)
19 June 1969

MILITARY SPECIFICATION

SURVIVAL KIT , INDIVIDUAL, OVER WATER, ARMY

* This specification is approved for use by the Natick Research and Development Command (GL), Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification rovers one type of surival kit.

2. APPLICABLE DOCUMENTS

* 2.1 Issues Of documents. The following documents of the issue is effect on date of invitation for bids or request for proposal, form & part cf this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

*	L-F-560	- Fork, Knife, and Spoon, Picnic, Plastic
	L-S-626	- sponges, Synthetic
	EE-M-101	- Match, Safety and Match, Non-safety (Strike Anywhere)
*	PPP-B-26	- Bag, Plastic (General Purpose)
	PPP-B-566	- Boxes, Folding; Paperboard
	PPP-B-601	- Boxes, wood, Cleated-Plywood
*	PPP-B-636	- Boxes, Shipping, Fiberboard
	PPP-B-676	- Boxes, Setup
	PPP-T-45	- Tape, Gummed, Paper, Reinforced and Plain, For Sealing and Securing

* **Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in approving this document should be addressed to: US Army Natick Research and Development Command, Natick, MA 01760, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.**

FSC 1680

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-B-117	Bags, Sleeves and Tubing-Interior Packaging
MIL-X-818	Knife, Pocket, General Purpose
MIL-D-5531	Desalter Kit, Sea Water, Mark 2
MIL-F-6218	Fishing Kit, Survival
MIL-B-8571	Bag, Storage, Drinking Water
MIL-F-10805	Fuel, Compressed, Trioxane, Ration Heating
MIL-S-11262	Sunburn - Preventive Preparation (Cream Paste and Lotion)
MIL-I-11489	Insect Net; Head
MIL-C-17850	Compass, Magnetic, Card, Pocket, Type MC-I
* MIL-S-17980	Sea Marker Pocket, Inflatable Survival Equipment
MIL-M-18371	Mirror, Emergency Signaling, Mark 3
MIL-S-18655	Signal, Smoke and Illumination, Marine MK13 Mod O
MIL-B-40042	Box, Match, Waterproof
MIL-F-43231	Food Packet, Survival, General Purpose
MIL-H-43371	Hat, Reversible, Sun
MIL-P-3556	Pans, Frying, Alminum; for Survival Kits
MIL-C-43647	Cases, Individual, Survival Kit, Army

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
* MIL-STD-129	- Marking for Shipment and Storage
MIL-STD-147	- Palletized and Containerized Unit Loads 40″ x 48″ (1016 X 1219.2 mm) Pallet, Skids, Runners, or'Pallet-Type Base

DRAWINGS

AIR FORCE

45D18813	- Paddle Assembly - Life Raft
59C3778	- Cup, Bailing - 1 Man Life Raft
67C46306	- Kit Assembly, Life Raft Repair Plug

NAVY

* 67A3181D1	- Life Raft Applications, Inflatable, Type LR-l

Source: https://assist.dla.mil -- Downloaded: 2026l0-21T21:07Z
Check the source to verify that this is the current version before use.

ARMY NATICK RESEARCH AND DEVELOPMENT COMMAND

11-1-172 - Survival Kit, Individual, Over Water, Army; Assembly, Complete

* 11-1-1701 - LR-l Life Raft Folding Procedure

(Miniature copy of Drawing 11-1-172, identified as figure 1, is attached for information only.)

(Copies of specifications, standards, publications and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

* PUBLICATIONS

Department of the Army Technical Manual

* TM 55-8465-214-10 - Operator's Manual: Survival Kit. Over Water Individual (NSN 1680-00-973-1863)

Field Manual - Survival, FM 21-76

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), the contractor shall furnish a sample for first article inspection and approval (see 4.3 and 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026l0-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE I. Components and contents list

Item No.	Nomenclature	Applicable specification	Packaging	Unit of issue	Qty	Other requirements
1	Case, survival kit, type II	MIL-C-43647	None	ea	1	
2	Case, survival kit, type III	MIL-C-43647	None	ea	1	
3	Fishing kit, survival	MIL-F-6218	Unit	ea	1	
4	Knife, pocket, general purpose	MIL-K-818	Level A	ea	1	
* 5	First aid kit, individual		Canvas case	ea	1 3/	NSN 6545-00-823-8165
6	Matches, strike-anywhere (wood), type III, class 1, size 2, (1-3/4 inches) (44.45 mm)	EE-M-101	Level A unit	Box (min. count	3 1/	Box waterproof over-wrapped (see 5.1.1.2)
7	Sunburn-preventive preparation, Type I	MIL-S-11262	Unit	Can	1	Can plastic coated
8	Insect net, head	MIL-I-11489	None	ea	1	
9	Hat, reversible, sun	MIL-H-43371	None	ea	1	
10	Signal, smoke and illumination, marine, MK 13 Mod 0	MIL-S-18655	None	ea	2 1/	
11	Desalter kit, seawater, MK2, Type II	MIL-D-5531	None	ea	3	

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE I. Components and contents list (cont'd)

Item No.	Nomenclautre	Applicable specification	Packaging	Unit of issue	Qty	Other requirements
12	Food packet, survival	MIL-F-43231	Level A	Can	3	
13	Bag, storage, drinking water, size A	MIL-B-8571	None	ea	1	
* 14	For, Knife, and Spoon, Picnic, Plastic	L-F-560	Level A	ea	1	
* 15	Life raft, inflatable LR-1	Navy Dwg 67A318D1	None	ea	1	
16	Bailer, boat	USAF Dwg 59C3778	None	ea	1	
* 17	Paddle, boat (life raft)	USAF Dwg 45D18813	None	ea	2	See 5.1.1.1
* 18	Repair kit, inflatable craft	USAF Dwg (67C46306)	None	ea	1	
* 19	Sponge, cellulose, type II, porosity B; class 2, size 3	L-S-626	None	ea	1	See 5.1.1.1
20	Field manual - survival, FM 21-76		None	ea	1 2/	
21	Fuel, compressed, trioxane, type I	MIL-F-10805	Level A unit	Bar	3 1/	
* 22	Pan, frying, size 1	Army Dwg 11-1-311	None	ea	1	
* 23	Mirror, emergency, signaling, MK3, Type II	MIL-M-18371	Level A unit package	ea	1	

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE I. Components and contents list (cont'd)

Item No.	Nonmenclature	Applicable specification	Packaging	Unit of issue	Qty	Other requirements
24	Compass, magnetic, type MC-1	MIL-C-17850	None	ea	1	
25	Box, match, waterproof	MIL-B-40042	None	ea	1	
26	Packing list		None	ea	1 3/	9x12 inch (228.6 X 304.8 mm) reporduction of USANLABS Dwg 11-1-172
27	Sea marker, packet	MIL-S-17980		ea	2	
28	Operator's manual	TM 55-8465-214-10	None	ea	1 2/	
31	Valve and cylinder assembly		None	ea	1	NSN 4220-00-565-3276

1/ Item shall not be stowed in kit prior to issue for use (see 3.3 and 5.4.1.1).

2/ Department of the Army publication.

3/ Item will be furnished by the Government (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

* 3.2 Materials, hardware and contents. Kit components and items comprising the kit contents shall conform to the specifications and drawings referenced in table I.

3.2.1 Age limitation. Unless otherwise specified by the procuring activity, (see 6.2), the items shall have been manufactured within one year prior to date of delivery of the kits.

3.3 Assembly. Except for items 6, 10, and 21, which shall be packaged separately (see not 1, table I), each kit shall include the items listed on the said table. The items shall be stowed in the cases as shown on Drawing 11-1-172.

* 3.4 Workmanship. All components and assemblies of the survival kit shall be free from dirt and other harmful streneous material. External surfaces shall be free from sharp edges and corners except when corners a red. Slide fasteners shall be free of jams or failure to opee s ande s and stitching shall be free of needle or feed dog chews, omitted and unrelated stitching, open and broken seams and loose threads. Any component shal notl be broken, rusted, corded, torn, dented, warped, buckled, cut, punctured or malformed.

4. QUALITY ASSURANCE PROVISIONS

* 4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification ehere such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

* 4.2 Classification of inspection. The inspection requirements specified herein are classified as follows:

1. First article inspection (see 4.3)
2. Quality conformance inspection (see 4,4)

* 4.3 First article inspection. When a first article is required, the survival kit shall be examined for conformance to 4.4.2.1 or 4.4.2.2. Nonconformance to 4.4.2.1 or 4.4.2.2 shall be cause for rejection of the first article.

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

* 4.4 Quality conformance inspection. Except as otherwise specified herein, sampling for inspection shall be performed in accordance with the provisions set forth in MIL-STD-105.

* 4.4.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this document or applicable purchase document.

* 4.4.2 End item inspection.

* 4.4.2.1 Examination of kit components and contents. The sample unit for this examination comprises all item in table I, except the matches (item 6), signal (item 10), and the fuel (item 21), as a group. This examination is in addition to the quality assurance provisions of the referenced applicable specifications. Each sample unit shall be examined and any nonconforming item rejected. Characteristics to be examined and defects applicable thereto shall be as specified in table II.

TABLE II. Kit components and contents defects

Examine	Defect
* Items and packaging (as applicable)	Any item broken, rusted, corroded, torn or punctured. Packaging, where required, torn, punctured, or otherwise damaged.

* 4.4.2.2 Examination of assembled survival kit. Each survival kit shall be assembled from accepted kit components and contents lots, and shall be examined to determine conformance to the-requirements of 3.3, Any nonconforming kits shall be rejected. This examination should be performed simultaneously with the assembly operation to preclude repacking of the kit contents.

* 4.4.2.3 Packaging inspection. An examination shall be made to determine compliance with the applicable packaging, packing and marking requirements, except that for kit contents packaging specified in table I, the applicable specifications shall apply. The sample unit for this examination shall be one shipping container fully prepared for delivery except that it need not be closed. Characteristics to be examined and the defects applicable thereto shall be an specified in Table III. The inspection level shall be S-2 and the AQL shall be 4.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE III. Packaging defects

	Examine	Defect
	Marking (exterior and interior container)	Omitted; incorrect; not legible; of improper size, location, sequence or method of application.
	Materials	Component missing, damaged, defective or not as specified.
*	Workmanship	Polyethylene bags closure not continuously heat sealed, Bulged or distored containers.
	Contents	Number per container not as specified.

* 4.4.2.3.1 Examination of shipping containers. When shipping containers are required to comply with PPP-B-601 or PPP-B-636, examination for defects in the closure, water proofing (for fiberboard containers) and reinforcing shall be in accordance with the appendix of the applicable container specification.

* 4.4.2.4 Examination for palletization. An examination shall be made to determine that the palletization requirements of this specification are complied with. Defects shall be as listed in Table IV. The sample unit shall be one palletized unit load fully prepared for delivery. The lot size shall be the number of palletized unit loads in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

TABLE IV. Palletizing defects

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirement.
Palletization	Not as specified. Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence or method of application

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

* 4.5 Certificate examination. A certificate of date of manufacture of the items listed in table I, except for items 5, 6, 10, 21, 26, and 28, that are submitted as proof of conformance with specification requirements shall be examined and validated (see 3.2.1).

5. PACKAGING

5.1 Preservation-packaging. Preservation-packaging, shall be level A.

5.1.1 Level A.

* 5.1.1.1 Survival kit. The components for each survival kit specified in table I, except for the items specified in footnote 1/ therein, shall be stowed in the outer and inner case as indicated in drawing 11-1-172. Each paddle (item 17) and sponge (item 19) shall be unit packaged in 2 close-fitting 0.002-inch (0.0508 mm) thick polyethylene bag conforming to type II, style 1 of PPP-B-26. Prior to or during the heat seal closure operation, excess air within the polyethylene bag shall be expelled. The raft shall be compactly folded in accordance with the requirements of Drawing 11-1-1701. The voids reserved for the components to be stowed in the kit at the time of issue (see 6.4) shall be filled with dunnage to prevent movement of the stowed components while in transit. The kit shall be closed and the attaching straps adjusted tightly so that they extend to the center of the front of the kit. The snaps shall be secured to each other by means of tape or twine, Each survival kit shall then be packaged in a snug-fitting fiberboard box conforming to style RSC, grade W6c of PPP-B-636. Each box shall be closed in accordance with method IV as specified in the appendix of PPP-B-636.

* 5.1.1.2 Matches. Matches, unit packaged as specified in table I, shall be placed in a snug-fitting bag conforming to type II, class E, style 1 or 3 of MIL-B-117. The bag shall be closed by heat sealing. Prior to or during the final heat sealing closure operation, excess air within the bag shall oe expelled. Twelve boxes of matches, bagged as specified herein, shall then be packaged in a snug-fitting folding paperboard box conforming to variety 1, style III, type G, class i of PPP-B-566; or setup paperboard box conforming to type I, variety 1, class A, style 4 of PPP-B-676. Box closure shall be secured with a 2-inch (50.8 mm) minimum width gummed paper tape conforming to type III, grade B of PPP-T-45, applied at the center of the length opening and extending along the bottom and up the sides at lease l-inch (25.4 mm).

5.2 Packing. Packing shall be level A or B as specified (see 6.2).

* 5.2.1 Level A. Three survival kits, preserved-packaged as specified in 5.1, shall be packed in a snug-fitting shipping container conforming-to style RSC, grade V2s of PPP-B-636; or overseas type, style A or I, grade A type 2 load of PPP-B-601. Each fiberboard container shall be closed in accordance with method V and reinforced as specified in the appendix of PPP-B-636. Each wood

Source: https://assist.dla.mil -- Downloaded: 202640-21T21:07Z
Check the source to verify that this is the current version before use.

container shall be closed and reinforced in accordance with the appendix of PPP-B-601.

* 5.2.2 Level B. Three survival kits, preserved-packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II as specified in the appendix of PPP-B-636.

* 5.2.2.1 Weather-resistant fiberboard container. When specified (see 6.2), the fiberboard shipping container shall be a grade V3c, V3s or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of the container specification.

* 5.3 Palletization. When specified (see 6.2), survival kits, packed as specified in 5.2, shall be palletized in accordance with load type I of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course, If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer.

* 5.4 Marking. In addition to any special marking required by the contract or order, interior packages, shipping containers and palletized unit loads shall be marked in accordance with MIL-STD-129.

5.4.1 Labeling. Each survival kit shall be marked with the following legend, printed, hyped, or reproduced on a white paper label securely affixed to each interior package and shipping container. The label shall be protected with a waterproof coating as specified in MIL-STD-129.

* 5.4.1.1 Interior package legend. "WARNING: This kit is not complete. When issued for use, the following items shall be stowed in their respective places in the kit (see inclosed packing list):

(1) Matches (3 boxes) NSN 9920-00-985-6891
(2) Signal, smoke and illumination (2 each) NSN 1370-00-309-5028
(3) Fuel, compressed trioxane (box of 3) NSN 9110-00-263-9865

REMOVE THIS LABEL AFTER INSTALLING ABOVE ITEMS."

5.4.1.2 Shipping container legend. "WARNING: Kits contained herein are not complete. Complete in accordance with instructions on interior package label prior to issue for use.

Source: https://assist.dla.mil -- Downloaded: 202640-21T21:07Z
Check the source to verify that this is the current version before use.

REMOVE THIS LABEL IF THIS CONTAINER IS USED FOR COMPLETED KITS,"

6. NOTES

6.1 Intended use. The survival kit covered by this specification is intended for use by Army aviators exposed to emergency situations in remote and isolated marine areas.

* 6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) When a first article is required (see 3.1, 4.3 and 6.3)
(c) Material to be Government furnished (see table I, note 3).
(d) Any exception to age limit requirement of 3.2.1.
(e) Selection of applicable level of packing (see 5.2).
(f) When weather-resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1).
(g) When palletization is required (see 5.3).


* 6.3 First article. When a first article is required it shall be inspected and approved under the appropriate provisions of Armed Services Procurement Regulations ASPR 7-104.55. The first article should be reproduction sample, initial production item, or other specific item described under the definition of a first article the ASPR. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should include specific instruction in all procurement instruments regarding arrangements for inspection and approval of the first article.

6.4 Except as specified in 5.1.1.2, matches, fuel compressed trioxane, and signals shall be packaged and packed in accordance with their respective specifications. Prior to issue of the survival kits, these components are to be placed within the inner case in their respective positions as indicated in figure 1.

* 6.5 Contract data requirements. Any items to be delivered under any contract for items covered by this specification should be specifically called for in the contract in accordance with the applicable regulations of the procuring activity.

* 6.6 Changes from previous issue. The margins of this specification have been marked with an asterisk (*) to indicate where changes (additions, modifications corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content as written irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-S-43301C(GL) SURVIVAL KIT, INDIVIDUAL, OVER WATER, ARMY

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.