MILITARY SPECIFICATION

SURVIVAL KIT, INDIVIDUAL, HOT CLIMATE, ARMY

This specification is approved for use by Natick Research and Development Laboratories, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one type of survival kit.

2. APPLICABLE DOCUMENTS

2.1 Issue of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

L-F-560	Fork, Knife and Spoon, Picnic, Plastic
L-P-378	Plastic Sheet and Strip, Thin Gauge, polyolefin
EE-M-101	Matches, Safety: and Matches, Nonsafety (Strike Anywhere)
QQ-W-321	Wire, Copper Alloy
ZZ-T-831	Tubing, Rubber and Plastic
PPP-B-566	Boxes, Folding, Paperboard
PPP-B-601	Boxes, Wood, Cleated-Plywood
PPP-B-636	Boxes, Shipping, Fiberboard

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Natick Research and Development Laboratories, Natick, MA 01760 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 1680

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

PPP-B-676 - Boxes, Setup
PPP-T-45 - Tape, Gummed, Paper, Reinforced and Plain, for Sealing and Securing

MILITARY

MIL-B-117 Bags, Sleeves and Tubing - Interior Packaging
MIL-K-818 Knife, Pocket, General Purpose
MIL-W-1053 Whistle, Ball, Plastic
MIL-F-6218 Fishing Kit, Survival
MIL-P-7249 Tarpaulin, Light Weight
MIL-B-8571 Bag, Storage, Drinking Water
MIL-S-8642 Survival Tool Kits, Airman's
MIL-F-10805 Fuel, Compressed, Trioxane, Ration Heating
MIL-S-11262 Sunburn Preventive Preparation (Cream Paste and Lotion)
MIL-I-11489 Insect Net, Head
MIL-W-15117 Water, Drinking, Canned, Emergency
MIL-C-17850 Compass; Magnetic, Card Pocket, Type MC-1
MIL-M-18371 Mirrors, Emergency Signaling, Mark 3
MIL-S-18655 Signal, Smoke and Illumination, Marine MK 13 Mod 0
MIL-B-40042 Box, Match, Waterproof
MIL-F-43231 Food Packet, Survival, General Purpose
MIL-H-43371 Hat, Sun: Reversible
MIL-C-43647 Cases, Individual, Survival Kit, Army

STANDARDS

MILITARY

MIL-STD-105 Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 Marking for Shipment and Storage
MIL-STD-147 Palletized Unit Loads
MIL-STD-1188 Commercial Packaging of Supplies and Equipment

DRAWINGS

US ARMY NATICK RESEARCH AND DEVELOPMENT LABORATORIES

11-1-168 - Survival Kit, Individual, Hot Climate, Army; Assembly, Complete

(A miniature reproduction of Drawing 11-1-168 is attached for information only.)

(Copies of specifications, standards, drawings and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), the contractor shall furnish a sample for first article inspection and approval (see 4.3 and 6.4).

3.2 Materials, hardware arid contents. Kit components and items comprising the kit contents shall conform to the specifications and drawings referenced in table I. Components shall be free of any damage or deterioration resulting from shipment or storage (see 6.5).

3.2.1 Age limitation. Unless otherwise specified by the procuring activity (see 6.2), the items shall have been manufactured within one year prior to date of delivery of the kits.

3.3 Assembly. Except for items 9, 12 and 18, which shall be packed separately (see footnote 1, table I), each kit shall include the items listed in table I. The items shall be stowed in the cases as shown on Drawing 11-1-168.

3.4 Workmanship. The workmanship shall conform to the quality established by this specifications

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE I. Kit components and contents list

Item No.	Nomenclature	Applicable specification	Unit packing	Unit issue	Qty	Other requirements
1	Case, survival kit, type I	MIL-C-43647	None	Ea	1	
2	Case, survival kit, type III	MIL-C-43647	None	Ea	1	
3	Compass, magnetic, type MC-1	MIL-C-17850	None	Ea	1	
4	Insect net: head	MIL-I-11489	None	Ea	1	
5	Spoon, plastic (for rations)	L-F-560	Level A	Ea	1	
6	Hat, reversible, sun	MIL-H-43371	None	Ea	1	
7	Field manual-survival-FM 21-76		None	Ea	1	2/
8	First aid kit, individual		Nylon case	Ea	1	3/ FSN 6545-823-8165
9	Match, nonsafety, wood, type III, class 1, size 2 (1-3/4 inch length	EE-M-101	Level A unit	Box (min count 30)	3	1/ Box waterproof overwrapped (see 5.1.1.2)
10	Food packet, survival	MIL-F-43231	Level A	Can	6	
11	Survival ax kit, type IV	MIL-S-8642	None	Ea	1	
12	Fuel, compressed, trioxane, type I	MIL-F-10805	Level A intermediate pack	Box of 3	1	1/
13	Fishing kit, survival	MIL-F-6218	Unit	Ea	1	
14	Bag, water, plastic, size A	MIL-B-8571	None	Ea	1	
15	Water, drinking, canned, emergency	MIL-W-15117	None	Can	12	
16	Pan, frying	NLABS Dwg. 11-1-311	None	Ea	1	
17	Sunburn preventive preparation, type I	MIL-S-11262	Unit	Can	1	Plastic coated can
18	Signal, smoke and illumination, Marine, MK 13 Mod 0	MIL-S-18655	None	Ea	2	1/

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

TABLE I. Kit components and contents list (cont'd)

Item No.	Nonmenclature	Applicable specification	Unit packing	Unit issue	Qty	Other requirements
19	Knife, pocket, general purpose	MIL-K-818	Level A	Ea	1	
20	Mirror, emergency signaling, mark 3; type II	MIL-M-18371	Level A unit	Ea	1	
21	Box, match, waterproof	MIL-B-40042	None	Ea	1	
22	Wire, copper alloy, 20 ft. length	QQ-E-321	None	Coil	1	.025 inch dia., annealed
23	Whistle, ball, plastic, type II	MIL-W-1053	Level A	Ea	1	
24	Tarpaulin, lightweight, size 77	MIL-P-7249	None	Ea	1	
25	Solar Still (Plastic sheet 72 x 72 inches, 1-1/2 to 2 mils thick, type I, class 2, grade A, finish 1)	L-P-378	None	Ea	1	
26	Packing list (9 x 12 inch copy of NLABS Drawing 11-1-168)		None	Ea	1	3/
27	Operator's technical manual	TM55-8465	None	Ea	1	2/
28	Tubing, latex, Type IV, 3/16 inch OD x 72 inches long	ZZ-T-831	None	Ea	1	

1/ Item shall not be stowed in kit prior to issue for use (see 3.3 and 5.4.1.1).

2/ Department of the Army publication.

3/ Item will be furnished by the Government (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of inspection. The inspection requirement specified herein are classified as follows:

1. First article inspection (see 4.3).
2. Quality conformance inspection (see 4.4).

4.3 First article inspection. When a first article is required (see 6.2), it shall be examined for the defects specified in 4.4.3.The presence of any defect shall be cause for rejection of the first article.

4.4 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.4.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.4.2 In-process examination. Simultaneously with the assembly operation, examination shall be made to assure that assembly of each kit conforms to the requirements in 3.3. Whenever nonconformance is noted, correction shall be made to the items affected and to the operation.

4.4.3 End item examination. The end item shall be examined for the defects listed in table II. The lot size shall be expressed in units of one survival kit. The sample unit shall be one assembled survival kit including all the items except items 9, 12, and 18) listed in table I. The inspection level shall be S-4 and the acceptable quality level (AQL) shall be 1.0 defects per hundred units.

TABLE II. End item defects

Examine	Defect
Items and packaging (as applicable)	Any item missing, broken, rusted, corroded, torn or punctured. Any item older than age limit specified, except when exempted from such limitation by the procuring activity (see 3.2.1). Packaging, where required, torn, punctured, or otherwise damaged.

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

4.4.4 Packaging inspection. An examination shall be made to determine that the preservation, packing and marking comply with the section 5 requirements except that for kit contents unit packed as specified in table I, the applicable specifications shall apply. The sample unit for this examination shall be one shipping container fully packaged except that it need not be closed. Characteristics to be examined and the defects applicable thereto shall be as specified below. Examination for closure defects shall be made of shipping containers fully packaged. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 4.0 defects per hundred units.

TABLE III. Packaging defects

Examine	Defect
Marking (exterior and interior container)	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application.
Materials	Any component missing, damaged, defective, or not as specified.
Workmanship	Contents not snug fit in container (loose), incomplete closure of container flaps, loose strapping or tape banding, or inadequate stapling. Bulged or distorted container.
Contents	Number per container not as specified.

4.4.4.1 Palletization examination. An examination shall be made to determine that palletization complies with the section 5 requirements Defects shall be scored in accordance with the list below. The sample unit shall be one palletized until load fully packaged. The lot size shall be the number of palletized unit loads in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

TABLE IV. Palletization defects

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirements.
Palletization	Pallet pattern not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence or method of application.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Preservation. preservation shall be level A.

5.1.1 Level A.

5.1.1.1 Survival kit. For each survival kit, the components specified in table I, except the items specified in footnote 1/ therein, shall be stowed in the outer and inner case as indicated in drawing 11-1-168. The voids reserved for the components to be stowed in the kit at the time of issue (see 6.3), shall be filled with dunnage to prevent movement of the stowed components while in transit. The kit shall be closed and the attaching straps adjusted tightly so that they extend to the center of the front of the kit. The snaps shall be secured to each other by means of tape or twine. Each survival kit shall then be unit packed in a snug-fitting fiberboard box conforming to style RSC, grade W6c of PPP-B-636. Each box shall be securely closed and waterproofed with tape as specified in the appendix of PPP-B-636.

5.1.1.2 Matches. Matches, unit packed as specified in table I, shall be placed in a snug-fitting bag conforming to type II, class E, style 1 or 3 of MIL-B-117. The bag shall be closed by heat sealing. Prior to or during the final heat sealing closure operation, excess air within the bag shall be expelled. Twelve boxes of matches, bagged as specified herein, shall then be packed in snug-fitting, folding intermediate paperboard box conforming to variety 1, style III, type G, class 1 of PPP-B-566; or setup paperboard box conforming to type I, variety 1, class A, style 4 of PPP-B-676. Box closure shall be secured with 2-inch minimum width gummed paper tape conforming to type III, grade B of PPP-T-45, applied at the center of the length opening and extending along the bottom and up the sides at least 1 inch.

5.1.1.3 Troxane fuel and smoke signals. Trioxane fuel and smoke signals shall be unit packed in accordance with the applicable requirements specified in the respective component specifications.

5.2 Packaging. Packing shall be level A or B as specified (see 6.2).

5.2.1 Level A packing.

5.2.1.1 Survival kits. Three survival kits, preserved as specified in 5.1, shall be packed in a snug-fitting shipping container conforming to style RSC, grade V2s of PPP-B-636; or overseas type, style A or I, grade A, type 2 load of PPP-B-601, as specified (see 6.2). Each shipping container shall be closed and reinforced in accordance with the appendix of the applicable container specification.

5.2.1.2 Matches, trioxane fuel, and smoke signals. Matches, trioxane fuel, and smoke signals, preserved as specified in 5.1, shall be packed in accordance with the applicable requirement specified in the respective component specifications.

Source: https://assist.dla.mil -- Downloaded: 202610-21T21:07Z
Check the source to verify that this is the current version before use.

5.2.2 Level B packing.

5.2.2.1 Survival kit. Three survival kits preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II as specified in the appendix of PPP-B-636.

5.2.2.1.1 Weather-resistant containers. When specified (see 6.2), the shipping container shall be a grade V3C or V3S or V4S fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix of the container specification.

5.2.2.2 Matches, trioxane fuel, and smoke signals. Matches, trioxane fuel, and smoke signals, preserved as specified in 5.1 shall be packed in accordance with the applicable requirements specified in the respective component specifications.

5.3 Palletization When specified (see 6.2), survival kits, packed as specified in 5.2, shall be palletized in accordance with Load Type I of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course. If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officers.

5.4 Marking. In addition to any special marking required by the contract, unit packs, intermediate packs, shipping containers, and palletized unit loads (when applicable) shall be marked in accordance with MIL-STD-129.

5.4.1 Labeling.

5.4.1.1 Unit pack legend. Each survival kit shall be marked with the following legend, printed, typed, or reproduced on a white paper label securely affixed to each unit pack.

"WARNING: This kit is not complete. When issued for use, the following items shall be stowed in their respective places in the kit (see inclosed packing list):

(1) Matches (3 Boxes) FSN 9920-985-6891
(2) Signal, smoke and illumination (2 each) FSN 1370-309-5028.
(3) Fuel, compressed trioxane (Box of 3) FSN 9110-263-9865,

REMOVE THIS LABEL AFTER INSTALLING ABOVE ITEMS,"

The label shall be protected with a waterproof coating as specified in MIL-STD-129.

5.4.1.2 Shipping container legend. Each shipping container shall be marked with the following legend:

Source: https://assist.dla.mil -- Downloaded: 202640-21T21:07Z
Check the source to verify that this is the current version before use.

"WARNING: Kits contained herein are not complete. Complete in accordance with instructions on interior package label prior to issue for use.

REMOVE THIS LABEL IF THIS CONTAINER IS USED FOR COMPLETED KITS."

6. NOTES

6.1 Intended use. The survival kit is intended for use by Army aviators exposed to emergency situations in remote and isolated desert, sub-tropical and tropical areas.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) When a first article is required (see 3.1, 4.2 and 6.4).
(c) Material to be Government furnished (see table I, footnote 3).
(d) Any exception to the age limitation requirement of 3.2.1.
(e) Selection of the applicable level of packing (see 5.2)..
(f) When weather-resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1.1).
(g) When palletization is required (see 5.3).
(h) Type of shipping container desired for level A packing (see 5.2.1.1).

6.3 Prior to issue. Prior to issue of the survival kit, the matches, fuel, and signals are to be placed within the inner case in their respective positions as indicated in Drawing 11-1-168.

6.4 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of DAR 7-104.55. The first article should be a preproduction sample. The first article should consist of one survival kit. The contracting officer should include specific instructions in all procurement instruments> regarding arrangements for inspection and approval of the first article.

6.5 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of this specification (see 3.2).

6.6 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to extensiveness of the changes.

Custodian:

Army - GL

Review activities:


Army - AV, MD

Preparing activity:


Army - GL

Project No. 1680-A484

Source: https://assist.dla.mil -- Downloaded: 202640-21T21:07Z
Check the source to verify that this is the current version before use.



INNER CASE



TOP LAYER
ASSEMBLY COMPLETE
FSN 1680-973-1861

ITEM NO	DESCRIPTION	QTY	PART OR STOCK NO
1	CASE, OUTER	1	11-1-167
2	CASE, INNER	1	1680-082-2314
3	COMPASS, MAGNETIC, TYPE MC-1	1	6605-516-5037
4	MAT AND INFLATED MAT	1	8465-681-0633
5	SPOON, PLASTIC FOR RATIONS	1	7340 170-8574
6	MAT, REVERSIBLE, SUN	1	8465-780-2029
7	MANUAL, SURVIVAL	1	FM 21-76
8	FIRST AID KIT, INDIVIDUAL	1	6545-823-8165
9	MATCH, NON-SAFETY, WOOD	3	9920-595-0891
10	FOOD PACKET, SURVIVAL	6	8970-082-5665
11	TOOL KIT, SURVIVAL	1	8465-573-4837
12	BOTTLE, COMPRESSED, FIRE ARM	2	9110-001-889-2553
13	FISHING KIT, EMERGENCY	1	4220-00-644-4764
14	BAG, STORAGE, WATER	1	8465-685-3054

ITEM NO	DESCRIPTION	QTY	PART OR STOCK NO
15	WATER, DRINKING, CANNED	12	8960-293-2123
16	PAN, FRYING	1	7330-082-2238
17	SUNBURN-PREVENTIVE PREPARATION	1	6510-162-5068
18	SIGNAL, SMOKE AND ILLUMINATION	2	1370-579-5629
19	KNIFE, POCKET	1	5110-162-5225
20	MIRROR, SIGNALING	1	6350-761-5172
21	KIT, MATCH, WATERPROOF	1	8465-281-4915
22	WIRE, SNARE, 30 FT. LONG	1	9505-598-5903
23	WHISTLE, BALL, PLASTIC	1	8465-494-8905
24	TARPAULIN, LIGHTWEIGHT, SIZE 2	1	8340-985-3612
25	PACKING LIST 13 x 10 INCH	1	11-1-168
26	OPERATOR'S MANUAL	1	TM 05-8465-215-10
27	*BEAD STYLE - 72 INCH SQUARE OF PLASTIC BEAD ROLLED TO AN INCH DIAMETER	1	
28	DELETED		
29	TUBING, LATEX, 3/16 OD X 72 INCH L	1	4720-00-141-9080

NOTES:
1. PLACE THE TM (ITEM 26) IN THE POCKET OF THE OUTER CASE.
2. STOW COMPASS UPSIDE DOWN
3. DELETED

SURVIVAL KIT
HOT CLIMATE

R	DR-AC-81	KB	11	ADDED ITEM NO. 27, IN ITEM 3 DR SCI WAS 1-3/4 MC TACKLE KIT ADDED ITEMS 28 & 29. NOTE WAS ADDED AND PART NO. CHANGED	J	81-8-47
P	DR-C-861	CW		IN PARTS LIST, ITEM 28, 2 REQD WAS 1 AND PART NO. CHANGED	F	180-2-1
N	4-1078	PT		ADDED ITEM 27		
M	D-2448	KB	8	IN ITEM 8 DESCRIPTION WAS "FIRST AID KIT, AVIATOR, CAMOUFLAGED" IN ITEM LIST, ITEM 1 STOCK NO. WAS 8465-068-3891; ITEM 8 WAS 6545-082-2596; ITEMS NOS. 6545-944-2594.		
L	D-1432	KB	8	DELETE ITEM 27 STOW NOTE SHEET TOILTISSUE PKT. IN ASSY, FSN WAS 8465-975-1867.		
K	D-1412	KB	8	IN ITEM LIST ON ITEM 7 FSN 21-76 WAS AFH 64-5, ITEM 24 SIZE 2 WAS SIZE 27		
J	D1252	KB	8	ADDED LOCATION OF RADIO PICKS 21, ITEMS 27 AND 28 IN ITEMS LIST, ALSO NOTE 2 UNDER NOTES.		
H	D891	KB	8	CHGD ITEM 28 TO ADDED NOTE 2 AND 3 ADDED ITEM 29 ASSY COMPLETE		
G	D515	KB	8	ADDED NOTE AND ITEM 26		
F	AD 612	KB	8	ITEM LIST, STOCK NO. ITEM 19 WAS 5110-162-5068, ITEM 20 WAS 6350-761-9816		
E	AD 538	KB	8	IN ITEM LIST UNDER DESCRIPTION CHGD ITEMS 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26 REMOVED DASH ON PART NO. TITLE INNER CASE WAS INSIDE CONTAINER; REMOVED CONTAINER		
D	AD 478	KB	7	ITEM 9 STOCK NO WAS 6605-348-5860		
C	AD 401	KB	7	ITEM NO. 8 WAS FIRST AID KIT SURVIVAL INDIVIDUAL, 6545-899-0813		
B	AD 370	KB	6	CHGD PART OR STOCK NO. IN ITEMS 9, 16 1ST REQ DESCRIPTION IN ITEMS 8, 14, 16, 17 & 18 ADDED MIL-W-TITLE BLOCK		
A	AD-339	CW	5	REVISED PART NOS.		
SYM.	LTR.	BY	DATE	DESCRIPTION	REL. SYM.	DATE

REVISIONS

DRAWN	C. Kitts		
CHECKED			
APPROVED FOR THE U.S.G.			
DATE	6 JUNE 1945	CODE	81337

SURVIVAL KIT, INDIVIDUAL, HOT CLIMATE, ARMY, ASSEMBLY, COMPLETE

DEPARTMENT OF THE ARMY
QUARTERMASTER CORPS
Q.M. RESEARCH & ENGINEERING COMMAND

NATICK	ISSUE
DWG NO.	11-1-168
SIZE	MIL-S-43302

MIL-S-43302C(GL)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-S-43302C(GL) Survival Kit, Individual, Hot Climate, Army

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Command
Attn: DRDNA-ES
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:07Z
Check the source to verify that this is the current version before use.