MIL-S-43317B
AMENDMENT-2
19 March 1981
SUPERSEDING
AMENDMENT-1
12 June 1979

MILITARY SPECIFICATION

SCARF, NECKWEAR, WOMAN'S, ACRYLIC

This amendment forms a part of Military Specification MIL-S-43317B, dated 29 July 1977, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Under "STANDARDS MILITARY": Add "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment".

2.2 Delete.

3.2 After title: Add "(See 6.7)".

PAGE 3

* 3.3, last two sentences: Delete.

* 3.3.1, lines 2 and 4: Delete "7500 kelvin" and "2800 kelvin" and substitute "7000 ± 500K" and "2850 ± 100K" respectively.

3.6, last sentence: Delete.

PAGE 5

Table II in column headed "Stitches per inch (/cm)", opposite operation 3: Delete "21-24 (8-9)" and substitute "16-18 (6-7)".

Operation 1: Delete and substitute:

"1. Cutting. The scarf shall be cut from the material so the length direction of the scarf is in the warp direction of the material. The scarf shall be cut so as to allow it to be finished to the specified size (see 3.10) and permit even fringing."

FSC 8445

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:09Z
Check the source to verify that this is the current version before use.

PAGE 5 (cont'd)

Operation 2: Delete and substitute:

"Operation 2 - Fringing. Fringing shall be accomplished by raveling each end of the scarf or by using a dead box in the loom and weaving without the filling yarns for a distance of 1-1/2 to 2 inches (38 to 51 mm). The length of the fringe at each end of the scarf shall be 3/4, - 1/8, + 1/4 inch (19, - 3, + 6 mm)."

Operation 5: Delete.

PAGE 6

* 4.2, after title: Delete paragraph and substitute "Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105."

PAGE 7

* Table III, columns 2, 3 and 4: Delete "Discoloration", "3.3", "5660 2/".

Test method column, after "5660": Add "2/".

PAGE 8

Table IV, defect column: Delete last defect for "Material defects".

Table IV, defect column, line 23: Delete "7/8 inch (22 mm)" and substitute "1 inch (25 mm)".

Table IV, opposite "stitching": Add the following in the columns indicated:

"Defect	Classification Major	Minor
Chain at either end of overedge stitching is longer than fringe		X"

PAGE 9

Table IV: Delete "Pressing" and all references thereto and substitute the following in the columns indicated:

Examine	Defect	Classification Major	Minor
"Finish	Does not match standard sample	X"	

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:09Z
Check the source to verify that this is the current version before use.

PAGE 9 (cont'd)

4.3, line 2: Delete "preservation-packaging" and insert "preservation".

Lines 4 and 6: Delete "prepared for delivery" and substitute "packaged".

PAGE 10

4.3, defect column, line 14: Delete "is" and substitute "of". In line 14 and 16 delete "packages" and substitute "packs". In footnote 1/ delete "packages" and substitute "packs".

5.1 Delete and substitute: "5.1 Preservation. Preservation shall be level A or Commercial as specified (see 6.2)."

5.1.1.1, in title: Delete "packaging" and substitute "pack".

PAGE 11

5.1.1.2, in title: Delete "packaging" and substitute "pack".

Line 1: Delete "packaged" and substitute "packed".

Line 2: Delete "preserved-packaged" and substitute "placed".

5.1.2 Delete and substitute "5.1.2 Commercial. Scarfs shall be preserved in accordance with MIL-STD-1188."

5.2, line 1: Delete "C" and substitute "Commercial".

5.2.1, line 1: Delete "-packaged".

5.2.2, line 1: Delete "-packaged".

PAGE 12

5.2.3 Delete and substitute: "5.2.3 Commercial packing. Scarfs, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188."

5.3, line 2: Delete "interior packages" and substitute "unit packs".

Line 3, after MIL-STD-129: Add "or MIL-STD-1188, as applicable."

5.3.1, line 1: Delete "packages" in two places and substitute "unit packs".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:09Z
Check the source to verify that this is the current version before use.

PAGE 12 (cont'd)

6.2, subparagraph b, line 1: Delete "-packaging".

6.3, line 1: After the word guide insert "sample".

PAGE 13

Add the following new paragraph:

"6.7 Recycled materials. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.2)."

NOTE: The margins of this amendment are marked with an asterisk to indicated where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:

Army - GL
Navy - NU

Review activities:

Army - MD
DLA - CT

Preparing activity:

Army - GL

Project No. 8445-0085

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:09Z
Check the source to verify that this is the current version before use.