W-R-101F
AMENDMENT-2
December 31, 1970

SUPERSEDING
Int. Amendment-1(Army-GI)
August 11,1970

FEDERAL SPECIFICATION

RANGES, ELECTRIC, DOMESTIC

This amendment, which forms part of Federal Specification W-R-101F, dated March 13, 1970, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 1

Paragraph 1.2.1, line 2, after "sizes". Delete "1/".

"Type II ranges," after "(slide-in)". Delete "1/" and substitute "2/".

Sizes 2, 3, 4, and 5, after "opening". Delete "2/" where referenced and substitute "3/".

Add the following in proper sequence:

"1/ A tolerance of plus or minus 1-inch wide is permissible." Last two lines:

Delete "1/" and substitute "2/".

Delete "2/" and substitute "3/".

PAGE 2

Paragraph 2.1, under "Military Standards". Delete "MIL-STD-129 - Marking for Shipment and Storage".

PAGE 3

Paragraph 2.2, under "American Society for Testing and Materials (ASTM) Standards". Delete "B407 - Nickel-Iron-Chromium Alloy Seamless Pipe and Tube."

Paragraph 2.2, under "American National Standards Institute (ANSI) Standards," in parenthetical phrase. Delete "ANSI" and substitute "American National".

FSC 7310

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:22Z
Check the source to verify that this is the current version before use.

PAGE 3 (con.)

Paragraph 3.1. Delete and substitute:

3.1 First article. This specification contains provisions for first article test and approval (see 4.2, 6.2, and 6.5).

PAGE 5

Paragraph 3.4.1.2, line 3. Add period after "blades" and delete remainder of sentence.

Paragraph 3.4.2, fourth sentence. Delete "incased in a seamless metal tube as specified in 3.4.9.2." and substitute "the manufacturer's commercial heating element."

Last sentence. Delete "The rack" and substitute "All racks".

PAGE 6

Paragraph 3.4.3, third sentence. Delete and substitute "The heating elements for surface units shall be the manufacturer's commercial elements."

PAGE 7

TABLE I. Delete and substitute:

TABLE I. Surface temperatures

Component part	Maximum rise above room temperature (degrees Fahrenheit)
Door panel	
Glazed 1/	110
Metal	95
Door Frame and Front Frame	125
Exterior sides	110
Handle and knobs	
Metallic	40
Non-Metallic	60

1/ No temperature shall be taken on the metal closer than 1-inch to the opening framing the glazed panel.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:22Z
Check the source to verify that this is the current version before use.

PAGES 7 and 8

Paragraphs 3.4.5 through 3.4.5.2.2. Delete.

PAGE 9

Paragraph 3.4.9.2. Delete.

Paragraph 3.4.10, second sentence. Delete "Cooktops and oven" and substitute "Cooktops shall be finished in accordance with the manufacturers standard practice. Add "Oven" in front of the thrid sentence.

PAGE 11

Paragraph 3.5.1.4, line 1. Delete "Style 1," and substitute "Except for overseas procurement (see 6.2), style 1,".

Add the following in proper sequence:

3.5.1.5 Type I oven door. The oven door for the type I range shall be as specified in 3.4.2.1. The overall width of the oven door, in the closed position, shall not extend beyond the sides of the body of the range.

PAGE 16

Table II (cont'd). Delete last defect "Instructions" in its entirety.

PAGE 18

Paragraph 6.2. Delete subparagraph "(c)" and substitute "(c) First article, (see 3.1, 4.2, and 6.5)."

Subparagraphs (h) and (i). Delete.

PAGE 19

Delete subparagraph "(m)" and substitute: "(m) When procurement is for overseas (see 3.5.1.4)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:22Z
Check the source to verify that this is the current version before use.

PAGE 19 (con.)

Add the following new paragraphs in proper sequence:

6.5 First article. The item covered by this specification requires first article test and approval under the appropriate provisions of paragraph 7-104.55 of the Armed Services Procurement Regulations. The first article should be a preproduction sample and should consist of one unit. The contracting officer should include specific instructions in all procurement instruments, regarding arrangements for examination test, and approval of the first article.

6.6 Manuals. Any requirements for instruction manuals for the items covered by this specification should be included in DD Form 1423 Contract Data Requirements List and cited in the contract.

MILITARY CUSTODIANS:

Army - GL
Navy - YD
Air Force - 84

Preparing activity:

Army - GL

Project No. 7310-0319

Review activities:

Army - MD, CE
Navy - SH

User activity:

Navy - MC

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:22Z
Check the source to verify that this is the current version before use.