INCH-POUND
AA-R-200F
INT. AMENDMENT-1 (Army-GL)
January 4, 1990

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

REFRIGERATOR, MECHANICAL, FOOD: SELF-CONTAINED,
REACH-IN AND PASS-THROUGH

This interim amendment was developed by the U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to AA-R-200F, dated March 19, 1987.

PAGE 2

1.2, in the columns indicated: Add

Type	Outer shell	Inner liner	Door
"I	(Type A thru H)	Plastic (ABS)	Exterior same as outer shell Interior plastic (ABS)"

1.2, after Style 2: Add "Style 3 - Thru wall mounted (doors on front and rear)".

PAGE 3

2.1, under "Federal Specifications:" Add "L-P-1183 - Plastic Molding Material, Acrylonitrile-Butadiene-Styrene (ABS) Rigid"

PAGE 5

2.2, under "National Sanitation Foundation (NSF):" Add: "No. 51 - Plastic Materials and Components used in Food Equipment"

AMSC N/A FSC 4110

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

PAGE 6

2.2: Add new entry:

"NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)

Standard No. 70 - The National Electric Code

(Copies should be obtain from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269)"

PAGE 8

3.4.6.1.1, at the end of the paragraph: Add "conforming to L-P-1183."

3.5, line 9, after "rear.": Add "The style 3 refrigerator shall be a pass-through type for thru wall mounting with contents accessible from the front and provisioning from the rear (other side of wall)."

PAGE 13

3.6.3.5.1, line 3: Delete "0.0239" and substitute "0.0293"

3.6.3.5.2, line 3: Delete: "16-gage (0.050 inch nominal)" and substitute "0.050 inch nominal".

3.6.3.5.4, line 6: Delete "0.0355" and substitute "0.0359"

PAGE 14

3.6.3.6.3, line 3: Delete "0.0355" and substitute "0.0359"

Add the following new paragraph:

"3.6.3.6.4 Plastic inner liner. The molded or formed plastic inner liner for the types A thru H outer shells (see 1.2), shall conform to the plastic as specified in 3.4.6.1.1. Sealing, joining and attachment of the inner liner to the outer shell shall conform to the applicable sections of NSF 7 (3.6, 4.15, and 4.15.2)."

3.6.3.7, line 30: Delete: "0.0355" and substitute "0.0359"

PAGE 15

3.6.3.8, before the last sentence: Add "Legs are not required for the style 3 refrigerator."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

PAGE 15

3.6.3.10, lines 5 and 6, after "supply cord": Add "in accordance with NFPA Standard No. 70."

PAGE 16

3.6.3.11.1, line 6, after "inner liner": Add "(see 1.2)."

PAGE 20

3.6.3.15.3, line 3: Delete "0.0355" and substitute "0.0359".

PAGE 47

6.2, f, after "specified": Add "or are not required."

MILITARY INTERESTS:

Custodian

Army - GL

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

Preparing activity

Army - GL

(Project 4110-A439)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.