AA-R-211G
AMENDMENT-3
September 18, 1975
SUPERSEDING
Int. Amendment-2
December 23, 1974
Amendment-1
January 9, 1974

FEDERAL SPECIFICATION

REFRIGERATORS, MECHANICAL, HOUSEHOLD
(ELECTRICAL, SELF-CONTAINED)

This amendment, which forms a part of Federal Specification AA-R-211G, dated September 5, 1972, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 4

2.1 Add the following new paragraphs:

Laws and Regulations:

U. S. Department of Health, Education and Welfare:

Federal Food, Drug and Cosmetic Act, as Amended Federal Regulations for Contact with Food.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

2.2 Under "Department of Commerce" delete "A Multipurpose Photoelectric Reflectometer Journal of Research, Research Paper RP 1345 25(s) 581-618 (1940)".

PAGE 5

2.2 Delete "American Institute of Physics - Journal of the Optical Society of America, 28, 372 (1938). (Application for copies should be addressed to the American Institute of Physics, 335 East 45 Street, New York, NY 10017)."

2.2 Under "American Society for Testing and Materials (ASTM)". Add

C 347 - Reflectivity and Coefficient of Scatter of White Porcelain Enamels.
E 97-45 - Degree and 0 Degree Directional Reflectance of Opaque Specimens by Filter Photomery.

2.2 Delete "National Sanitation Foundation (NSF)" in its entireties.

PAGE 6

3.3.2 and 3.3.2.1 Delete and substitute:

3.3.2 Federal Food, Drug and Cosmetic Act. The interior finish of low-temperature-food and frozen food storage compartments, when baked enamel or acrylic enamel is used shall conform with the applicable requirements of the Federal Food, Drug and Cosmetic Act (Food Additive resulting from contact with containers or equipment and food additive otherwise affecting food, Section 121-2514-Subpart F, resinous polymeric).

FSC 4110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

3.3.2.1 Compliance. Prior to approval of the first article, if one is submitted, or prior to commencing production, the supplier shall submit to the contracting officer or his authorized representative satisfactory evidence that the refrigerators and all components thereof he proposes to furnish under this specification meet the applicable requirements of the Federal Food, Drug and Cosmetic Act. Acceptable evidence shall be a certification from a recognized independent testing laboratory.

PAGE 8

3.4.4, line 3, after "table I". Delete remainder of sentence and add "unless otherwise specified (see 6.2)."

PAGE 13

3.6.1.3, line 7, after "refrigerators". Delete "and".

line 8, after "specified". Delete "(see 6.2) for specific size".

line 9, after "sheet". Delete period and add "(see 6.2)".

line 16, after "sump". Insert "no less than 1/2 liquid quart capacity (see 4.4.13)".

line 21. Delete commas after "acrylonitrile and butadiene".

At end of paragraph add: "The plastic liner flat surfaces shall have an average thickness of 1/16 inch (minimum). Corners may go down to a 1/32 inch (minimum) thickness.

3.6.1.5, line 6. Delete "food-pedal" and insert "hand-pull".

PAGE 14

3.6.1.5, line 2, after "adjustable". Delete "period" and add "and capable of being released from inside the refrigerator".

3.6.1.5.2, sentences 5 and 6. Delete in their entirety.

3.6.1.7, line 3. Delete "styrene" substitute "polystyrene".

PAGE 17

3.6.3.1.1, line 2, after "dipped". Insert "or otherwise suitably protected".

PAGE 20

Table III, eighth characteristics. Delete "Strain" substitute "Stain".

Table III, lines 24 and 25. Delete "Bottom breaker strip seal", "3.6.1.5.2", "4.4.13", and "X".

PAGE 27

4.4.7.2 Delete and substitute: "4.4.7.2 Reflectance test. To determine compliance with the requirements of 3.6.1.2.1 the porcelain (vetreous) enamel finish shall be tested for reflectance in accordance with ASTM C347 and ASTM E97. Failure to meet the 75 percent reflectance shall be cause for rejection of the item."

4.4.8, line 2. Delete "96 hour".

PAGE 28

4.4.11, line 5, after "performed". Delete period and add "for a period of 8 days".

4.4.13 Delete and substitute: "4.4.1.3 Sump capacity test. To determine conformance with 3.6.1.3, with the inner sump or well empty and dry, a measured 1/2 quart of tinted liquid shall be poured in the bottom of the general storage compartment to verify the holding capacity provided for spillage. Lesser holding capacity shall constitute failure of this test."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

6.2, subparagraph "(n)". Delete in its entirety.

Custodians:

Army - GL
Navy - YD
Air Force - 82

Review activities:

Army - ME, MD
Navy - MS

User activities:

Army - CE
Navy - MC

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

HEW - FEC, FDA, NIH
DC - DCG
GSA-FSS

Project No. 4110-0274

U. S. GOVERNMENT PRINTING OFFICE : 1975 - 211-232/47

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.