DOD-STD-35-16C(MI)

15 May 1981

SUPESEDING
MIL-STD-35-16B(MI)
15 JANUARY 1979
AND
MIL-STD-35-15A(MI)
15 JANUARY 1979

MILITARY STANDARD

MICROCIRCUIT DEVICES

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

FSC EDS

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL
DEVELOPMENT AND READINESS COMMAND
ALEXANDRIA, VA 22333

Microcircuit Devices
Automated Engineering
Document Preparation System

DOD-STD-35-16C(MI)

1. This Military Standard is approved for use by DARCOM, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to Commander, U.S. Army Missile Command, ATTN: DRSMI-RSDC, Redstone Arsenal, Alabama 35898, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

FOREWORD

1. The purpose of DOD-STD-35-16C(MI) is to provide instructions for the preparation of Specification Requirements Sheets (SRS) in order to produce Military Specification Exceptions for microcircuit devices waiving QPL requirements for MIL-M-38510.

2. In order to properly utilize this document, it is necessary to have a complete and thorough understanding of the DOD-STD-35.

3. It is important that the procedures described in the basic document (DOD-STD-35D and subsequent revisions) be followed explicitly in order to produce a document suitable for procurement. Information which is standard for all dash-numbered parts has been included in the basic document at the issuance of DOD-STD-35D. This information is not repeated in each dash-numbered part.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	2
	2.1	Issues of Documents	2
	3.	DEFINITIONS	3
	4.	GENERAL REQUIREMENTS	4
	4.1	Introduction	4
	4.2	Specification Requirement Sheet (SRS)	4
	4.3	Configuration	4
	5.	DETAILED REQUIREMENTS	5
	5.1	Introduction	5
	5.2	MSE Format	5
	5.3	Tabulation	5
	5.4	Keyword Code Index (KCI) and Standard Paragraphs	5
	5.4.1	Interrelationship of Codes	5
	5.4.2	Automatic MSE Data	5

TABLES

Table	I.	Title Index	1

APPENDICES

APPENDIX	A.	Characteristic Code Index	15
		Index	17

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of military specification exception (MSE) documentation for microcircuit devices.

1.2 Purpose. An MSE on microcircuit devices is prepared only when a detailed specification sheet is available and there is no QPL listing for the device. The MSE will provide an exception to the requirement for QPL listing.

1.3 Utilization. General instructions applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Keyword Code Index (KCI)
d. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. It is recommended that MIL-STD-1562, Lists of Standard Microcircuits, be reviewed prior to using this dash-numbered part book.

The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSE's for the MSE titles indicated.

One of the six-digit codes listed in the Title Index, entered on an SRS, will specify that the title of the MSE will be the title shown in the Title Index.

TABLE I. TITLE INDEX.

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
MICROCIRCUIT, DIGITAL	452001	MIL-M-38510	MICROCIRCUITS
MICROCIRCUIT, LINEAR	452002	MIL-M-38510	MICROCIRCUITS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-M-38510	Microcircuits, General Specification For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Definitions contained in DOD-STD-35 are applicable to microcircuit devices.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 Introduction. In order to properly prepare an SRS for microcircuit devices, it is necessary to use DOD-STD-35 in conjunction with this dash-numbered part. In the event the instructions or the writing methodology are not followed, an AEDPS edit routine will print error messages rather than the desired MSE oducment.

4.2 Specification Requirement Sheet (SRS). SRS requirements described in DOD-STD-35 are applicable to microcircuit devices.

4.3 Configuration. No exceptions to the configuration specified by MIL-M-38510 and the detail sheet shall be permitted by the use of this dash-numbered part of DOD-STD-35. A complete military part number must be supplied with code 1600 which will specify the configuration required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE format. All MSE's prepared for microcircuits shall be single-section documents, similar to a military specification sheet. This requires that code 0800 with an "X" be entered on the SRS to create single section format.

5.3 Tabulation. No tabulation shall be permitted for a microcircuit MSE.

5.4 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on an SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and its associated code. Enter, on the SRS, the code and the characteristic value required. DOD-STD-35 codes shall not be applicable to this dash-numbered part. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix A, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.4.1 Interrelationship of codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The paragraph, of which the code is a part, is shown by the standard paragraph adjacent to the code on a right-hand page. When a characteristic value entered with a code becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact entry as supplied with the code, except for "X" entries.

5.4.2 Automatic MSE data. Some statements will appear in the printed MSE without having to make additional entries. These statements are linked by data base logic to characteristic codes listed and will print when one of the codes listed is used. Explanations are noted on the KCI as required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	
NOTE: DETAIL SHEET REQUIRED	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT	
ONE SECTION DOCUMENT.	0800

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S) 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0800	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX

CHARACTERISTIC NAME	CHAR CODE
*SOURCE(S)	
*SPECIFICATION CONTROL.	6874
*SOURCE TABLE	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE. (P3538510___-___)	
*MILITARY PART NUMBER (DESIGNATION)	1600
NOTE: ENTER PART NUMBER PER MIL-M-38510 INCLUDING DETAIL SHEET, DEVICE TYPE, CLASS, CASE OUTLINE AND LEAD FINISH	
PART MARKING	
NOTE: AUTOMATIC FOR ALL DOCUMENTS	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE | STANDARD PARAGRAPH

SOURCE(S).

6874 THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).

SOURCE TABLE

FSCM NUMBER	MANUFACTURER'S PART NUMBER
9AAB	9AAC
9AAD	9AAE
9AAF	9AAG
9AAH	9AAI
9AAJ	9AAK
9AAL	9AAM

PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.

1600 MILITARY PART NUMBER. EXCEPTIONS APPLY TO 1600.

PART MARKING. THE PART NUMBER SHALL BE AS SHOWN ABOVE. MARK IN ACCORDANCE WITH MIL-M-38510 EXCEPT THE M38510 DESIGNATOR AND J OR JAN MARKING SHALL NOT BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SERIALIZATION	
REQUIRED.	1601
QUALIFIED PRODUCT LISTING WAIVED	
NOTE: AUTOMATIC FOR ALL DOCUMENTS	
QUALITY CONFORMANCE INSPECTION (SELECT ONE)	
NOTE: AUTOMATIC WHEN ONE OF THE CODES BELOW IS USED.	
GENERIC TEST DATA PERMITTED.	1602
PERFORM QUALITY CONFORMANCE INSPECTIONS (SELECT ONE)	
SUPPLY DATA.	1603

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
1601	SERIALIZATION. SERIALIZATION SHALL BE REQUIRED.
	QUALIFIED PRODUCT LIST. REQUIREMENT FOR LISTING ON QPL-38510 IS WAIVED. ITEMS FURNISHED UNDER THIS DOCUMENT SHALL BE SUPPLIED BY MANUFACTURERS WHO ARE QUALIFIED TO SUPPLY ITEMS LISTED IN QPL-38510.
	QUALITY CONFORMANCE INSPECTION. THE QUALITY CONFORMANCE INSPECTIONS SHALL BE AS SPECIFIED IN THE BASE DOCUMENT, EXCEPT AS SPECIFIED HEREIN.
1602	GENERIC TEST DATA MAY BE USED TO SATISFY THE REQUIREMENTS FOR GROUPS B, C, AND D INSPECTIONS. A CERTIFICATION OF COMPLIANCE TO THE QUALITY CONFORMANCE REQUIREMENTS SHALL BE SHIPPED WITH EACH SHIPMENT. IT SHALL CONTAIN THE PART NUMBER AND LOT AND DATE CODES OF BOTH PURCHASED PARTS AND TESTED GENERIC PARTS. THE SUPPLIER SHALL BE REQUIRED TO RETAIN GENERIC TEST DATA FOR A PERIOD OF NOT LESS THAN 36 MONTHS FROM THE DATE OF SHIPMENT. GENERIC TEST DATA ARE DEFINED AS TEST DATA FROM DEVICES MANUFACTURED DURING THE SAME TIME PERIOD, WITH THE SAME PRODUCTION TECHNIQUES, MATERIALS, AND CONTROLS, AND DESIGNED WITHIN THE SAME MICROCIRCUIT GROUP. THE SAME TIME PERIOD SHALL BE INTERPRETED AS GOVERNING A MAXIMUM SPAN OF 180 DAYS BETWEEN GENERIC TEST SAMPLE FABRICATION AND FABRICATION OF THE DELIVERABLE DEVICES. THIS TEST DATA SHALL BE SUBJECT TO THE APPROVAL OF THE PROCURING ACTIVITY.
1603	ONE REPRODUCIBLE COPY OF THE TEST DATA FOR EACH LOT DELIVERED ON AN ORDER SHALL BE SUPPLIED WITH THE DEVICES. ATTRIBUTES DATA SHALL BE SUPPLIED FOR SCREENING AND QUALITY CONFORMANCE INSPECTIONS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
QUALITY CONFORMANCE INSPECTION (CONT)	
PERFORM QUALITY CONFORMANCE INSPECTIONS (CONT)	
SUPPLY CERTIFICATE OF COMPLIANCE.	1604

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
1604	QUALITY CONFORMANCE TEST REPORTS SHALL NOT BE SHIPPED WITH THE PARTS, BUT SHALL BE AVAILABLE FOR REVIEW BY THE PROCURING ACTIVITY. A CERTIFICATE OF COMPLIANCE TO THE QUALITY ASSURANCE REQUIREMENTS SHALL BE SHIPPED WITH EACH SHIPMENT. IT SHALL CONTAIN THE PART NUMBER AND LOT AND DATE CODES. RETENTION OF TEST REPORTS SHALL BE REQUIRED FOR A PERIOD OF NOT LESS THAN 36 MONTHS FROM THE DATE OF SHIPMENT.

Custodians:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-317)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

APPENDIX A

CHARACTERISTIC CODE INDEX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	6						
0102	6						
0103	6						
0104	6						
0105	6						
0800	6						
1004	6						
1005	6						
1006	6						
1008	6						
1600	8						
1601	10						
1602	10						
1603	10						
1604	10						
6369	6						
6874	8						

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

INDEX

	Page
Base Document	6
City, State, Zip	6
Company Name/Command	6
Contract Number/Office Symbol	6
Format	6
Government Design Activity FSCM	6
Military Part Number	8
Part Marking	8
Part Number	8
Phone Number	6
Qualified Product Listing Waived	10
Quality Conformance Inspection	10
Requester FSCM	6
Requester's Name	6
Serialization	10
Source(s)	8
Street/Building	6
System Application	6

☆U.S. GOVERNMENT PRINTING OFFICE: 1981-703-023/5135

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Missile Command
Attn: DRSMI-ED
Redstone Arsenal, AL 35809

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.