MILITARY STANDARD
GAGES, PLUG, THREAD, GO, (CLASS X)
FOR
UNIFIED AND AMERICAN NATIONAL STANDARD INTERNAL THREADS

TO ALL HOLDERS OF Mil–Std–114C:

1. The following pages of Mil–Std–114C have been revised and supersede the pages listed:

New page	*Date*	*Superseded page*	*Date*
ii	28 August 1964	ii	15 March 1963
iii	28 August 1964	iii	15 March 1963
1	28 August 1964	1	15 March 1963
3	28 August 1964	3	15 March 1963
32	28 August 1964	32	15 March 1963

2. Retain this notice and insert before the table of contents.

3. Holders of Mil–Std–114C will verify that page changes and additions indicated above have been entered and will destroy the previous notice (notice page only). The latest notice (notice page) will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE

WASHINGTON, D.C.

Gages, Plug, Thread, Go (Class X) for Unified and American National Standard Internal Threads

Mil-Std-114C

1. This Military Standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense.

2. Recommended corrections, additions, or deletions should be addressed to Commanding Officer, U.S. Army Frankford Arsenal, Attn: SMUFA-5500, Philadelphia, Pa., 19137.

Supersedes page ii of 15 March 1963.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

CONTENTS

1.	SCOPE	1
2.	REFERENCED DOCUMENTS	1
3.	DEFINITIONS	2
4.	GENERAL REQUIREMENTS	2
4.1.1	Tables I, II, and III—Tabulation of design and identification data	2
4.1.2	Table IV Listing of Mil-Std Part Numbers in numerical sequence	3
5.	PROCUREMENT	3
6.	SPECIAL REQUIREMENTS (U.S. Air Force)	3

FIGURES

1.	Go thread plug gage (taperlock type)	4
2.	Go thread plug gage (trilock type)	5

TABLES

I.	Tabulation of design and identification data—Unified Standard thread	6
II.	Tabulation of design and identification data—American National Standard thread	26
III.	Tabulation of design and identification data—special (UNS) threads	27
IV.	Listing of Mil-Std Part Numbers in numerical sequence	29

Supersedes page iii of 15 March 1963.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 This standard covers pertinent design data and Mil–Std Part Numbers for American Gage Design Standard, single end, go, right-hand thread plug gages for the inspection of the minimum limits of Unified Standard Classes 1B, 2B, 3B and American National Standard Classes 1, 2, 3 internal threads.

1.2 The same go thread plug gage is applied to classes 1, 1B, 2, 2B, 3 and 3B internal threads having the same nominal size and threads per inch. This is a basic gage and the thread designation omits any reference to class. Example: 0.2500–2OUNC

1.3 The design data for go thread plug gages employs class X gage manufacturing tolerances in accordance with the U.S. Department of Commerce Handbook H28 "Screw-Thread Standards for Federal Services."

2. REFERENCED DOCUMENTS

2.1 The issues of the following documents in effect on the date of invitation for bids form a part of this standard.

STANDARD

Mil–Std–10—Surface Roughness Waviness and Lay.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.)

SPECIFICATIONS

Mil–S–7742—Screw Threads, Standard, Optimum Selected Series, General Specification for.

Mil–G–45654—Gages, Plug and Ring, Thread.

(Copies of specifications should be obtained from the procuring activity or as directed by the contracting officer.)

OTHER PUBLICATIONS

U.S. Department of Commerce, National Bureau of Standards, Handbook H28 "Screw-Threaded Standards for Federal Services."

U.S. Department of Commerce, Commercial Standard CS8, "Gage Blanks."

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Not applicable.

4. GENERAL REQUIREMENTS

4.1 This standard contains four tables. Table I provides tabulated design data required for manufacture and inspection and is arranged in ascending size sequence according to thread designation for Unified Standard gages. Table II—Design data for American National Standard gages is the same (see 1.2) as Unified Standard gages and no data is listed. Reference should be made to table I for required data. Table III contains thread designations previously listed in the Standard series. They have been redesigned from standard to special (UNS) threads and are listed herein for reference purposes. Table IV is a listing of Mil–Std Part Numbers in ascending numerical sequence, and is provided as an aid for locating the required design data contained in tables I, II, and III for any given Mil–Std Part Number.

4.1.1 Tables I, II, and III. Tabulation of design and identification data.

4.1.1.1 Mil–Std Part Numbers and the corresponding thread designations for each go thread plug gage are listed in columns B and C respectively.

4.1.1.2 Column A lists the proper reference to the applicable figure (drawing) for each Mil–Std Part Number.

4.1.1.3 Columns B to D inclusive list the identification data for each Mil–Std Part Number and, when applied to the figure (drawing) referenced in column A, provide information for proper marking of the gages. It is not necessary to mark the "5220" indicated in column B on the gage. For example: Mil–Std Part Number 5220–751–4001 may be marked 7514001 on the gage.

4.1.1.4 Columns E to J inclusive list the design data for each Mil–Std Part Number and when applied to the figure (drawing) referenced in column A, provide data required for manufacture and inspection.

4.1.1.5 The unit of measurement in columns D, E, F, G, and J is inches. Column H is ± minutes of a degree.

4.1.1.6 Design data, etc., not specifically covered in this standard shall conform to the latest issue of the documents referenced in paragraph 2 above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

4.1.2 Table IV. Listing of Mil–Std Part Numbers in numerical sequence.

4.1.2.1 All Mil–Std Part Numbers contained in this standard are listed in ascending numerical sequence in column A.

4.1.2.2 Column B references the page number in tables I, II, and III where the design and identification data for the applicable Mil–Std Part Numbers may be found.

5. PROCUREMENT

5.1 The general requirements and tabulated design data contained in this standard are applicable for procurement purposes, as are the referenced manufacturing and inspection specifications.

5.2 ORDERING DATA. Procurement documents should specify the following:

(a) Title, number, and date of this standard.

(b) Number of gages required and Mil–Std Part Number.

(c) Place of delivery for acceptance inspection.

6. SPECIAL REQUIREMENTS (U.S. Air Force)

6.1 U.S. Air Force procurement and supply will normally be limited to the aeronautical screw thread selections contained in MIL–S–7742, and within the following series and sizes.

Coarse Thread Series—UNC.
No. 1 (0.073)—64 through 1–8.
Fine Thread Series—UNF.
No. 0 (0.060)—80 through 1½–12.
Extra Fine Thread Series—UNEF.
¼–32 through 1½–18.

6.2 Procurement and supply of gages in the series listed below shall be permitted only when justifiable requirements exist:

8 Thread Series—8 UN.
12 Thread Series—12 UN.
16 Thread Series—16 UN.
Special Threads—UNS AND NS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.




FIGURE 1. *Go thread plug gage (taperlock type).*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.

TABLE IV. *Listing of Mil-Std Part Numbers in numerical sequence*—Continued

MIL-STD Part Number	Page No.*	MIL-STD Part Number	Page No.*	MIL-STD Part Number	Page No.*	MIL-STD Part Number	Page No.*
A	B	A	B	A	B	A	B
7517184	14	7517208	17	7517232	20	7517256	23
7517185	14	7517209	17	7517233	20	7517257	23
7517186	14	7517210	17	7517234	20	7517258	24
7517187	14	7517211	17	7517235	21	7517259	24
7517188	15	7517212	17	7517236	21	7517260	24
7517189	15	7517213	17	7517237	21	7517261	24
7517190	15	7517214	17	7517238	21	7517262	24
7517191	15	7517215	18	7517239	21	7517263	24
7517192	15	7517216	18	7517240	21	7517264	24
7517193	15	7517217	18	7517241	22	7517265	24
7517194	15	7517218	18	7517242	22	7517266	24
7517195	15	7517219	18	7517243	22	7517267	24
7517196	15	7517220	18	7517244	22	7517268	25
7517197	15	7517221	19	7517245	22	7517269	25
7517198	16	7517222	19	7517246	23	7517270	25
7517199	16	7517223	19	7517247	23	7517271	25
7517200	16	7517224	19	7517248	23	7517272	25
7517201	16	7517225	19	7517249	23	7517273	35
7517202	16	7517226	19	7517250	23	7517274	25
7517203	16	7517227	19	7517251	23	7517275	25
7517204	16	7517228	20	7517252	23	7517276	25
7517205	16	7517229	20	7517253	23		
7517206	16	7517230	20	7517254	23		
7517207	17	7517231	20	7517255	23		

*Applicable page number in table I, II, or III for design and identification data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:12Z
Check the source to verify that this is the current version before use.